



## Open Source Used In Duo (Free to Beyond) - AuthProxy 5.8.0

### **Cisco Systems, Inc.**

[www.cisco.com](http://www.cisco.com)

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco website at [www.cisco.com/go/offices](http://www.cisco.com/go/offices).

Text Part Number: 78EE117C99-1527324926

**This document contains licenses and notices for open source software used in this product. With respect to the free/open source software listed in this document, if you have any questions or wish to receive a copy of any source code to which you may be entitled under the applicable free/open source license(s) (such as the GNU Lesser/General Public License), please submit this [form](#).**

**In your requests please include the following reference number 78EE117C99-1527324926**

## Contents

### **1.1 openssl-fips 2.0.16**

1.1.1 Available under license

### **1.2 python-setuptools 42.0.2**

1.2.1 Available under license

### **1.3 cffi 1.14.1**

1.3.1 Available under license

### **1.4 twisted 22.4.0**

1.4.1 Available under license

### **1.5 automat 20.2.0**

1.5.1 Available under license

### **1.6 duo-client-python 4.0.0**

1.6.1 Available under license

### **1.7 decorator 4.4.1**

1.7.1 Available under license

### **1.8 pytest 5.3.5**

1.8.1 Available under license

### **1.9 openssl 1.0.2zd**

1.9.1 Notifications

1.9.2 Available under license

### **1.10 pyrad 2.4**

1.10.1 Available under license

### **1.11 cryptography 2.7**

1.11.1 Available under license

### **1.12 twisted\_connect\_proxy 1.0.0**

1.12.1 Available under license

### **1.13 service-identity 18.1.0**

- 1.13.1 Available under license
- 1.14 attrs 19.3.0**
  - 1.14.1 Available under license
- 1.15 ldaptor 21.2.0**
  - 1.15.1 Available under license
- 1.16 netaddr 0.7.10**
  - 1.16.1 Available under license
- 1.17 pyparsing 3.0.0a2**
  - 1.17.1 Available under license
- 1.18 idna 2.7**
  - 1.18.1 Available under license
- 1.19 python3-asn1crypto 1.2.0**
  - 1.19.1 Available under license
- 1.20 hyperlink 18.0.0**
  - 1.20.1 Available under license
- 1.21 setuptools-scm 2.1.0**
  - 1.21.1 Available under license
- 1.22 py 1.11.0**
  - 1.22.1 Available under license
- 1.23 dpkt 1.9.2**
  - 1.23.1 Available under license
- 1.24 pyasn1 0.4.8**
  - 1.24.1 Available under license
- 1.25 python 3.8.12**
  - 1.25.1 Available under license
- 1.26 atomicwrites 1.4.0**
  - 1.26.1 Available under license
- 1.27 pyasn1-modules 0.2.8**
  - 1.27.1 Available under license
- 1.28 zope-interface 5.4.0**
  - 1.28.1 Available under license
- 1.29 twisted\_iocpsupport 1.0.2**
  - 1.29.1 Available under license
- 1.30 pyopenssl 17.5.0**
  - 1.30.1 Available under license
- 1.31 pycparser 2.10**
  - 1.31.1 Available under license
- 1.32 colorama 0.3.9**
  - 1.32.1 Available under license

### 1.33 typing-extensions 4.2.0

1.33.1 Available under license

### 1.34 packaging 20.1

1.34.1 Available under license

### 1.35 psutil 5.7.2

1.35.1 Available under license

### 1.36 constantly 15.1.0

1.36.1 Available under license

### 1.37 six 1.15.0

1.37.1 Available under license

### 1.38 incremental 21.3.0

1.38.1 Available under license

### 1.39 pywin32-win32 227

1.39.1 Available under license

## 1.1 openssl-fips 2.0.16

### 1.1.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/* =====  
* Copyright (c) 2001 The OpenSSL Project. All rights reserved.  
*  
* Redistribution and use in source and binary forms, with or without  
* modification, are permitted provided that the following conditions  
* are met:  
*  
* 1. Redistributions of source code must retain the above copyright  
* notice, this list of conditions and the following disclaimer.  
*  
* 2. Redistributions in binary form must reproduce the above copyright  
* notice, this list of conditions and the following disclaimer in  
* the documentation and/or other materials provided with the  
* distribution.  
*  
* 3. All advertising materials mentioning features or use of this  
* software must display the following acknowledgment:  
* "This product includes software developed by the OpenSSL Project  
* for use in the OpenSSL Toolkit. (http://www.OpenSSL.org/)"  
*  
* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to  
* endorse or promote products derived from this software without  
* prior written permission. For written permission, please contact  
* licensing@OpenSSL.org.
```

```

*
* 5. Products derived from this software may not be called "OpenSSL"
* nor may "OpenSSL" appear in their names without prior written
* permission of the OpenSSL Project.
*
* 6. Redistributions of any form whatsoever must retain the following
* acknowledgment:
* "This product includes software developed by the OpenSSL Project
* for use in the OpenSSL Toolkit (http://www.OpenSSL.org/)"
*
* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS" AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
* =====
*
* This product includes cryptographic software written by Eric Young
* (eay@cryptsoft.com). This product includes software written by Tim
* Hudson (tjh@cryptsoft.com).
*
*/

```

Found in path(s):

```

* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/uid.c
* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/o_time.h

```

No license file was found, but licenses were detected in source scan.

```

/* =====
* Copyright (c) 2004 The OpenSSL Project. All rights reserved
* according to the OpenSSL license [found in ../../LICENSE].
* =====
*/

```

Found in path(s):

```

* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-
2.0.16/crypto/sha/sha512.c
* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-
2.0.16/crypto/sha/sha256.c

```

No license file was found, but licenses were detected in source scan.

```

#!/usr/bin/env perl

# =====
# Written by Andy Polyakov <appro@fy.chalmers.se> for the OpenSSL
# project. The module is, however, dual licensed under OpenSSL and
# CRYPTOGAMS licenses depending on where you obtain it. For further
# details see http://www.openssl.org/~appro/cryptogams/.
# =====

# I let hardware handle unaligned input(*), except on page boundaries
# (see below for details). Otherwise straightforward implementation
# with X vector in register bank. The module is big-endian [which is
# not big deal as there're no little-endian targets left around].
#
# (*) this means that this module is inappropriate for PPC403? Does
# anybody know if pre-POWER3 can sustain unaligned load?

# -m64 -m32
# -----
# PPC970,gcc-4.0.0 +76% +59%
# Power6,xlc-7 +68% +33%

$flavour = shift;

if ($flavour =~ /64/) {
    $SIZE_T = 8;
    $LRSIZE = 2*$SIZE_T;
    $UCMP = "cmpld";
    $STU = "stdu";
    $POP = "ld";
    $PUSH = "std";
} elsif ($flavour =~ /32/) {
    $SIZE_T = 4;
    $LRSIZE = $SIZE_T;
    $UCMP = "cmplw";
    $STU = "stwu";
    $POP = "lwz";
    $PUSH = "stw";
} else { die "nonsense $flavour"; }

$0 =~ m/(.*[\\\/][^\\\/]+$)/; $dir=$1;
( $xlate="$dir/ppc-xlate.pl" and -f $xlate ) or
( $xlate="$dir/../../perlasm/ppc-xlate.pl" and -f $xlate ) or
die "can't locate ppc-xlate.pl";

open STDOUT, "| ^X $xlate $flavour ".shift || die "can't call $xlate: $!";

$FRAME=24*$SIZE_T+64;

```

```
$LOCALS=6*$SIZE_T;
```

```
$K ="r0";  
$sp ="r1";  
$toc="r2";  
$ctx="r3";  
$inp="r4";  
$num="r5";  
$t0 ="r15";  
$t1 ="r6";
```

```
$A ="r7";  
$B ="r8";  
$C ="r9";  
$D ="r10";  
$E ="r11";  
$T ="r12";
```

```
@V=($A,$B,$C,$D,$E,$T);  
@X=("r16","r17","r18","r19","r20","r21","r22","r23",  
"r24","r25","r26","r27","r28","r29","r30","r31");
```

```
sub BODY_00_19 {  
my ($i,$a,$b,$c,$d,$e,$f)=@_  
my $j=$i+1;  
$code.=<<__ if ($i==0);  
lwz @X[$i],`$i*4`($inp)  
____  
$code.=<<__ if ($i<15);  
lwz @X[$j],`$j*4`($inp)  
add $f,$K,$e  
rotlwi $e,$a,5  
add $f,$f,@X[$i]  
and $t0,$c,$b  
add $f,$f,$e  
andc $t1,$d,$b  
rotlwi $b,$b,30  
or $t0,$t0,$t1  
add $f,$f,$t0  
____  
$code.=<<__ if ($i>=15);  
add $f,$K,$e  
rotlwi $e,$a,5  
xor @X[$j%16],@X[$j%16],@X[(($j+2)%16]  
add $f,$f,@X[$i%16]  
and $t0,$c,$b  
xor @X[$j%16],@X[$j%16],@X[(($j+8)%16]  
add $f,$f,$e
```

```

andc $t1,$d,$b
rotlwi $b,$b,30
or $t0,$t0,$t1
xor @X[$j%16],@X[$j%16],@X[(j+13)%16]
add $f,$f,$t0
rotlwi @X[$j%16],@X[$j%16],1

```

```

}

```

```

sub BODY_20_39 {
my ($i,$a,$b,$c,$d,$e,$f)=$_;
my $j=$i+1;
$code.=<<__ if ($i<79);
add $f,$K,$e
rotlwi $e,$a,5
xor @X[$j%16],@X[$j%16],@X[(j+2)%16]
add $f,$f,@X[$i%16]
xor $t0,$b,$c
xor @X[$j%16],@X[$j%16],@X[(j+8)%16]
add $f,$f,$e
rotlwi $b,$b,30
xor $t0,$t0,$d
xor @X[$j%16],@X[$j%16],@X[(j+13)%16]
add $f,$f,$t0
rotlwi @X[$j%16],@X[$j%16],1

```

```

$code.=<<__ if ($i==79);
add $f,$K,$e
rotlwi $e,$a,5
lwz r16,0($ctx)
add $f,$f,@X[$i%16]
xor $t0,$b,$c
lwz r17,4($ctx)
add $f,$f,$e
rotlwi $b,$b,30
lwz r18,8($ctx)
xor $t0,$t0,$d
lwz r19,12($ctx)
add $f,$f,$t0
lwz r20,16($ctx)

```

```

}

```

```

sub BODY_40_59 {
my ($i,$a,$b,$c,$d,$e,$f)=$_;
my $j=$i+1;
$code.=<<__;
add $f,$K,$e

```



```

rotlwi $e,$a,5
xor @X[$j%16],@X[$j%16],@X[(j+2)%16]
add $f,$f,@X[$i%16]
and $t0,$b,$c
xor @X[$j%16],@X[$j%16],@X[(j+8)%16]
add $f,$f,$e
or $t1,$b,$c
rotlwi $b,$b,30
xor @X[$j%16],@X[$j%16],@X[(j+13)%16]
and $t1,$t1,$d
or $t0,$t0,$t1
rotlwi @X[$j%16],@X[$j%16],1
add $f,$f,$t0
}

```

```

$code=<<___.
.machine "any"
.text

```

```

.globl .sha1_block_data_order
.align 4
.sha1_block_data_order:
$STU $sp,-$FRAME($sp)
mflr r0
$PUSH r15,`$FRAME-$SIZE_T*17`($sp)
$PUSH r16,`$FRAME-$SIZE_T*16`($sp)
$PUSH r17,`$FRAME-$SIZE_T*15`($sp)
$PUSH r18,`$FRAME-$SIZE_T*14`($sp)
$PUSH r19,`$FRAME-$SIZE_T*13`($sp)
$PUSH r20,`$FRAME-$SIZE_T*12`($sp)
$PUSH r21,`$FRAME-$SIZE_T*11`($sp)
$PUSH r22,`$FRAME-$SIZE_T*10`($sp)
$PUSH r23,`$FRAME-$SIZE_T*9`($sp)
$PUSH r24,`$FRAME-$SIZE_T*8`($sp)
$PUSH r25,`$FRAME-$SIZE_T*7`($sp)
$PUSH r26,`$FRAME-$SIZE_T*6`($sp)
$PUSH r27,`$FRAME-$SIZE_T*5`($sp)
$PUSH r28,`$FRAME-$SIZE_T*4`($sp)
$PUSH r29,`$FRAME-$SIZE_T*3`($sp)
$PUSH r30,`$FRAME-$SIZE_T*2`($sp)
$PUSH r31,`$FRAME-$SIZE_T*1`($sp)
$PUSH r0,`$FRAME+$LRSAVE`($sp)
lwz $A,0($ctx)
lwz $B,4($ctx)
lwz $C,8($ctx)
lwz $D,12($ctx)
lwz $E,16($ctx)

```

```

andi. r0,$inp,3
bne Lunaligned
Laligned:
mtctr $num
bl Lsha1_block_private
b Ldone

; PowerPC specification allows an implementation to be ill-behaved
; upon unaligned access which crosses page boundary. "Better safe
; than sorry" principle makes me treat it specially. But I don't
; look for particular offending word, but rather for 64-byte input
; block which crosses the boundary. Once found that block is aligned
; and hashed separately...
.align 4
Lunaligned:
subfic $t1,$inp,4096
andi. $t1,$t1,4095 ; distance to closest page boundary
srwi. $t1,$t1,6 ; t1/=64
beq Lcross_page
$UCMP $num,$t1
ble Laligned ; didn't cross the page boundary
mtctr $t1
subfc $num,$t1,$num
bl Lsha1_block_private
Lcross_page:
li $t1,16
mtctr $t1
addi r20,$sp,$LOCALS ; spot within the frame
Lmemcpy:
lbz r16,0($inp)
lbz r17,1($inp)
lbz r18,2($inp)
lbz r19,3($inp)
addi $inp,$inp,4
stb r16,0(r20)
stb r17,1(r20)
stb r18,2(r20)
stb r19,3(r20)
addi r20,r20,4
bdnz Lmemcpy

$PUSH $inp,`$FRAME-$$SIZE_T*18`($sp)
li $t1,1
addi $inp,$sp,$LOCALS
mtctr $t1
bl Lsha1_block_private
$POP $inp,`$FRAME-$$SIZE_T*18`($sp)
addic. $num,$num,-1

```

bne Lunaligned

Ldone:

```
$POP r0,`$FRAME+$LRSAVE`($sp)
$POP r15,`$FRAME-$$SIZE_T*17`($sp)
$POP r16,`$FRAME-$$SIZE_T*16`($sp)
$POP r17,`$FRAME-$$SIZE_T*15`($sp)
$POP r18,`$FRAME-$$SIZE_T*14`($sp)
$POP r19,`$FRAME-$$SIZE_T*13`($sp)
$POP r20,`$FRAME-$$SIZE_T*12`($sp)
$POP r21,`$FRAME-$$SIZE_T*11`($sp)
$POP r22,`$FRAME-$$SIZE_T*10`($sp)
$POP r23,`$FRAME-$$SIZE_T*9`($sp)
$POP r24,`$FRAME-$$SIZE_T*8`($sp)
$POP r25,`$FRAME-$$SIZE_T*7`($sp)
$POP r26,`$FRAME-$$SIZE_T*6`($sp)
$POP r27,`$FRAME-$$SIZE_T*5`($sp)
$POP r28,`$FRAME-$$SIZE_T*4`($sp)
$POP r29,`$FRAME-$$SIZE_T*3`($sp)
$POP r30,`$FRAME-$$SIZE_T*2`($sp)
$POP r31,`$FRAME-$$SIZE_T*1`($sp)
```

mtlr r0

addi \$sp,\$sp,\$FRAME

blr

.long 0

.byte 0,12,4,1,0x80,18,3,0

.long 0

---

# This is private block function, which uses tailored calling  
# interface, namely upon entry SHA\_CTX is pre-loaded to given  
# registers and counter register contains amount of chunks to  
# digest...

\$code.=<<<\_\_\_;

.align 4

Lsha1\_block\_private:

---

\$code.=<<<\_\_\_; # load K\_00\_19

lis \$K,0x5a82

ori \$K,\$K,0x7999

---

for(\$i=0;\$i<20;\$i++) { &BODY\_00\_19(\$i,@V); unshift(@V,pop(@V)); }

\$code.=<<<\_\_\_; # load K\_20\_39

lis \$K,0x6ed9

ori \$K,\$K,0xeba1

---

for(;\$i<40;\$i++) { &BODY\_20\_39(\$i,@V); unshift(@V,pop(@V)); }

\$code.=<<<\_\_\_; # load K\_40\_59

```

lis $K,0x8f1b
ori $K,$K,0xbcdc

—
for(;$i<60;$i++) { &BODY_40_59($i,@V); unshift(@V,pop(@V)); }
$code.=<<<___; # load K_60_79
lis $K,0xca62
ori $K,$K,0xc1d6

—
for(;$i<80;$i++) { &BODY_20_39($i,@V); unshift(@V,pop(@V)); }
$code.=<<<___;
add r16,r16,$E
add r17,r17,$T
add r18,r18,$A
add r19,r19,$B
add r20,r20,$C
stw r16,0($ctx)
mr $A,r16
stw r17,4($ctx)
mr $B,r17
stw r18,8($ctx)
mr $C,r18
stw r19,12($ctx)
mr $D,r19
stw r20,16($ctx)
mr $E,r20
addi $inp,$inp,`16*4`
bdnz Lsha1_block_private
blr
.long 0
.byte 0,12,0x14,0,0,0,0,0

—
$code.=<<<___;
.asciz "SHA1 block transform for PPC, CRYPTOGRAMS by <appro\@fy.chalmers.se>"

—

```

```

$code =~ s/^\([\^\`]*\)\/eval $1/gem;
print $code;
close STDOUT;

```

Found in path(s):

```

* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/sha/asm/sha1-ppc.pl

```

No license file was found, but licenses were detected in source scan.

```

/* =====

```

```

* Copyright (c) 1999-2011 The OpenSSL Project. All rights reserved.

```

```

*

```

```

* Redistribution and use in source and binary forms, with or without

```

\* modification, are permitted provided that the following conditions  
 \* are met:  
 \*  
 \* 1. Redistributions of source code must retain the above copyright  
 \* notice, this list of conditions and the following disclaimer.  
 \*  
 \* 2. Redistributions in binary form must reproduce the above copyright  
 \* notice, this list of conditions and the following disclaimer in  
 \* the documentation and/or other materials provided with the  
 \* distribution.  
 \*  
 \* 3. All advertising materials mentioning features or use of this  
 \* software must display the following acknowledgment:  
 \* "This product includes software developed by the OpenSSL Project  
 \* for use in the OpenSSL Toolkit. (<http://www.OpenSSL.org/>)"  
 \*  
 \* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to  
 \* endorse or promote products derived from this software without  
 \* prior written permission. For written permission, please contact  
 \* openssl-core@OpenSSL.org.  
 \*  
 \* 5. Products derived from this software may not be called "OpenSSL"  
 \* nor may "OpenSSL" appear in their names without prior written  
 \* permission of the OpenSSL Project.  
 \*  
 \* 6. Redistributions of any form whatsoever must retain the following  
 \* acknowledgment:  
 \* "This product includes software developed by the OpenSSL Project  
 \* for use in the OpenSSL Toolkit (<http://www.OpenSSL.org/>)"  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS'' AND ANY  
 \* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
 \* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR  
 \* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR  
 \* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
 \* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT  
 \* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;  
 \* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \* =====  
 \*  
 \* This product includes cryptographic software written by Eric Young  
 \* (eay@cryptsoft.com). This product includes software written by Tim  
 \* Hudson (tjh@cryptsoft.com).  
 \*

\*/

Found in path(s):

\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/fips\_err.h

No license file was found, but licenses were detected in source scan.

/\* =====

\* Copyright (c) 1998-2005 The OpenSSL Project. All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:

\*

\* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in  
\* the documentation and/or other materials provided with the  
\* distribution.

\*

\* 3. All advertising materials mentioning features or use of this  
\* software must display the following acknowledgment:  
\* "This product includes software developed by the OpenSSL Project  
\* for use in the OpenSSL Toolkit. (<http://www.openssl.org/>)"

\*

\* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to  
\* endorse or promote products derived from this software without  
\* prior written permission. For written permission, please contact  
\* [openssl-core@openssl.org](mailto:openssl-core@openssl.org).

\*

\* 5. Products derived from this software may not be called "OpenSSL"  
\* nor may "OpenSSL" appear in their names without prior written  
\* permission of the OpenSSL Project.

\*

\* 6. Redistributions of any form whatsoever must retain the following  
\* acknowledgment:  
\* "This product includes software developed by the OpenSSL Project  
\* for use in the OpenSSL Toolkit (<http://www.openssl.org/>)"

\*

\* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS" AND ANY  
\* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR  
\* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR  
\* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
\* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT  
\* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;  
\* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\* =====

\*

\* This product includes cryptographic software written by Eric Young  
\* (eay@cryptsoft.com). This product includes software written by Tim  
\* Hudson (tjh@cryptsoft.com).

\*

\*/

/\* =====

\* Copyright 2002 Sun Microsystems, Inc. ALL RIGHTS RESERVED.  
\* Portions originally developed by SUN MICROSYSTEMS, INC., and  
\* contributed to the OpenSSL project.

\*/

Found in path(s):

\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/ec/ec\_key.c

No license file was found, but licenses were detected in source scan.

/\* =====

\* Copyright (c) 1998-2010 The OpenSSL Project. All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:

\*

\* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in  
\* the documentation and/or other materials provided with the  
\* distribution.

\*

\* 3. All advertising materials mentioning features or use of this  
\* software must display the following acknowledgment:

\* "This product includes software developed by the OpenSSL Project  
\* for use in the OpenSSL Toolkit. (<http://www.openssl.org/>)"

\*

\* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to  
\* endorse or promote products derived from this software without  
\* prior written permission. For written permission, please contact  
\* [openssl-core@openssl.org](mailto:openssl-core@openssl.org).

\*

\* 5. Products derived from this software may not be called "OpenSSL"

\* nor may "OpenSSL" appear in their names without prior written  
\* permission of the OpenSSL Project.  
\*  
\* 6. Redistributions of any form whatsoever must retain the following  
\* acknowledgment:  
\* "This product includes software developed by the OpenSSL Project  
\* for use in the OpenSSL Toolkit (<http://www.openssl.org/>)"  
\*  
\* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS" AND ANY  
\* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR  
\* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR  
\* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
\* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT  
\* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;  
\* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\* =====  
\*

\* This product includes cryptographic software written by Eric Young  
\* (eay@cryptsoft.com). This product includes software written by Tim  
\* Hudson (tjh@cryptsoft.com).

\*/  
/\* =====

\* Copyright 2002 Sun Microsystems, Inc. ALL RIGHTS RESERVED.

\* Portions of the attached software ("Contribution") are developed by  
\* SUN MICROSYSTEMS, INC., and are contributed to the OpenSSL project.

\* The Contribution is licensed pursuant to the OpenSSL open source  
\* license provided above.

\* The elliptic curve binary polynomial software is originally written by  
\* Sheueling Chang Shantz and Douglas Stebila of Sun Microsystems Laboratories.

\*/  
\*/

Found in path(s):

\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/ec/ec\_curve.c  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/ec/ec\_lcl.h  
No license file was found, but licenses were detected in source scan.

/\* =====



\* Copyright (c) 1998-2000 The OpenSSL Project. All rights reserved.  
 \*  
 \* Redistribution and use in source and binary forms, with or without  
 \* modification, are permitted provided that the following conditions  
 \* are met:  
 \*  
 \* 1. Redistributions of source code must retain the above copyright  
 \* notice, this list of conditions and the following disclaimer.  
 \*  
 \* 2. Redistributions in binary form must reproduce the above copyright  
 \* notice, this list of conditions and the following disclaimer in  
 \* the documentation and/or other materials provided with the  
 \* distribution.  
 \*  
 \* 3. All advertising materials mentioning features or use of this  
 \* software must display the following acknowledgment:  
 \* "This product includes software developed by the OpenSSL Project  
 \* for use in the OpenSSL Toolkit. (<http://www.openssl.org/>)"  
 \*  
 \* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to  
 \* endorse or promote products derived from this software without  
 \* prior written permission. For written permission, please contact  
 \* openssl-core@openssl.org.  
 \*  
 \* 5. Products derived from this software may not be called "OpenSSL"  
 \* nor may "OpenSSL" appear in their names without prior written  
 \* permission of the OpenSSL Project.  
 \*  
 \* 6. Redistributions of any form whatsoever must retain the following  
 \* acknowledgment:  
 \* "This product includes software developed by the OpenSSL Project  
 \* for use in the OpenSSL Toolkit (<http://www.openssl.org/>)"  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS" AND ANY  
 \* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
 \* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR  
 \* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR  
 \* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
 \* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT  
 \* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;  
 \* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \* =====  
 \*  
 \* This product includes cryptographic software written by Eric Young

\* (eay@cryptsoft.com). This product includes software written by Tim  
\* Hudson (tjh@cryptsoft.com).  
\*  
\*/

Found in path(s):

\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/e\_os2.h  
No license file was found, but licenses were detected in source scan.

/\* =====

\* Copyright (c) 1999-2004 The OpenSSL Project. All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:

\*

\* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in  
\* the documentation and/or other materials provided with the  
\* distribution.

\*

\* 3. All advertising materials mentioning features or use of this  
\* software must display the following acknowledgment:  
\* "This product includes software developed by the OpenSSL Project  
\* for use in the OpenSSL Toolkit. (<http://www.OpenSSL.org/>)"

\*

\* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to  
\* endorse or promote products derived from this software without  
\* prior written permission. For written permission, please contact  
\* [licensing@OpenSSL.org](mailto:licensing@OpenSSL.org).

\*

\* 5. Products derived from this software may not be called "OpenSSL"  
\* nor may "OpenSSL" appear in their names without prior written  
\* permission of the OpenSSL Project.

\*

\* 6. Redistributions of any form whatsoever must retain the following  
\* acknowledgment:

\* "This product includes software developed by the OpenSSL Project  
\* for use in the OpenSSL Toolkit (<http://www.OpenSSL.org/>)"

\*

\* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS'' AND ANY  
\* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR  
\* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR  
\* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,

\* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT  
\* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;  
\* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

/\* =====

\*

\* This product includes cryptographic software written by Eric Young  
\* (eay@cryptsoft.com). This product includes software written by Tim  
\* Hudson (tjh@cryptsoft.com).

\*

\*/

/\* =====

\* Copyright 2002 Sun Microsystems, Inc. ALL RIGHTS RESERVED.  
\* ECDH support in OpenSSL originally developed by  
\* SUN MICROSYSTEMS, INC., and contributed to the OpenSSL project.

\*/

Found in path(s):

\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/engine/engine.h

No license file was found, but licenses were detected in source scan.

/\* =====

\* Copyright (c) 1998-2001 The OpenSSL Project. All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:

\*

\* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in  
\* the documentation and/or other materials provided with the  
\* distribution.

\*

\* 3. All advertising materials mentioning features or use of this  
\* software must display the following acknowledgment:  
\* "This product includes software developed by the OpenSSL Project  
\* for use in the OpenSSL Toolkit. (<http://www.openssl.org/>)"

\*

\* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to  
\* endorse or promote products derived from this software without  
\* prior written permission. For written permission, please contact

```

* openssl-core@openssl.org.
*
* 5. Products derived from this software may not be called "OpenSSL"
* nor may "OpenSSL" appear in their names without prior written
* permission of the OpenSSL Project.
*
* 6. Redistributions of any form whatsoever must retain the following
* acknowledgment:
* "This product includes software developed by the OpenSSL Project
* for use in the OpenSSL Toolkit (http://www.openssl.org/)"
*
* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS" AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
* =====
*
* This product includes cryptographic software written by Eric Young
* (eay@cryptsoft.com). This product includes software written by Tim
* Hudson (tjh@cryptsoft.com).
*
*/

```

Found in path(s):

```

* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/openssl_typ.h

```

No license file was found, but licenses were detected in source scan.

```

/* =====

```

```

* Copyright (c) 2000-2005 The OpenSSL Project. All rights reserved.

```

```

* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:

```

```

* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.

```

```

* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the

```

\* distribution.

\*  
 \* 3. All advertising materials mentioning features or use of this  
 \* software must display the following acknowledgment:  
 \* "This product includes software developed by the OpenSSL Project  
 \* for use in the OpenSSL Toolkit. (<http://www.OpenSSL.org/>)"  
 \*  
 \* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to  
 \* endorse or promote products derived from this software without  
 \* prior written permission. For written permission, please contact  
 \* [licensing@OpenSSL.org](mailto:licensing@OpenSSL.org).  
 \*  
 \* 5. Products derived from this software may not be called "OpenSSL"  
 \* nor may "OpenSSL" appear in their names without prior written  
 \* permission of the OpenSSL Project.  
 \*  
 \* 6. Redistributions of any form whatsoever must retain the following  
 \* acknowledgment:  
 \* "This product includes software developed by the OpenSSL Project  
 \* for use in the OpenSSL Toolkit (<http://www.OpenSSL.org/>)"  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS" AND ANY  
 \* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
 \* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR  
 \* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR  
 \* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
 \* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT  
 \* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;  
 \* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \* =====  
 \*  
 \* This product includes cryptographic software written by Eric Young  
 \* (eay@cryptsoft.com). This product includes software written by Tim  
 \* Hudson (tjh@cryptsoft.com).  
 \*  
 \*/

Found in path(s):

- \* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/ecdsa/ecs\_locl.h
- \* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/asn1/asn1t.h
- \* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/ecdh/ech\_locl.h

\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/ecdsa/ecdsa.h

No license file was found, but licenses were detected in source scan.

/\* =====

\* Copyright (c) 1999-2001 The OpenSSL Project. All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:

\*

\* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in  
\* the documentation and/or other materials provided with the  
\* distribution.

\*

\* 3. All advertising materials mentioning features or use of this  
\* software must display the following acknowledgment:  
\* "This product includes software developed by the OpenSSL Project  
\* for use in the OpenSSL Toolkit. (<http://www.OpenSSL.org/>)"

\*

\* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to  
\* endorse or promote products derived from this software without  
\* prior written permission. For written permission, please contact  
\* [licensing@OpenSSL.org](mailto:licensing@OpenSSL.org).

\*

\* 5. Products derived from this software may not be called "OpenSSL"  
\* nor may "OpenSSL" appear in their names without prior written  
\* permission of the OpenSSL Project.

\*

\* 6. Redistributions of any form whatsoever must retain the following  
\* acknowledgment:  
\* "This product includes software developed by the OpenSSL Project  
\* for use in the OpenSSL Toolkit (<http://www.OpenSSL.org/>)"

\*

\* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS'' AND ANY  
\* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR  
\* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR  
\* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
\* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT  
\* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;  
\* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\* =====

\*

\* This product includes cryptographic software written by Eric Young  
\* (eay@cryptsoft.com). This product includes software written by Tim  
\* Hudson (tjh@cryptsoft.com).

\*

\*/

/\* =====

\* Copyright 2002 Sun Microsystems, Inc. ALL RIGHTS RESERVED.  
\* ECDH support in OpenSSL originally developed by  
\* SUN MICROSYSTEMS, INC., and contributed to the OpenSSL project.

\*/

Found in path(s):

\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/engine/eng\_int.h

No license file was found, but licenses were detected in source scan.

# Copyright (c) 2011 The OpenSSL Project. All rights reserved.  
# Redistribution and use in source and binary forms, with or without  
# modification, are permitted provided that the following conditions  
# are met:  
# 1. Redistributions of source code must retain the above copyright  
# notice, this list of conditions and the following disclaimer.  
# 2. Redistributions in binary form must reproduce the above copyright  
# notice, this list of conditions and the following disclaimer in  
# the documentation and/or other materials provided with the  
# 3. All advertising materials mentioning features or use of this  
# 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to  
# 5. Products derived from this software may not be called "OpenSSL"

Found in path(s):

\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/bn/asm/modexp512-x86\_64.pl

No license file was found, but licenses were detected in source scan.

/\* =====

\* Copyright (c) 2006 The OpenSSL Project. All rights reserved.  
\*  
\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:  
\*  
\* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.  
\*

- \* 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \*
- \* 3. All advertising materials mentioning features or use of this software must display the following acknowledgment:
  - \* "This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit. (<http://www.OpenSSL.org/>)"
  - \*
- \* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact [licensing@OpenSSL.org](mailto:licensing@OpenSSL.org).
- \*
- \* 5. Products derived from this software may not be called "OpenSSL" nor may "OpenSSL" appear in their names without prior written permission of the OpenSSL Project.
- \*
- \* 6. Redistributions of any form whatsoever must retain the following acknowledgment:
  - \* "This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit (<http://www.OpenSSL.org/>)"
  - \*
- \* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
- \* =====
- \*
- \* This product includes cryptographic software written by Eric Young (eay@cryptsoft.com). This product includes software written by Tim Hudson (tjh@cryptsoft.com).
- \*
- \* /

Found in path(s):

\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/asn1/asn1\_locl.h



No license file was found, but licenses were detected in source scan.

```
#!/usr/bin/env perl
#
# =====
# Written by Andy Polyakov <appro@openssl.org> for the OpenSSL
# project. The module is, however, dual licensed under OpenSSL and
# CRYPTOGAMS licenses depending on where you obtain it. For further
# details see http://www.openssl.org/~appro/cryptogams/.
# =====
#
# SHA512 for C64x+.
#
# January 2012
#
# Performance is 19 cycles per processed byte. Compared to block
# transform function from sha512.c compiled with cl6x with -mv6400+
# -o2 -DOPENSSL_SMALL_FOOTPRINT it's almost 7x faster and 2x smaller.
# Loop unroll won't make it, this implementation, any faster, because
# it's effectively dominated by SHRU||SHL pairs and you can't schedule
# more of them.
#
# !!! Note that this module uses AMR, which means that all interrupt
# service routines are expected to preserve it and for own well-being
# zero it upon entry.

while (($output=shift) && ($output!~/\w[\w\~]*\.\w+$/)) { }
open STDOUT,">$output";

($CTXA,$INP,$NUM) = ("A4","B4","A6");      # arguments
$K512="A3";

($Ahi,$Actxhi,$Bhi,$Bctxhi,$Chi,$Cctxhi,$Dhi,$Dctxhi,
$Ehi,$Ectxhi,$Fhi,$Fctxhi,$Ghi,$Gctxhi,$Hhi,$Hctxhi)=map("A$_",(16..31));
($Alo,$Actxlo,$Blo,$Bctxlo,$Clo,$Cctxlo,$Dlo,$Dctxlo,
$Elo,$Ectxlo,$Flo,$Fctxlo,$Glo,$Gctxlo,$Hlo,$Hctxlo)=map("B$_",(16..31));

($S1hi,$CHhi,$S0hi,$t0hi)=map("A$_",(10..13));
($S1lo,$CHlo,$S0lo,$t0lo)=map("B$_",(10..13));
($T1hi,    $T2hi)=    ("A6","A7");
($T1lo,$T1carry,$T2lo,$T2carry)=("B6","B7","B8","B9");
($Khi,$Klo)=("A9","A8");
($MAJhi,$MAJlo)=($T2hi,$T2lo);
($t1hi,$t1lo)=($Khi,"B2");
$CTXB=$t1lo;

($Xihi,$Xilo)=("A5","B5"); # circular/ring buffer
```

```

$code.=<<____;
.text

.asg B3,RA
.asg A15,FP
.asg B15,SP

.if .BIG_ENDIAN
.asg $Khi,KHI
.asg $Klo,KLO
.else
.asg $Khi,KLO
.asg $Klo,KHI
.endif

.global _sha512_block_data_order
_sha512_block_data_order:
.asmfunc stack_usage(40+128)
MV $NUM,A0 ;reassign $NUM
|| MVK -128,B0
[!A0] BNOP RA ; if ($NUM==0) return;
|| [A0] STW FP,*SP--(40) ; save frame pointer
|| [A0] MV SP,FP
[A0] STDW B13:B12,*SP[4]
|| [A0] MVK 0x00404,B1
[A0] STDW B11:B10,*SP[3]
|| [A0] STDW A13:A12,*FP[-3]
|| [A0] MVKH 0x60000,B1
[A0] STDW A11:A10,*SP[1]
|| [A0] MVC B1,AMR ; setup circular addressing
|| [A0] ADD B0,SP,SP ; alloca(128)
[A0] AND B0,SP,SP ; align stack at 128 bytes
|| [A0] ADDKPC _sha512_block_data_order,B1
|| [A0] MVKL (K512-_sha512_block_data_order),$K512
[A0] MVKH (K512-_sha512_block_data_order),$K512
|| [A0] SUBAW SP,2,SP ; reserve two words above buffer
ADDAW SP,3,$Xilo
ADDAW SP,2,$Xihi

|| MV $CTXA,$CTXB
LDW *${CTXA}[0^.LITTLE_ENDIAN],$Ahi ; load ctx
|| LDW *${CTXB}[1^.LITTLE_ENDIAN],$Alo
|| ADD B1,$K512,$K512
LDW *${CTXA}[2^.LITTLE_ENDIAN],$Bhi
|| LDW *${CTXB}[3^.LITTLE_ENDIAN],$Blo
LDW *${CTXA}[4^.LITTLE_ENDIAN],$Chi
|| LDW *${CTXB}[5^.LITTLE_ENDIAN],$Clo
LDW *${CTXA}[6^.LITTLE_ENDIAN],$Dhi

```

```

|| LDW *${CTXB}[7^.LITTLE_ENDIAN],$Dlo
LDW *${CTXA}[8^.LITTLE_ENDIAN],$Ehi
|| LDW *${CTXB}[9^.LITTLE_ENDIAN],$Elo
LDW *${CTXA}[10^.LITTLE_ENDIAN],$Fhi
|| LDW *${CTXB}[11^.LITTLE_ENDIAN],$Flo
LDW *${CTXA}[12^.LITTLE_ENDIAN],$Ghi
|| LDW *${CTXB}[13^.LITTLE_ENDIAN],$Glo
LDW *${CTXA}[14^.LITTLE_ENDIAN],$Hhi
|| LDW *${CTXB}[15^.LITTLE_ENDIAN],$Hlo

```

```

LDNDW *$INP++,B11:B10 ; pre-fetch input
LDDW *$K512+,$Khi:$Klo ; pre-fetch K512[0]

```

outerloop?:

```

MVK 15,B0 ; loop counters

```

```

|| MVK 64,B1
|| SUB A0,1,A0
MV $Ahi,$Actxhi
|| MV $Alo,$Actxlo
|| MV $Bhi,$Bctxhi
|| MV $Blo,$Bctxlo
|| MV $Chi,$Cctxhi
|| MV $Clo,$Cctxlo
|| MVD $Dhi,$Dctxhi
|| MVD $Dlo,$Dctxlo
MV $Ehi,$Ectxhi
|| MV $Elo,$Ectxlo
|| MV $Fhi,$Fctxhi
|| MV $Flo,$Fctxlo
|| MV $Ghi,$Gctxhi
|| MV $Glo,$Gctxlo
|| MVD $Hhi,$Hctxhi
|| MVD $Hlo,$Hctxlo

```

loop0\_15?:

```

.if .BIG_ENDIAN
MV B11,$T1hi
|| MV B10,$T1lo
.else
SWAP4 B10,$T1hi
|| SWAP4 B11,$T1lo
SWAP2 $T1hi,$T1hi
|| SWAP2 $T1lo,$T1lo
.endif

```

loop16\_79?:

```

STW $T1hi,*$Xihi++[2]
|| STW $T1lo,*$Xilo++[2] ; X[i] = T1
|| ADD $Hhi,$T1hi,$T1hi
|| ADDU $Hlo,$T1lo,$T1carry:$T1lo ; T1 += h
|| SHRU $Ehi,14,$S1hi

```

```

|| SHL $Ehi,32-14,$S1lo
XOR $Fhi,$Ghi,$CHhi
|| XOR $Flo,$Glo,$CHlo
|| ADD KHI,$T1hi,$T1hi
|| ADDU KLO,$T1carry:$T1lo,$T1carry:$T1lo ; T1 += K512[i]
|| SHRU $Elo,14,$t0lo
|| SHL $Elo,32-14,$t0hi
XOR $t0hi,$S1hi,$S1hi
|| XOR $t0lo,$S1lo,$S1lo
|| AND $Ehi,$CHhi,$CHhi
|| AND $Elo,$CHlo,$CHlo
|| ROTL $Ghi,0,$Hhi
|| ROTL $Glo,0,$Hlo ; h = g
|| SHRU $Ehi,18,$t0hi
|| SHL $Ehi,32-18,$t0lo
XOR $t0hi,$S1hi,$S1hi
|| XOR $t0lo,$S1lo,$S1lo
|| XOR $Ghi,$CHhi,$CHhi
|| XOR $Glo,$CHlo,$CHlo ; Ch(e,f,g) = ((f^g)&e)^g
|| ROTL $Fhi,0,$Ghi
|| ROTL $Flo,0,$Glo ; g = f
|| SHRU $Elo,18,$t0lo
|| SHL $Elo,32-18,$t0hi
XOR $t0hi,$S1hi,$S1hi
|| XOR $t0lo,$S1lo,$S1lo
|| OR $Ahi,$Bhi,$MAJhi
|| OR $Alo,$Blo,$MAJlo
|| ROTL $Ehi,0,$Fhi
|| ROTL $Elo,0,$Flo ; f = e
|| SHRU $Ehi,41-32,$t0lo
|| SHL $Ehi,64-41,$t0hi
XOR $t0hi,$S1hi,$S1hi
|| XOR $t0lo,$S1lo,$S1lo
|| AND $Chi,$MAJhi,$MAJhi
|| AND $Clo,$MAJlo,$MAJlo
|| ROTL $Dhi,0,$Ehi
|| ROTL $Dlo,0,$Elo ; e = d
|| SHRU $Elo,41-32,$t0hi
|| SHL $Elo,64-41,$t0lo
XOR $t0hi,$S1hi,$S1hi
|| XOR $t0lo,$S1lo,$S1lo ; Sigma1(e)
|| AND $Ahi,$Bhi,$t1hi
|| AND $Alo,$Blo,$t1lo
|| ROTL $Chi,0,$Dhi
|| ROTL $Clo,0,$Dlo ; d = c
|| SHRU $Ahi,28,$S0hi
|| SHL $Ahi,32-28,$S0lo
OR $t1hi,$MAJhi,$MAJhi

```

```

|| OR $t1lo,$MAJlo,$MAJlo ; Maj(a,b,c) = ((a|b)&c)|(a&b)
|| ADD $CHhi,$T1hi,$T1hi
|| ADDU $CHlo,$T1carry:$T1lo,$T1carry:$T1lo ; T1 += Ch(e,f,g)
|| ROTL $Bhi,0,$Chi
|| ROTL $Blo,0,$Clo ; c = b
|| SHRU $Alo,28,$t0lo
|| SHL $Alo,32-28,$t0hi
XOR $t0hi,$S0hi,$S0hi
|| XOR $t0lo,$S0lo,$S0lo
|| ADD $S1hi,$T1hi,$T1hi
|| ADDU $S1lo,$T1carry:$T1lo,$T1carry:$T1lo ; T1 += Sigma1(e)
|| ROTL $Ahi,0,$Bhi
|| ROTL $Alo,0,$Blo ; b = a
|| SHRU $Ahi,34-32,$t0lo
|| SHL $Ahi,64-34,$t0hi
XOR $t0hi,$S0hi,$S0hi
|| XOR $t0lo,$S0lo,$S0lo
|| ADD $MAJhi,$T1hi,$T2hi
|| ADDU $MAJlo,$T1carry:$T1lo,$T2carry:$T2lo ; T2 = T1+Maj(a,b,c)
|| SHRU $Alo,34-32,$t0hi
|| SHL $Alo,64-34,$t0lo
XOR $t0hi,$S0hi,$S0hi
|| XOR $t0lo,$S0lo,$S0lo
|| ADD $Ehi,$T1hi,$T1hi
|| ADDU $Elo,$T1carry:$T1lo,$T1carry:$T1lo ; T1 += e
|| [B0] BNOP loop0_15?
|| SHRU $Ahi,39-32,$t0lo
|| SHL $Ahi,64-39,$t0hi
XOR $t0hi,$S0hi,$S0hi
|| XOR $t0lo,$S0lo,$S0lo
|| [B0] LDNDW *$INP++,B11:B10 ; pre-fetch input
||[!B1] BNOP break?
|| SHRU $Alo,39-32,$t0hi
|| SHL $Alo,64-39,$t0lo
XOR $t0hi,$S0hi,$S0hi
|| XOR $t0lo,$S0lo,$S0lo ; Sigma0(a)
|| ADD $T1carry,$T1hi,$Ehi
|| MV $T1lo,$Elo ; e = T1
||[!B0] LDW *${Xihi}[28],$T1hi
||[!B0] LDW *${Xilo}[28],$T1lo ; X[i+14]
ADD $S0hi,$T2hi,$T2hi
|| ADDU $S0lo,$T2carry:$T2lo,$T2carry:$T2lo ; T2 += Sigma0(a)
|| [B1] LDDW *$K512+,$Khi:$Klo ; pre-fetch K512[i]
NOP ; avoid cross-path stall
ADD $T2carry,$T2hi,$Ahi
|| MV $T2lo,$Alo ; a = T2
|| [B0] SUB B0,1,B0
;===== branch to loop00_15? is taken here

```

```

NOP
;===== branch to break? is taken here
LDW *${Xihi}[2],$T2hi
|| LDW *${Xilo}[2],$T2lo ; X[i+1]
|| SHRU $T1hi,19,$S1hi
|| SHL $T1hi,32-19,$S1lo
SHRU $T1lo,19,$t0lo
|| SHL $T1lo,32-19,$t0hi
XOR $t0hi,$S1hi,$S1hi
|| XOR $t0lo,$S1lo,$S1lo
|| SHRU $T1hi,61-32,$t0lo
|| SHL $T1hi,64-61,$t0hi
XOR $t0hi,$S1hi,$S1hi
|| XOR $t0lo,$S1lo,$S1lo
|| SHRU $T1lo,61-32,$t0hi
|| SHL $T1lo,64-61,$t0lo
XOR $t0hi,$S1hi,$S1hi
|| XOR $t0lo,$S1lo,$S1lo
|| SHRU $T1hi,6,$t0hi
|| SHL $T1hi,32-6,$t0lo
XOR $t0hi,$S1hi,$S1hi
|| XOR $t0lo,$S1lo,$S1lo
|| SHRU $T1lo,6,$t0lo
|| LDW *${Xihi}[18],$T1hi
|| LDW *${Xilo}[18],$T1lo ; X[i+9]
XOR $t0lo,$S1lo,$S1lo ; sigma1(Xi[i+14])

|| LDW *${Xihi}[0],$CHhi
|| LDW *${Xilo}[0],$CHlo ; X[i]
|| SHRU $T2hi,1,$S0hi
|| SHL $T2hi,32-1,$S0lo
SHRU $T2lo,1,$t0lo
|| SHL $T2lo,32-1,$t0hi
XOR $t0hi,$S0hi,$S0hi
|| XOR $t0lo,$S0lo,$S0lo
|| SHRU $T2hi,8,$t0hi
|| SHL $T2hi,32-8,$t0lo
XOR $t0hi,$S0hi,$S0hi
|| XOR $t0lo,$S0lo,$S0lo
|| SHRU $T2lo,8,$t0lo
|| SHL $T2lo,32-8,$t0hi
XOR $t0hi,$S0hi,$S0hi
|| XOR $t0lo,$S0lo,$S0lo
|| ADD $S1hi,$T1hi,$T1hi
|| ADDU $S1lo,$T1lo,$T1carry:$T1lo ; T1 = X[i+9]+sigma1()
|| [B1] BNOP loop16_79?
|| SHRU $T2hi,7,$t0hi
|| SHL $T2hi,32-7,$t0lo

```

```

XOR $t0hi,$S0hi,$S0hi
|| XOR $t0lo,$S0lo,$S0lo
|| ADD $CHhi,$T1hi,$T1hi
|| ADDU $CHlo,$T1carry:$T1lo,$T1carry:$T1lo ; T1 += X[i]
|| SHRU $T2lo,7,$t0lo
XOR $t0lo,$S0lo,$S0lo ; sigma0(Xi[i+1])

ADD $S0hi,$T1hi,$T1hi
|| ADDU $S0lo,$T1carry:$T1lo,$T1carry:$T1lo ; T1 += sigma0()
|| [B1] SUB B1,1,B1
NOP ; avoid cross-path stall
ADD $T1carry,$T1hi,$T1hi
;===== branch to loop16_79? is taken here

```

break?:

```

ADD $Ahi,$Actxhi,$Ahi ; accumulate ctx
|| ADDU $Alo,$Actxlo,$Actxlo:$Alo
|| [A0] LDNDW *$INP++,B11:B10 ; pre-fetch input
|| [A0] ADDK -640,$K512 ; rewind pointer to K512
ADD $Bhi,$Bctxhi,$Bhi
|| ADDU $Blo,$Bctxlo,$Bctxlo:$Blo
|| [A0] LDDW *$K512+,$Khi:$Klo ; pre-fetch K512[0]
ADD $Chi,$Cctxhi,$Chi
|| ADDU $Clo,$Cctxlo,$Cctxlo:$Clo
|| ADD $Actxlo,$Ahi,$Ahi
||[!A0] MV $CTXA,$CTXB
ADD $Dhi,$Dctxhi,$Dhi
|| ADDU $Dlo,$Dctxlo,$Dctxlo:$Dlo
|| ADD $Bctxlo,$Bhi,$Bhi
||[!A0] STW $Ahi,*${CTXA}[0^.LITTLE_ENDIAN] ; save ctx
||[!A0] STW $Alo,*${CTXB}[1^.LITTLE_ENDIAN]
ADD $Ehi,$Ectxhi,$Ehi
|| ADDU $Elo,$Ectxlo,$Ectxlo:$Elo
|| ADD $Cctxlo,$Chi,$Chi
|| [A0] BNOP outerloop?
||[!A0] STW $Bhi,*${CTXA}[2^.LITTLE_ENDIAN]
||[!A0] STW $Blo,*${CTXB}[3^.LITTLE_ENDIAN]
ADD $Fhi,$Fctxhi,$Fhi
|| ADDU $Flo,$Fctxlo,$Fctxlo:$Flo
|| ADD $Dctxlo,$Dhi,$Dhi
||[!A0] STW $Chi,*${CTXA}[4^.LITTLE_ENDIAN]
||[!A0] STW $Clo,*${CTXB}[5^.LITTLE_ENDIAN]
ADD $Ghi,$Gctxhi,$Ghi
|| ADDU $Glo,$Gctxlo,$Gctxlo:$Glo
|| ADD $Ectxlo,$Ehi,$Ehi
||[!A0] STW $Dhi,*${CTXA}[6^.LITTLE_ENDIAN]
||[!A0] STW $Dlo,*${CTXB}[7^.LITTLE_ENDIAN]
ADD $Hhi,$Hctxhi,$Hhi

```

```

|| ADDU $Hlo,$Hctxlo,$Hctxlo:$Hlo
|| ADD $Fctxlo,$Fhi,$Fhi
||[!A0] STW $Ehi,*${CTXA}[8^.LITTLE_ENDIAN]
||[!A0] STW $Elo,*${CTXB}[9^.LITTLE_ENDIAN]
ADD $Gctxlo,$Ghi,$Ghi
||[!A0] STW $Fhi,*${CTXA}[10^.LITTLE_ENDIAN]
||[!A0] STW $Flo,*${CTXB}[11^.LITTLE_ENDIAN]
ADD $Hctxlo,$Hhi,$Hhi
||[!A0] STW $Ghi,*${CTXA}[12^.LITTLE_ENDIAN]
||[!A0] STW $Glo,*${CTXB}[13^.LITTLE_ENDIAN]
;;===== branch to outerloop? is taken here

```

```

STW $Hhi,*${CTXA}[14^.LITTLE_ENDIAN]
|| STW $Hlo,*${CTXB}[15^.LITTLE_ENDIAN]
|| MVK -40,B0
ADD FP,B0,SP ; destroy circular buffer
|| LDDW *FP[-4],A11:A10
LDDW *SP[2],A13:A12
|| LDDW *FP[-2],B11:B10
LDDW *SP[4],B13:B12
|| BNOP RA
LDW *++SP(40),FP ; restore frame pointer
MVK 0,B0
MVC B0,AMR ; clear AMR
NOP 2 ; wait till FP is committed
.endasmfunc

```

```

.sect ".const:sha_asm"
.align 128
K512:
.uword 0x428a2f98,0xd728ae22, 0x71374491,0x23ef65cd
.uword 0xb5c0fbcf,0xec4d3b2f, 0xe9b5dba5,0x8189dbbc
.uword 0x3956c25b,0xf348b538, 0x59f111f1,0xb605d019
.uword 0x923f82a4,0xaf194f9b, 0xab1c5ed5,0xda6d8118
.uword 0xd807aa98,0xa3030242, 0x12835b01,0x45706fbe
.uword 0x243185be,0x4ee4b28c, 0x550c7dc3,0xd5ffb4e2
.uword 0x72be5d74,0xf27b896f, 0x80deb1fe,0x3b1696b1
.uword 0x9bdc06a7,0x25c71235, 0xc19bf174,0xcf692694
.uword 0xe49b69c1,0x9ef14ad2, 0xefbe4786,0x384f25e3
.uword 0x0fc19dc6,0x8b8cd5b5, 0x240ca1cc,0x77ac9c65
.uword 0x2de92c6f,0x592b0275, 0x4a7484aa,0x6ea6e483
.uword 0x5cb0a9dc,0xbd41fbd4, 0x76f988da,0x831153b5
.uword 0x983e5152,0xee66dfab, 0xa831c66d,0x2db43210
.uword 0xb00327c8,0x98fb213f, 0xbf597fc7,0xbeef0ee4
.uword 0xc6e00bf3,0x3da88fc2, 0xd5a79147,0x930aa725
.uword 0x06ca6351,0xe003826f, 0x14292967,0x0a0e6e70
.uword 0x27b70a85,0x46d22ffc, 0x2e1b2138,0x5c26c926
.uword 0x4d2c6dfc,0x5ac42aed, 0x53380d13,0x9d95b3df

```



```

.uword 0x650a7354,0x8baf63de, 0x766a0abb,0x3c77b2a8
.uword 0x81c2c92e,0x47edae6, 0x92722c85,0x1482353b
.uword 0xa2bfe8a1,0x4cf10364, 0xa81a664b,0xbc423001
.uword 0xc24b8b70,0xd0f89791, 0xc76c51a3,0x0654be30
.uword 0xd192e819,0xd6ef5218, 0xd6990624,0x5565a910
.uword 0xf40e3585,0x5771202a, 0x106aa070,0x32bbd1b8
.uword 0x19a4c116,0xb8d2d0c8, 0x1e376c08,0x5141ab53
.uword 0x2748774c,0xdf8eeb99, 0x34b0bcb5,0xe19b48a8
.uword 0x391c0cb3,0xc5c95a63, 0x4ed8aa4a,0xe3418acb
.uword 0x5b9cca4f,0x7763e373, 0x682e6ff3,0xd6b2b8a3
.uword 0x748f82ee,0x5defb2fc, 0x78a5636f,0x43172f60
.uword 0x84c87814,0xa1f0ab72, 0x8cc70208,0x1a6439ec
.uword 0x90befffa,0x23631e28, 0xa4506ceb,0xde82bde9
.uword 0xbef9a3f7,0xb2c67915, 0xc67178f2,0xe372532b
.uword 0xca273ece,0xea26619c, 0xd186b8c7,0x21c0c207
.uword 0xeadad7dd6,0xcde0eb1e, 0xf57d4f7f,0xee6ed178
.uword 0x06f067aa,0x72176fba, 0x0a637dc5,0xa2c898a6
.uword 0x113f9804,0xbef90dae, 0x1b710b35,0x131c471b
.uword 0x28db77f5,0x23047d84, 0x32caab7b,0x40c72493
.uword 0x3c9ebe0a,0x15c9bebc, 0x431d67c4,0x9c100d4c
.uword 0x4cc5d4be,0xcb3e42b6, 0x597f299c,0xfc657e2a
.uword 0x5fcb6fab,0x3ad6faec, 0x6c44198c,0x4a475817
.cstring "SHA512 block transform for C64x+, CRYPTOGRAMS by <appro@openssl.org>"
.align 4

```

—

```

print $code;
close STDOUT;

```

Found in path(s):

```

* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-
2.0.16/crypto/sha/asm/sha512-c64xplus.pl

```

No license file was found, but licenses were detected in source scan.

```

#!/usr/bin/env perl
#
# =====
# Written by Andy Polyakov <appro@openssl.org> for the OpenSSL
# project. The module is, however, dual licensed under OpenSSL and
# CRYPTOGRAMS licenses depending on where you obtain it. For further
# details see http://www.openssl.org/~appro/cryptograms/.
# =====
#
# February 2012
#
# The module implements bn_GF2m_mul_2x2 polynomial multiplication
# used in bn_gf2m.c. It's kind of low-hanging mechanical port from
# C for the time being... The subroutine runs in 37 cycles, which is

```

```
# 4.5x faster than compiler-generated code. Though comparison is
# totally unfair, because this module utilizes Galois Field Multiply
# instruction.
```

```
while (($output=shift) && ($output!~/^[w\-\]*\.[w+$/)) { }
open STDOUT,">$output";
```

```
($rp,$a1,$a0,$b1,$b0)=("A4","B4","A6","B6","A8"); # argument vector
```

```
($Alo,$Alox0,$Alox1,$Alox2,$Alox3)=map("A$_",(16..20));
($Ahi,$Ahix0,$Ahix1,$Ahix2,$Ahix3)=map("B$_",(16..20));
($B_0,$B_1,$B_2,$B_3)=("B5","A5","A7","B7");
($A,$B)=($Alo,$B_1);
$xFF="B1";
```

```
sub mul_1x1_upper {
my ($A,$B)=@_;
$code.=<<___.
EXTU $B,8,24,$B_2 ; smash $B to 4 bytes
|| AND $B,$xFF,$B_0
|| SHRU $B,24,$B_3
SHRU $A,16, $Ahi ; smash $A to two halfwords
|| EXTU $A,16,16,$Alo
```

```
XORMPY $Alo,$B_2,$Alox2 ; 16x8 bits multiplication
|| XORMPY $Ahi,$B_2,$Ahix2
|| EXTU $B,16,24,$B_1
XORMPY $Alo,$B_0,$Alox0
|| XORMPY $Ahi,$B_0,$Ahix0
XORMPY $Alo,$B_3,$Alox3
|| XORMPY $Ahi,$B_3,$Ahix3
XORMPY $Alo,$B_1,$Alox1
|| XORMPY $Ahi,$B_1,$Ahix1
```

```
____
}
```

```
sub mul_1x1_merged {
my ($OUTlo,$OUThi,$A,$B)=@_;
$code.=<<___.
EXTU $B,8,24,$B_2 ; smash $B to 4 bytes
|| AND $B,$xFF,$B_0
|| SHRU $B,24,$B_3
SHRU $A,16, $Ahi ; smash $A to two halfwords
|| EXTU $A,16,16,$Alo
```

```
XOR $Ahix0,$Alox2,$Ahix0
|| MV $Ahix2,$OUThi
|| XORMPY $Alo,$B_2,$Alox2
XORMPY $Ahi,$B_2,$Ahix2
```

```

|| EXTU $B,16,24,$B_1
|| XORMPY $Alo,$B_0,A1 ; $Alox0
XOR $Ahix1,$Alox3,$Ahix1
|| SHL $Ahix0,16,$OUTlo
|| SHRU $Ahix0,16,$Ahix0
XOR $Alox0,$OUTlo,$OUTlo
|| XOR $Ahix0,$OUThi,$OUThi
|| XORMPY $Ahi,$B_0,$Ahix0
|| XORMPY $Alo,$B_3,$Alox3
|| SHL $Alox1,8,$Alox1
|| SHL $Ahix3,8,$Ahix3
XOR $Alox1,$OUTlo,$OUTlo
|| XOR $Ahix3,$OUThi,$OUThi
|| XORMPY $Ahi,$B_3,$Ahix3
|| SHL $Ahix1,24,$Alox1
|| SHRU $Ahix1,8, $Ahix1
XOR $Alox1,$OUTlo,$OUTlo
|| XOR $Ahix1,$OUThi,$OUThi
|| XORMPY $Alo,$B_1,$Alox1
|| XORMPY $Ahi,$B_1,$Ahix1
|| MV A1,$Alox0

```

```

—
}
sub mul_1x1_lower {
my ($OUTlo,$OUThi)=@_;
$code.=<<___;
;NOP
XOR $Ahix0,$Alox2,$Ahix0
|| MV $Ahix2,$OUThi
NOP
XOR $Ahix1,$Alox3,$Ahix1
|| SHL $Ahix0,16,$OUTlo
|| SHRU $Ahix0,16,$Ahix0
XOR $Alox0,$OUTlo,$OUTlo
|| XOR $Ahix0,$OUThi,$OUThi
|| SHL $Alox1,8,$Alox1
|| SHL $Ahix3,8,$Ahix3
XOR $Alox1,$OUTlo,$OUTlo
|| XOR $Ahix3,$OUThi,$OUThi
|| SHL $Ahix1,24,$Alox1
|| SHRU $Ahix1,8, $Ahix1
XOR $Alox1,$OUTlo,$OUTlo
|| XOR $Ahix1,$OUThi,$OUThi

```

```

—
}
$code.=<<___;
.text

```

```

.global _bn_GF2m_mul_2x2
_bn_GF2m_mul_2x2:
.asmfunc
MVK 0xFF,$xFF

---
&mul_1x1_upper($a0,$b0); # a0b0
$code.=<<<___;
|| MV $b1,$B
MV $a1,$A

---
&mul_1x1_merged("A28","B28",$A,$B); # a0b0/a1b1
$code.=<<<___;
|| XOR $b0,$b1,$B
XOR $a0,$a1,$A

---
&mul_1x1_merged("A31","B31",$A,$B); # a1b1/(a0+a1)(b0+b1)
$code.=<<<___;
XOR A28,A31,A29
|| XOR B28,B31,B29 ; a0b0+a1b1

---
&mul_1x1_lower("A30","B30"); # (a0+a1)(b0+b1)
$code.=<<<___;
|| BNOP B3
XOR A29,A30,A30
|| XOR B29,B30,B30 ; (a0+a1)(b0+b1)-a0b0-a1b1
XOR B28,A30,A30
|| STW A28,*${rp}[0]
XOR B30,A31,A31
|| STW A30,*${rp}[1]
STW A31,*${rp}[2]
STW B31,*${rp}[3]
.endasmfunc

```

```

print $code;
close STDOUT;

```

Found in path(s):

```

* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-
2.0.16/crypto/bn/asm/c64xplus-gf2m.pl

```

No license file was found, but licenses were detected in source scan.

```

/* =====
* Copyright (c) 1998-2004 The OpenSSL Project. All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:

```

\*  
 \* 1. Redistributions of source code must retain the above copyright  
 \* notice, this list of conditions and the following disclaimer.  
 \*  
 \* 2. Redistributions in binary form must reproduce the above copyright  
 \* notice, this list of conditions and the following disclaimer in  
 \* the documentation and/or other materials provided with the  
 \* distribution.  
 \*  
 \* 3. All advertising materials mentioning features or use of this  
 \* software must display the following acknowledgment:  
 \* "This product includes software developed by the OpenSSL Project  
 \* for use in the OpenSSL Toolkit. (<http://www.OpenSSL.org/>)"  
 \*  
 \* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to  
 \* endorse or promote products derived from this software without  
 \* prior written permission. For written permission, please contact  
 \* openssl-core@OpenSSL.org.  
 \*  
 \* 5. Products derived from this software may not be called "OpenSSL"  
 \* nor may "OpenSSL" appear in their names without prior written  
 \* permission of the OpenSSL Project.  
 \*  
 \* 6. Redistributions of any form whatsoever must retain the following  
 \* acknowledgment:  
 \* "This product includes software developed by the OpenSSL Project  
 \* for use in the OpenSSL Toolkit (<http://www.OpenSSL.org/>)"  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS" AND ANY  
 \* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
 \* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR  
 \* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR  
 \* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
 \* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT  
 \* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;  
 \* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \* =====  
 \*  
 \* This product includes cryptographic software written by Eric Young  
 \* (eay@cryptsoft.com). This product includes software written by Tim  
 \* Hudson (tjh@cryptsoft.com).  
 \*  
 \*/

Found in path(s):

```
* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/ecdsa/ecs_ossl.c
```

No license file was found, but licenses were detected in source scan.

```
/* =====  
* Copyright (c) 2003 The OpenSSL Project. All rights reserved.  
*  
*  
* This command is intended as a test driver for the FIPS-140 testing  
* lab performing FIPS-140 validation. It demonstrates the use of the  
* OpenSSL library to perform a variety of common cryptographic  
* functions. A power-up self test is demonstrated by deliberately  
* pointing to an invalid executable hash  
*  
* Contributed by Steve Marquess.  
*  
*/
```

Found in path(s):

```
* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/fips/fips_test_suite.c
```

No license file was found, but licenses were detected in source scan.

```
#!/usr/bin/env perl  
#  
# =====  
# Written by Andy Polyakov <appro@openssl.org> for the OpenSSL  
# project. The module is, however, dual licensed under OpenSSL and  
# CRYPTOGAMS licenses depending on where you obtain it. For further  
# details see http://www.openssl.org/~appro/cryptogams/.  
# =====  
#  
# GHASH for for PowerISA v2.07.  
#  
# July 2014  
#  
# Accurate performance measurements are problematic, because it's  
# always virtualized setup with possibly throttled processor.  
# Relative comparison is therefore more informative. This initial  
# version is ~2.1x slower than hardware-assisted AES-128-CTR, ~12x  
# faster than "4-bit" integer-only compiler-generated 64-bit code.  
# "Initial version" means that there is room for further improvement.  
  
# May 2016  
#  
# 2x aggregated reduction improves performance by 50% (resulting  
# performance on POWER8 is 1 cycle per processed byte), and 4x
```

# aggregated reduction - by 170% or 2.7x (resulting in 0.55 cpb).

\$flavour=shift;

\$output =shift;

if (\$flavour =~ /64/) {

  \$SIZE\_T=8;

  \$LRSAVE=2\*\$SIZE\_T;

  \$STU="stdu";

  \$POP="ld";

  \$PUSH="std";

  \$UCMP="cmpld";

  \$SHRI="srdi";

} elsif (\$flavour =~ /32/) {

  \$SIZE\_T=4;

  \$LRSAVE=\$SIZE\_T;

  \$STU="stwu";

  \$POP="lwz";

  \$PUSH="stw";

  \$UCMP="cmplw";

  \$SHRI="srwi";

} else { die "nonsense \$flavour"; }

\$sp="r1";

\$FRAME=6\*\$SIZE\_T+13\*16; # 13\*16 is for v20-v31 offload

\$0 =~ m/(.\*[\\])[^\\]+\$/; \$dir=\$1;

( \$xlate="\${dir}ppc-xlate.pl" and -f \$xlate ) or

( \$xlate="\${dir}../perlasm/ppc-xlate.pl" and -f \$xlate) or

die "can't locate ppc-xlate.pl";

open STDOUT,"| \$^X \$xlate \$flavour \$output" || die "can't call \$xlate: \$!";

my (\$Xip,\$Htbl,\$Inp,\$len)=map("r\$\_",(3..6)); # argument block

my (\$Xl,\$Xm,\$Xh,\$IN)=map("v\$\_",(0..3));

my (\$zero,\$t0,\$t1,\$t2,\$xC2,\$H,\$Hh,\$HI,\$lemask)=map("v\$\_",(4..12));

my (\$Xl1,\$Xm1,\$Xh1,\$IN1,\$H2,\$H2h,\$H2l)=map("v\$\_",(13..19));

my \$vrsave="r12";

\$code=<<\_\_;

.machine "any"

.text

.globl .gcm\_init\_p8

.align 5

.gcm\_init\_p8:

```

li r0,-4096
li r8,0x10
mfspr $vrsave,256
li r9,0x20
mfspr 256,r0
li r10,0x30
lvx_u $H,0,r4 # load H

vspltisb $xC2,-16 # 0xf0
vspltisb $t0,1 # one
vaddubm $xC2,$xC2,$xC2 # 0xe0
vxor $zero,$zero,$zero
vor $xC2,$xC2,$t0 # 0xe1
vsldoi $xC2,$xC2,$zero,15 # 0xe1...
vsldoi $t1,$zero,$t0,1 # ...1
vaddubm $xC2,$xC2,$xC2 # 0xc2...
vspltisb $t2,7
vor $xC2,$xC2,$t1 # 0xc2....01
vspltb $t1,$H,0 # most significant byte
vsl $H,$H,$t0 # H<<=1
vsrab $t1,$t1,$t2 # broadcast carry bit
vand $t1,$t1,$xC2
vxor $IN,$H,$t1 # twisted H

vsldoi $H,$IN,$IN,8 # twist even more ...
vsldoi $xC2,$zero,$xC2,8 # 0xc2.0
vsldoi $Hl,$zero,$H,8 # ... and split
vsldoi $Hh,$H,$zero,8

stvx_u $xC2,0,r3 # save pre-computed table
stvx_u $Hl,r8,r3
li r8,0x40
stvx_u $H, r9,r3
li r9,0x50
stvx_u $Hh,r10,r3
li r10,0x60

vpmsumd $Xl,$IN,$Hl # H.loH.lo
vpmsumd $Xm,$IN,$H # H.hiH.lo+H.loH.hi
vpmsumd $Xh,$IN,$Hh # H.hiH.hi

vpmsumd $t2,$Xl,$xC2 # 1st reduction phase

vsldoi $t0,$Xm,$zero,8
vsldoi $t1,$zero,$Xm,8
vxor $Xl,$Xl,$t0
vxor $Xh,$Xh,$t1

```



```

vsldoi $X1,$X1,$X1,8
vxor $X1,$X1,$t2

vsldoi $t1,$X1,$X1,8 # 2nd reduction phase
vpmsumd $X1,$X1,$xC2
vxor $t1,$t1,$Xh
vxor $IN1,$X1,$t1

vsldoi $H2,$IN1,$IN1,8
vsldoi $H2l,$zero,$H2,8
vsldoi $H2h,$H2,$zero,8

stvx_u $H2l,r8,r3 # save H^2
li r8,0x70
stvx_u $H2,r9,r3
li r9,0x80
stvx_u $H2h,r10,r3
li r10,0x90

—
{
my ($t4,$t5,$t6) = ($Hl,$H,$Hh);
$code.=<<___;
vpmsumd $X1,$IN,$H2l # H.loH^2.lo
vpmsumd $X1l,$IN1,$H2l # H^2.loH^2.lo
vpmsumd $Xm,$IN,$H2 # H.hiH^2.lo+H.loH^2.hi
vpmsumd $Xm1,$IN1,$H2 # H^2.hiH^2.lo+H^2.loH^2.hi
vpmsumd $Xh,$IN,$H2h # H.hiH^2.hi
vpmsumd $Xh1,$IN1,$H2h # H^2.hiH^2.hi

vpmsumd $t2,$X1,$xC2 # 1st reduction phase
vpmsumd $t6,$X1l,$xC2 # 1st reduction phase

vsldoi $t0,$Xm,$zero,8
vsldoi $t1,$zero,$Xm,8
vsldoi $t4,$Xm1,$zero,8
vsldoi $t5,$zero,$Xm1,8
vxor $X1,$X1,$t0
vxor $Xh,$Xh,$t1
vxor $X1l,$X1l,$t4
vxor $Xh1,$Xh1,$t5

vsldoi $X1,$X1,$X1,8
vsldoi $X1l,$X1l,$X1l,8
vxor $X1,$X1,$t2
vxor $X1l,$X1l,$t6

vsldoi $t1,$X1,$X1,8 # 2nd reduction phase
vsldoi $t5,$X1l,$X1l,8 # 2nd reduction phase

```

```

vpmsumd $X1,$X1,$xC2
vpmsumd $X11,$X11,$xC2
vxor $t1,$t1,$Xh
vxor $t5,$t5,$Xh1
vxor $X1,$X1,$t1
vxor $X11,$X11,$t5

vsldoi $H,$X1,$X1,8
vsldoi $H2,$X11,$X11,8
vsldoi $H1,$zero,$H,8
vsldoi $Hh,$H,$zero,8
vsldoi $H2l,$zero,$H2,8
vsldoi $H2h,$H2,$zero,8

stvx_u $H1,r8,r3 # save H^3
li r8,0xa0
stvx_u $H,r9,r3
li r9,0xb0
stvx_u $Hh,r10,r3
li r10,0xc0
stvx_u $H2l,r8,r3 # save H^4
stvx_u $H2,r9,r3
stvx_u $H2h,r10,r3

mtspr 256,$vrsave
blr
.long 0
.byte 0,12,0x14,0,0,0,2,0
.long 0
.size .gcm_init_p8,-.gcm_init_p8
___
}
$code.=<<___;
.globl .gcm_gmult_p8
.align 5
.gcm_gmult_p8:
lis r0,0xffff8
li r8,0x10
mfspr $vrsave,256
li r9,0x20
mtspr 256,r0
li r10,0x30
lvx_u $IN,0,$Xip # load Xi

lvx_u $H1,r8,$Htbl # load pre-computed table
le?lvsl $lemask,r0,r0
lvx_u $H, r9,$Htbl
le?vspltisb $t0,0x07

```

```

lvx_u $Hh,r10,$Htbl
le?vxor $lemask,$lemask,$t0
lvx_u $xC2,0,$Htbl
le?vperm $IN,$IN,$IN,$lemask
vxor $zero,$zero,$zero

vpmsumd $Xl,$IN,$Hl # H.loXi.lo
vpmsumd $Xm,$IN,$H # H.hiXi.lo+H.loXi.hi
vpmsumd $Xh,$IN,$Hh # H.hiXi.hi

vpmsumd $t2,$Xl,$xC2 # 1st reduction phase

vsldoi $t0,$Xm,$zero,8
vsldoi $t1,$zero,$Xm,8
vxor $Xl,$Xl,$t0
vxor $Xh,$Xh,$t1

vsldoi $Xl,$Xl,$Xl,8
vxor $Xl,$Xl,$t2

vsldoi $t1,$Xl,$Xl,8 # 2nd reduction phase
vpmsumd $Xl,$Xl,$xC2
vxor $t1,$t1,$Xh
vxor $Xl,$Xl,$t1

le?vperm $Xl,$Xl,$Xl,$lemask
stvx_u $Xl,0,$Xip # write out Xi

mfspr 256,$vrsave
blr
.long 0
.byte 0,12,0x14,0,0,0,2,0
.long 0
.size .gcm_gmult_p8,-.gcm_gmult_p8

.globl .gcm_ghash_p8
.align 5
.gcm_ghash_p8:
li r0,-4096
li r8,0x10
mfspr $vrsave,256
li r9,0x20
mfspr 256,r0
li r10,0x30
lvx_u $Xl,0,$Xip # load Xi

lvx_u $Hl,r8,$Htbl # load pre-computed table
li r8,0x40

```

```

le?lvs1 $lemask,r0,r0
lvx_u $H, r9,$Htbl
li r9,0x50
le?vsplisb $t0,0x07
lvx_u $Hh,r10,$Htbl
li r10,0x60
le?vxor $lemask,$lemask,$t0
lvx_u $xC2,0,$Htbl
le?vperm $X1,$X1,$X1,$lemask
vxor $zero,$zero,$zero

${UCMP}i $len,64
bge Lgcm_ghash_p8_4x

lvx_u $IN,0,$inp
addi $inp,$inp,16
subic. $len,$len,16
le?vperm $IN,$IN,$IN,$lemask
vxor $IN,$IN,$X1
beq Lshort

lvx_u $H2l,r8,$Htbl # load H^2
li r8,16
lvx_u $H2, r9,$Htbl
add r9,$inp,$len # end of input
lvx_u $H2h,r10,$Htbl
be?b Loop_2x

.align 5
Loop_2x:
lvx_u $IN1,0,$inp
le?vperm $IN1,$IN1,$IN1,$lemask

subic $len,$len,32
vpmsumd $X1,$IN,$H2l # H^2.loXi.lo
vpmsumd $X11,$IN1,$H1 # H.loXi+1.lo
subfe r0,r0,r0 # borrow?-1:0
vpmsumd $Xm,$IN,$H2 # H^2.hiXi.lo+H^2.loXi.hi
vpmsumd $Xm1,$IN1,$H # H.hiXi+1.lo+H.loXi+1.hi
and r0,r0,$len
vpmsumd $Xh,$IN,$H2h # H^2.hiXi.hi
vpmsumd $Xh1,$IN1,$Hh # H.hiXi+1.hi
add $inp,$inp,r0

vxor $X1,$X1,$X11
vxor $Xm,$Xm,$Xm1

vpmsumd $t2,$X1,$xC2 # 1st reduction phase

```

```

vsldoi $t0,$Xm,$zero,8
vsldoi $t1,$zero,$Xm,8
vxor $Xh,$Xh,$Xh1
vxor $Xl,$Xl,$t0
vxor $Xh,$Xh,$t1

vsldoi $Xl,$Xl,$Xl,8
vxor $Xl,$Xl,$t2
lvx_u $IN,r8,$inp
addi $inp,$inp,32

vsldoi $t1,$Xl,$Xl,8 # 2nd reduction phase
vpmsumd $Xl,$Xl,$xC2
le?vperm $IN,$IN,$IN,$lemask
vxor $t1,$t1,$Xh
vxor $IN,$IN,$t1
vxor $IN,$IN,$Xl
$UCMP r9,$inp
bgt Loop_2x # done yet?

cmplwi $len,0
bne Leven

Lshort:
vpmsumd $Xl,$IN,$Hl # H.loXi.lo
vpmsumd $Xm,$IN,$H # H.hiXi.lo+H.loXi.hi
vpmsumd $Xh,$IN,$Hh # H.hiXi.hi

vpmsumd $t2,$Xl,$xC2 # 1st reduction phase

vsldoi $t0,$Xm,$zero,8
vsldoi $t1,$zero,$Xm,8
vxor $Xl,$Xl,$t0
vxor $Xh,$Xh,$t1

vsldoi $Xl,$Xl,$Xl,8
vxor $Xl,$Xl,$t2

vsldoi $t1,$Xl,$Xl,8 # 2nd reduction phase
vpmsumd $Xl,$Xl,$xC2
vxor $t1,$t1,$Xh

Leven:
vxor $Xl,$Xl,$t1
le?vperm $Xl,$Xl,$Xl,$lemask
stvx_u $Xl,0,$Xip # write out Xi

```

```

mtspr 256,$vrsave
blr
.long 0
.byte 0,12,0x14,0,0,0,4,0
.long 0
____
{
my ($X13,$Xm2,$IN2,$H3l,$H3,$H3h,
    $Xh3,$Xm3,$IN3,$H4l,$H4,$H4h) = map("v$_",(20..31));
my $INO=$IN;
my ($H21l,$H21h,$loperm,$hiperm) = ($Hl,$Hh,$H2l,$H2h);

$code.=<<____;
.align 5
.gcm_ghash_p8_4x:
Lgcm_ghash_p8_4x:
$STU $sp,-$FRAME($sp)
li r10,`15+6*$SIZE_T`
li r11,`31+6*$SIZE_T`
stvx v20,r10,$sp
addi r10,r10,32
stvx v21,r11,$sp
addi r11,r11,32
stvx v22,r10,$sp
addi r10,r10,32
stvx v23,r11,$sp
addi r11,r11,32
stvx v24,r10,$sp
addi r10,r10,32
stvx v25,r11,$sp
addi r11,r11,32
stvx v26,r10,$sp
addi r10,r10,32
stvx v27,r11,$sp
addi r11,r11,32
stvx v28,r10,$sp
addi r10,r10,32
stvx v29,r11,$sp
addi r11,r11,32
stvx v30,r10,$sp
li r10,0x60
stvx v31,r11,$sp
li r0,-1
stw $vrsave,`$FRAME-4`($sp) # save vrsave
mtspr 256,r0 # preserve all AltiVec registers

lvsl $t0,0,r8 # 0x0001..0e0f
#lvx_u $H2l,r8,$Htbl # load H^2

```

```

li r8,0x70
lvx_u $H2, r9,$Htbl
li r9,0x80
vspltisb $t1,8 # 0x0808..0808
#lvx_u $H2h,r10,$Htbl
li r10,0x90
lvx_u $H3l,r8,$Htbl # load H^3
li r8,0xa0
lvx_u $H3, r9,$Htbl
li r9,0xb0
lvx_u $H3h,r10,$Htbl
li r10,0xc0
lvx_u $H4l,r8,$Htbl # load H^4
li r8,0x10
lvx_u $H4, r9,$Htbl
li r9,0x20
lvx_u $H4h,r10,$Htbl
li r10,0x30

vsldoi $t2,$zero,$t1,8 # 0x0000..0808
vaddubm $hiperm,$t0,$t2 # 0x0001..1617
vaddubm $loperm,$t1,$hiperm # 0x0809..1e1f

$SHRI $len,$len,4 # this allows to use sign bit
# as carry
lvx_u $IN0,0,$inp # load input
lvx_u $IN1,r8,$inp
subic. $len,$len,8
lvx_u $IN2,r9,$inp
lvx_u $IN3,r10,$inp
addi $inp,$inp,0x40
le?vperm $IN0,$IN0,$IN0,$lemask
le?vperm $IN1,$IN1,$IN1,$lemask
le?vperm $IN2,$IN2,$IN2,$lemask
le?vperm $IN3,$IN3,$IN3,$lemask

vxor $Xh,$IN0,$Xl

vpmsumd $Xl1,$IN1,$H3l
vpmsumd $Xm1,$IN1,$H3
vpmsumd $Xh1,$IN1,$H3h

vperm $H2l1,$H2,$H,$hiperm
vperm $t0,$IN2,$IN3,$loperm
vperm $H2l1,$H2,$H,$loperm
vperm $t1,$IN2,$IN3,$hiperm
vpmsumd $Xm2,$IN2,$H2 # H^2.loXi+2.hi+H^2.hiXi+2.lo
vpmsumd $Xl3,$t0,$H2l1 # H^2.loXi+2.lo+H.loXi+3.lo

```

```
vpmsumd $Xm3,$IN3,$H # H.hiXi+3.lo +H.loXi+3.hi
vpmsumd $Xh3,$t1,$H21h # H^2.hiXi+2.hi+H.hiXi+3.hi
```

```
vxor $Xm2,$Xm2,$Xm1
vxor $Xl3,$Xl3,$Xl1
vxor $Xm3,$Xm3,$Xm2
vxor $Xh3,$Xh3,$Xh1
```

```
blt Ltail_4x
```

```
Loop_4x:
```

```
lvx_u $IN0,0,$inp
lvx_u $IN1,r8,$inp
subic. $len,$len,4
lvx_u $IN2,r9,$inp
lvx_u $IN3,r10,$inp
addi $inp,$inp,0x40
le?vperm $IN1,$IN1,$IN1,$lemask
le?vperm $IN2,$IN2,$IN2,$lemask
le?vperm $IN3,$IN3,$IN3,$lemask
le?vperm $IN0,$IN0,$IN0,$lemask
```

```
vpmsumd $Xl,$Xh,$H4l # H^4.loXi.lo
vpmsumd $Xm,$Xh,$H4 # H^4.hiXi.lo+H^4.loXi.hi
vpmsumd $Xh,$Xh,$H4h # H^4.hiXi.hi
vpmsumd $Xl1,$IN1,$H3l
vpmsumd $Xm1,$IN1,$H3
vpmsumd $Xh1,$IN1,$H3h
```

```
vxor $Xl,$Xl,$Xl3
vxor $Xm,$Xm,$Xm3
vxor $Xh,$Xh,$Xh3
vperm $t0,$IN2,$IN3,$loperm
vperm $t1,$IN2,$IN3,$hiperm
```

```
vpmsumd $t2,$Xl,$xC2 # 1st reduction phase
vpmsumd $Xl3,$t0,$H21l # H.loXi+3.lo +H^2.loXi+2.lo
vpmsumd $Xh3,$t1,$H21h # H.hiXi+3.hi +H^2.hiXi+2.hi
```

```
vsldoi $t0,$Xm,$zero,8
vsldoi $t1,$zero,$Xm,8
vxor $Xl,$Xl,$t0
vxor $Xh,$Xh,$t1
```

```
vsldoi $Xl,$Xl,$Xl,8
vxor $Xl,$Xl,$t2
```

```
vsldoi $t1,$Xl,$Xl,8 # 2nd reduction phase
```



```

vpmsumd $Xm2,$IN2,$H2 # H^2.hiXi+2.lo+H^2.loXi+2.hi
vpmsumd $Xm3,$IN3,$H # H.hiXi+3.lo +H.loXi+3.hi
vpmsumd $X1,$X1,$xC2

vxor $X13,$X13,$X11
vxor $Xh3,$Xh3,$Xh1
vxor $Xh,$Xh,$IN0
vxor $Xm2,$Xm2,$Xm1
vxor $Xh,$Xh,$t1
vxor $Xm3,$Xm3,$Xm2
vxor $Xh,$Xh,$X1
bge Loop_4x

```

Ltail\_4x:

```

vpmsumd $X1,$Xh,$H4l # H^4.loXi.lo
vpmsumd $Xm,$Xh,$H4 # H^4.hiXi.lo+H^4.loXi.hi
vpmsumd $Xh,$Xh,$H4h # H^4.hiXi.hi

```

```

vxor $X1,$X1,$X13
vxor $Xm,$Xm,$Xm3

```

```

vpmsumd $t2,$X1,$xC2 # 1st reduction phase

```

```

vsldoi $t0,$Xm,$zero,8
vsldoi $t1,$zero,$Xm,8
vxor $Xh,$Xh,$Xh3
vxor $X1,$X1,$t0
vxor $Xh,$Xh,$t1

```

```

vsldoi $X1,$X1,$X1,8
vxor $X1,$X1,$t2

```

```

vsldoi $t1,$X1,$X1,8 # 2nd reduction phase
vpmsumd $X1,$X1,$xC2
vxor $t1,$t1,$Xh
vxor $X1,$X1,$t1

```

```

addic $len,$len,4
beq Ldone_4x

```

```

lvx_u $IN0,0,$inp
${UCMP}i $len,2
li $len,-4
blt Lone
lvx_u $IN1,r8,$inp
beq Ltwo

```

Lthree:

```

lvx_u $IN2,r9,$inp
le?vperm $IN0,$IN0,$IN0,$lemask
le?vperm $IN1,$IN1,$IN1,$lemask
le?vperm $IN2,$IN2,$IN2,$lemask

vxor $Xh,$IN0,$Xl
vmr $H4l,$H3l
vmr $H4, $H3
vmr $H4h,$H3h

vperm $t0,$IN1,$IN2,$loperm
vperm $t1,$IN1,$IN2,$hiperm
vpmsumd $Xm2,$IN1,$H2 # H^2.loXi+1.hi+H^2.hiXi+1.lo
vpmsumd $Xm3,$IN2,$H # H.hiXi+2.lo +H.loXi+2.hi
vpmsumd $Xl3,$t0,$H2l1 # H^2.loXi+1.lo+H.loXi+2.lo
vpmsumd $Xh3,$t1,$H2lh # H^2.hiXi+1.hi+H.hiXi+2.hi

vxor $Xm3,$Xm3,$Xm2
b Ltail_4x

.align 4
Ltwo:
le?vperm $IN0,$IN0,$IN0,$lemask
le?vperm $IN1,$IN1,$IN1,$lemask

vxor $Xh,$IN0,$Xl
vperm $t0,$zero,$IN1,$loperm
vperm $t1,$zero,$IN1,$hiperm

vsldoi $H4l,$zero,$H2,8
vmr $H4, $H2
vsldoi $H4h,$H2,$zero,8

vpmsumd $Xl3,$t0, $H2l1 # H.loXi+1.lo
vpmsumd $Xm3,$IN1,$H # H.hiXi+1.lo+H.loXi+2.hi
vpmsumd $Xh3,$t1, $H2lh # H.hiXi+1.hi

b Ltail_4x

.align 4
Lone:
le?vperm $IN0,$IN0,$IN0,$lemask

vsldoi $H4l,$zero,$H,8
vmr $H4, $H
vsldoi $H4h,$H,$zero,8

vxor $Xh,$IN0,$Xl

```

```
vxor $X13,$X13,$X13
vxor $Xm3,$Xm3,$Xm3
vxor $Xh3,$Xh3,$Xh3
```

```
b Ltail_4x
```

```
Ldone_4x:
```

```
le?vperm $X1,$X1,$X1,$lemask
stvx_u $X1,0,$Xip # write out Xi
```

```
li r10,`15+6*$SIZE_T`
```

```
li r11,`31+6*$SIZE_T`
```

```
mtspr 256,$vrsave
```

```
lvx v20,r10,$sp
```

```
addi r10,r10,32
```

```
lvx v21,r11,$sp
```

```
addi r11,r11,32
```

```
lvx v22,r10,$sp
```

```
addi r10,r10,32
```

```
lvx v23,r11,$sp
```

```
addi r11,r11,32
```

```
lvx v24,r10,$sp
```

```
addi r10,r10,32
```

```
lvx v25,r11,$sp
```

```
addi r11,r11,32
```

```
lvx v26,r10,$sp
```

```
addi r10,r10,32
```

```
lvx v27,r11,$sp
```

```
addi r11,r11,32
```

```
lvx v28,r10,$sp
```

```
addi r10,r10,32
```

```
lvx v29,r11,$sp
```

```
addi r11,r11,32
```

```
lvx v30,r10,$sp
```

```
lvx v31,r11,$sp
```

```
addi $sp,$sp,$FRAME
```

```
blr
```

```
.long 0
```

```
.byte 0,12,0x04,0,0x80,0,4,0
```

```
.long 0
```

```
---
```

```
}
```

```
$code.=<<__;
```

```
.size .gcm_ghash_p8,-.gcm_ghash_p8
```

```
.asciz "GHASH for PowerISA 2.07, CRYPTOGRAMS by <appro\@openssl.org>"
```

```
.align 2
```

```
---
```

```

foreach (split("\n",$code)) {
  s^\([^\]*\)\/eval $1/geo;

  if ($flavour =~ /le$/o) { # little-endian
    s/le\?//o or
    s/be\?/#be#/o;
  } else {
    s/le\?/#le#/o or
    s/be\?//o;
  }
  print $_, "\n";
}

```

```
close STDOUT; # enforce flush
```

Found in path(s):

```
* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/modes/asm/ghashp8-ppc.pl
```

No license file was found, but licenses were detected in source scan.

```
/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
```

```
* All rights reserved.
```

```
*
```

```
* This package is an SSL implementation written
```

```
* by Eric Young (eay@cryptsoft.com).
```

```
* The implementation was written so as to conform with Netscapes SSL.
```

```
*
```

```
* This library is free for commercial and non-commercial use as long as
```

```
* the following conditions are aheared to. The following conditions
```

```
* apply to all code found in this distribution, be it the RC4, RSA,
```

```
* lhash, DES, etc., code; not just the SSL code. The SSL documentation
```

```
* included with this distribution is covered by the same copyright terms
```

```
* except that the holder is Tim Hudson (tjh@cryptsoft.com).
```

```
*
```

```
* Copyright remains Eric Young's, and as such any Copyright notices in
```

```
* the code are not to be removed.
```

```
* If this package is used in a product, Eric Young should be given attribution
```

```
* as the author of the parts of the library used.
```

```
* This can be in the form of a textual message at program startup or
```

```
* in documentation (online or textual) provided with the package.
```

```
*
```

```
* Redistribution and use in source and binary forms, with or without
```

```
* modification, are permitted provided that the following conditions
```

```
* are met:
```

```
* 1. Redistributions of source code must retain the copyright
```

```
* notice, this list of conditions and the following disclaimer.
```

```
* 2. Redistributions in binary form must reproduce the above copyright
```

\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\* 3. All advertising materials mentioning features or use of this software

\* must display the following acknowledgement:

\* "This product includes cryptographic software written by

\* Eric Young (eay@cryptsoft.com)"

\* The word 'cryptographic' can be left out if the routines from the library

\* being used are not cryptographic related :-).

\* 4. If you include any Windows specific code (or a derivative thereof) from

\* the apps directory (application code) you must include an acknowledgement:

\* "This product includes software written by Tim Hudson (tjh@cryptsoft.com)"

\*

\* THIS SOFTWARE IS PROVIDED BY ERIC YOUNG ``AS IS'' AND

\* ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

\* ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE

\* FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL

\* DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS

\* OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT

\* LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY

\* OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF

\* SUCH DAMAGE.

\*

\* The licence and distribution terms for any publically available version or

\* derivative of this code cannot be changed. i.e. this code cannot simply be

\* copied and put under another distribution licence

\* [including the GNU Public Licence.]

\*/

/\* =====

\* Copyright (c) 2003 The OpenSSL Project. All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\*

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\*

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in

\* the documentation and/or other materials provided with the

\* distribution.

\*

\* 3. All advertising materials mentioning features or use of this

\* software must display the following acknowledgment:

\* "This product includes software developed by the OpenSSL Project

\* for use in the OpenSSL Toolkit. (<http://www.openssl.org/>)"

```

*
* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to
*   endorse or promote products derived from this software without
*   prior written permission. For written permission, please contact
*   openssl-core@openssl.org.
*
* 5. Products derived from this software may not be called "OpenSSL"
*   nor may "OpenSSL" appear in their names without prior written
*   permission of the OpenSSL Project.
*
* 6. Redistributions of any form whatsoever must retain the following
*   acknowledgment:
*   "This product includes software developed by the OpenSSL Project
*   for use in the OpenSSL Toolkit (http://www.openssl.org/)"
*
* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS'' AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
*/

```

Found in path(s):

```

* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-
2.0.16/fips/rand/fips_randtest.c

```

No license file was found, but licenses were detected in source scan.

```

/* =====

```

```

* Copyright (c) 2003-2011 The OpenSSL Project. All rights reserved.

```

```

*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:

```

```

* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.

```

```

*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in
*   the documentation and/or other materials provided with the

```

```

* distribution.
*
* 3. All advertising materials mentioning features or use of this
* software must display the following acknowledgment:
* "This product includes software developed by the OpenSSL Project
* for use in the OpenSSL Toolkit. (http://www.openssl.org/)"
*
* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to
* endorse or promote products derived from this software without
* prior written permission. For written permission, please contact
* openssl-core@openssl.org.
*
* 5. Products derived from this software may not be called "OpenSSL"
* nor may "OpenSSL" appear in their names without prior written
* permission of the OpenSSL Project.
*
* 6. Redistributions of any form whatsoever must retain the following
* acknowledgment:
* "This product includes software developed by the OpenSSL Project
* for use in the OpenSSL Toolkit (http://www.openssl.org/)"
*
* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS" AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
*/

```

Found in path(s):

```

* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-
2.0.16/fips/rsa/fips_rsa_selftest.c

```

No license file was found, but licenses were detected in source scan.

```

/* =====
* Copyright (c) 2003 The OpenSSL Project. All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*

```

- \* 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \*
- \* 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \*
- \* 3. All advertising materials mentioning features or use of this software must display the following acknowledgment:  
 \* "This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit. (<http://www.openssl.org/>)"
- \*
- \* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact [openssl-core@openssl.org](mailto:openssl-core@openssl.org).
- \*
- \* 5. Products derived from this software may not be called "OpenSSL" nor may "OpenSSL" appear in their names without prior written permission of the OpenSSL Project.
- \*
- \* 6. Redistributions of any form whatsoever must retain the following acknowledgment:  
 \* "This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit (<http://www.openssl.org/>)"
- \*
- \* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \*/

Found in path(s):

- \* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/fips/sha/fips\_standalone\_sha1.c
- \* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/fips/des/fips\_des\_selftest.c
- \* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-



2.0.16/fips/aes/fips\_aes\_selftest.c

\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-

2.0.16/fips/rand/fips\_rand.h

\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-

2.0.16/fips/sha/fips\_sha1\_selftest.c

\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-

2.0.16/fips/rand/fips\_rand\_selftest.c

No license file was found, but licenses were detected in source scan.

/\* =====

\* Copyright 2002 Sun Microsystems, Inc. ALL RIGHTS RESERVED.

\*

\* The Elliptic Curve Public-Key Crypto Library (ECC Code) included  
\* herein is developed by SUN MICROSYSTEMS, INC., and is contributed  
\* to the OpenSSL project.

\*

\* The ECC Code is licensed pursuant to the OpenSSL open source  
\* license provided below.

\*

\* In addition, Sun covenants to all licensees who provide a reciprocal  
\* covenant with respect to their own patents if any, not to sue under  
\* current and future patent claims necessarily infringed by the making,  
\* using, practicing, selling, offering for sale and/or otherwise  
\* disposing of the ECC Code as delivered hereunder (or portions thereof),  
\* provided that such covenant shall not apply:

\* 1) for code that a licensee deletes from the ECC Code;

\* 2) separates from the ECC Code; or

\* 3) for infringements caused by:

\* i) the modification of the ECC Code or

\* ii) the combination of the ECC Code with other software or  
\* devices where such combination causes the infringement.

\*

\* The software is originally written by Sheueling Chang Shantz and  
\* Douglas Stebila of Sun Microsystems Laboratories.

\*

\*/

/\* NOTE: This file is licensed pursuant to the OpenSSL license below

\* and may be modified; but after modifications, the above covenant

\* may no longer apply! In such cases, the corresponding paragraph

\* ["In addition, Sun covenants ... causes the infringement."] and

\* this note can be edited out; but please keep the Sun copyright

\* notice and attribution. \*/

/\* =====

\* Copyright (c) 1998-2002 The OpenSSL Project. All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\*  
 \* 1. Redistributions of source code must retain the above copyright  
 \* notice, this list of conditions and the following disclaimer.  
 \*  
 \* 2. Redistributions in binary form must reproduce the above copyright  
 \* notice, this list of conditions and the following disclaimer in  
 \* the documentation and/or other materials provided with the  
 \* distribution.  
 \*  
 \* 3. All advertising materials mentioning features or use of this  
 \* software must display the following acknowledgment:  
 \* "This product includes software developed by the OpenSSL Project  
 \* for use in the OpenSSL Toolkit. (<http://www.openssl.org/>)"  
 \*  
 \* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to  
 \* endorse or promote products derived from this software without  
 \* prior written permission. For written permission, please contact  
 \* openssl-core@openssl.org.  
 \*  
 \* 5. Products derived from this software may not be called "OpenSSL"  
 \* nor may "OpenSSL" appear in their names without prior written  
 \* permission of the OpenSSL Project.  
 \*  
 \* 6. Redistributions of any form whatsoever must retain the following  
 \* acknowledgment:  
 \* "This product includes software developed by the OpenSSL Project  
 \* for use in the OpenSSL Toolkit (<http://www.openssl.org/>)"  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS" AND ANY  
 \* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
 \* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR  
 \* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR  
 \* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
 \* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT  
 \* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;  
 \* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \* =====  
 \*  
 \* This product includes cryptographic software written by Eric Young  
 \* (eay@cryptsoft.com). This product includes software written by Tim  
 \* Hudson (tjh@cryptsoft.com).  
 \*  
 \*/

Found in path(s):

\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/bn/bn\_gf2m.c

No license file was found, but licenses were detected in source scan.

```
/* =====  
* Copyright (c) 2008 The OpenSSL Project. All rights reserved.  
*  
* Redistribution and use in source and binary forms, with or without  
* modification, are permitted provided that the following conditions  
* are met:  
*  
* 1. Redistributions of source code must retain the above copyright  
* notice, this list of conditions and the following disclaimer.  
*  
* 2. Redistributions in binary form must reproduce the above copyright  
* notice, this list of conditions and the following disclaimer in  
* the documentation and/or other materials provided with the  
* distribution.  
*  
* 3. All advertising materials mentioning features or use of this  
* software must display the following acknowledgment:  
* "This product includes software developed by the OpenSSL Project  
* for use in the OpenSSL Toolkit. (http://www.openssl.org/)"  
*  
* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to  
* endorse or promote products derived from this software without  
* prior written permission. For written permission, please contact  
* openssl-core@openssl.org.  
*  
* 5. Products derived from this software may not be called "OpenSSL"  
* nor may "OpenSSL" appear in their names without prior written  
* permission of the OpenSSL Project.  
*  
* 6. Redistributions of any form whatsoever must retain the following  
* acknowledgment:  
* "This product includes software developed by the OpenSSL Project  
* for use in the OpenSSL Toolkit (http://www.openssl.org/)"  
*  
* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS'' AND ANY  
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR  
* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR  
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT  
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;  
* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
```

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\* =====

\*  
\*/

Found in path(s):

- \* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/modes/cfb128.c
- \* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/modes/cbc128.c
- \* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/modes/ctr128.c
- \* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/modes/ofb128.c

No license file was found, but licenses were detected in source scan.

/\* =====

\* Copyright (c) 1999 The OpenSSL Project. All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:

\*

\* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in  
\* the documentation and/or other materials provided with the  
\* distribution.

\*

\* 3. All advertising materials mentioning features or use of this  
\* software must display the following acknowledgment:

\* "This product includes software developed by the OpenSSL Project  
\* for use in the OpenSSL Toolkit. (<http://www.openssl.org/>)"

\*

\* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to  
\* endorse or promote products derived from this software without  
\* prior written permission. For written permission, please contact  
\* [openssl-core@openssl.org](mailto:openssl-core@openssl.org).

\*

\* 5. Products derived from this software may not be called "OpenSSL"  
\* nor may "OpenSSL" appear in their names without prior written  
\* permission of the OpenSSL Project.

\*

\* 6. Redistributions of any form whatsoever must retain the following

```

* acknowledgment:
* "This product includes software developed by the OpenSSL Project
* for use in the OpenSSL Toolkit (http://www.openssl.org/)"
*
* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS" AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
* =====
*
* This product includes cryptographic software written by Eric Young
* (eay@cryptsoft.com). This product includes software written by Tim
* Hudson (tjh@cryptsoft.com).
*
*/

```

Found in path(s):

```

* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-
2.0.16/crypto/stack/safestack.h
* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-
2.0.16/crypto/symhacks.h

```

No license file was found, but licenses were detected in source scan.

```

/* =====
* Copyright (c) 2004 The OpenSSL Project. All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.
*
* 3. All advertising materials mentioning features or use of this
* software must display the following acknowledgment:

```

```

* "This product includes software developed by the OpenSSL Project
* for use in the OpenSSL Toolkit. (http://www.openssl.org/)"
*
* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to
* endorse or promote products derived from this software without
* prior written permission. For written permission, please contact
* openssl-core@openssl.org.
*
* 5. Products derived from this software may not be called "OpenSSL"
* nor may "OpenSSL" appear in their names without prior written
* permission of the OpenSSL Project.
*
* 6. Redistributions of any form whatsoever must retain the following
* acknowledgment:
* "This product includes software developed by the OpenSSL Project
* for use in the OpenSSL Toolkit (http://www.openssl.org/)"
*
* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS" AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
*/

```

Found in path(s):

```

* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-
2.0.16/fips/des/fips_desmovs.c
* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-
2.0.16/fips/aes/fips_aesavs.c

```

No license file was found, but licenses were detected in source scan.

```

/* =====

```

```

* Copyright (c) 1999-2007 The OpenSSL Project. All rights reserved.

```

```

*

```

```

* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:

```

```

*

```

```

* 1. Redistributions of source code must retain the above copyright

```

```

* notice, this list of conditions and the following disclaimer.

```

```

*
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.
*
* 3. All advertising materials mentioning features or use of this
* software must display the following acknowledgment:
* "This product includes software developed by the OpenSSL Project
* for use in the OpenSSL Toolkit. (http://www.OpenSSL.org/)"
*
* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to
* endorse or promote products derived from this software without
* prior written permission. For written permission, please contact
* licensing@OpenSSL.org.
*
* 5. Products derived from this software may not be called "OpenSSL"
* nor may "OpenSSL" appear in their names without prior written
* permission of the OpenSSL Project.
*
* 6. Redistributions of any form whatsoever must retain the following
* acknowledgment:
* "This product includes software developed by the OpenSSL Project
* for use in the OpenSSL Toolkit (http://www.OpenSSL.org/)"
*
* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS" AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
* =====
*
*/

```

Found in path(s):

```

* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-
2.0.16/crypto/md32_common.h

```

No license file was found, but licenses were detected in source scan.

```

/* =====
* Copyright (c) 2011 The OpenSSL Project. All rights reserved.

```

\*  
 \* Redistribution and use in source and binary forms, with or without  
 \* modification, are permitted provided that the following conditions  
 \* are met:  
 \*  
 \* 1. Redistributions of source code must retain the above copyright  
 \* notice, this list of conditions and the following disclaimer.  
 \*  
 \* 2. Redistributions in binary form must reproduce the above copyright  
 \* notice, this list of conditions and the following disclaimer in  
 \* the documentation and/or other materials provided with the  
 \* distribution.  
 \*  
 \* 3. All advertising materials mentioning features or use of this  
 \* software must display the following acknowledgment:  
 \* "This product includes software developed by the OpenSSL Project  
 \* for use in the OpenSSL Toolkit. (<http://www.openssl.org/>)"  
 \*  
 \* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to  
 \* endorse or promote products derived from this software without  
 \* prior written permission. For written permission, please contact  
 \* openssl-core@openssl.org.  
 \*  
 \* 5. Products derived from this software may not be called "OpenSSL"  
 \* nor may "OpenSSL" appear in their names without prior written  
 \* permission of the OpenSSL Project.  
 \*  
 \* 6. Redistributions of any form whatsoever must retain the following  
 \* acknowledgment:  
 \* "This product includes software developed by the OpenSSL Project  
 \* for use in the OpenSSL Toolkit (<http://www.openssl.org/>)"  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS" AND ANY  
 \* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
 \* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR  
 \* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR  
 \* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
 \* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT  
 \* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;  
 \* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*  
 \*/  
 /\* =====  
 \* Copyright 2011 Thursby Software Systems, Inc. All rights reserved.



\*  
 \* The portions of the attached software ("Contribution") is developed by  
 \* Thursby Software Systems, Inc and is licensed pursuant to the OpenSSL  
 \* open source license.  
 \*  
 \* The Contribution, originally written by Paul W. Nelson of  
 \* Thursby Software Systems, Inc, consists of the fingerprint calculation  
 \* required for the FIPS140 integrity check.  
 \*  
 \* No patent licenses or other rights except those expressly stated in  
 \* the OpenSSL open source license shall be deemed granted or received  
 \* expressly, by implication, estoppel, or otherwise.  
 \*  
 \* No assurances are provided by Thursby that the Contribution does not  
 \* infringe the patent or other intellectual property rights of any third  
 \* party or that the license provides you with all the necessary rights  
 \* to make use of the Contribution.  
 \*  
 \* THE SOFTWARE IS PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND. IN  
 \* ADDITION TO THE DISCLAIMERS INCLUDED IN THE LICENSE, THURSBY  
 \* SPECIFICALLY DISCLAIMS ANY LIABILITY FOR CLAIMS BROUGHT BY YOU OR ANY  
 \* OTHER ENTITY BASED ON INFRINGEMENT OF INTELLECTUAL PROPERTY RIGHTS OR  
 \* OTHERWISE.  
 \*/

Found in path(s):

\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/iOS/incore\_macho.c

No license file was found, but licenses were detected in source scan.

/\* =====

\* Copyright (c) 1998-2006 The OpenSSL Project. All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
 \* modification, are permitted provided that the following conditions  
 \* are met:

\*

\* 1. Redistributions of source code must retain the above copyright  
 \* notice, this list of conditions and the following disclaimer.

\*

\* 2. Redistributions in binary form must reproduce the above copyright  
 \* notice, this list of conditions and the following disclaimer in  
 \* the documentation and/or other materials provided with the  
 \* distribution.

\*

\* 3. All advertising materials mentioning features or use of this  
 \* software must display the following acknowledgment:

\* "This product includes software developed by the OpenSSL Project

```

* for use in the OpenSSL Toolkit. (http://www.openssl.org/)"
*
* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to
* endorse or promote products derived from this software without
* prior written permission. For written permission, please contact
* openssl-core@openssl.org.
*
* 5. Products derived from this software may not be called "OpenSSL"
* nor may "OpenSSL" appear in their names without prior written
* permission of the OpenSSL Project.
*
* 6. Redistributions of any form whatsoever must retain the following
* acknowledgment:
* "This product includes software developed by the OpenSSL Project
* for use in the OpenSSL Toolkit (http://www.openssl.org/)"
*
* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS" AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
* =====
*
* This product includes cryptographic software written by Eric Young
* (eay@cryptsoft.com). This product includes software written by Tim
* Hudson (tjh@cryptsoft.com).
*
*/
/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
* All rights reserved.
*
* This package is an SSL implementation written
* by Eric Young (eay@cryptsoft.com).
* The implementation was written so as to conform with Netscapes SSL.
*
* This library is free for commercial and non-commercial use as long as
* the following conditions are aheared to. The following conditions
* apply to all code found in this distribution, be it the RC4, RSA,
* lhash, DES, etc., code; not just the SSL code. The SSL documentation
* included with this distribution is covered by the same copyright terms
* except that the holder is Tim Hudson (tjh@cryptsoft.com).

```

```

*
* Copyright remains Eric Young's, and as such any Copyright notices in
* the code are not to be removed.
* If this package is used in a product, Eric Young should be given attribution
* as the author of the parts of the library used.
* This can be in the form of a textual message at program startup or
* in documentation (online or textual) provided with the package.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the copyright
* notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
* 3. All advertising materials mentioning features or use of this software
* must display the following acknowledgement:
* "This product includes cryptographic software written by
* Eric Young (eay@cryptsoft.com)"
* The word 'cryptographic' can be left out if the rouines from the library
* being used are not cryptographic related :-).
* 4. If you include any Windows specific code (or a derivative thereof) from
* the apps directory (application code) you must include an acknowledgement:
* "This product includes software written by Tim Hudson (tjh@cryptsoft.com)"
*
* THIS SOFTWARE IS PROVIDED BY ERIC YOUNG ``AS IS" AND
* ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
* FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
* DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
* OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
* LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
* OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* The licence and distribution terms for any publically available version or
* derivative of this code cannot be changed. i.e. this code cannot simply be
* copied and put under another distribution licence
* [including the GNU Public Licence.]
*/
/* =====
* Copyright 2002 Sun Microsystems, Inc. ALL RIGHTS RESERVED.
* ECDH support in OpenSSL originally developed by
* SUN MICROSYSTEMS, INC., and contributed to the OpenSSL project.
*/

```

Found in path(s):

```
* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/thr_id.c
* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/crypto.h
* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/cryptlib.c
No license file was found, but licenses were detected in source scan.
```

```
/*.<.>, <crypto/*/*.<.>, <ssl/*.<.>, <apps/*.<.>
```

When this option is NOT specified, the filelist is taken from the commandline instead. Here, wildcards may be embedded. (Be sure to escape those to prevent the shell from expanding them for you when you wish mkerr.pl to do so instead.)  
Default: take file list to scan from the command line.

**-reindex** Discard the numeric values previously assigned to the error and function codes as extracted from the scanned header files; instead renumber all of them starting from 100. (Note that the numbers assigned through 'R' records in the config file remain intact.)  
Default: keep previously assigned numbers. (You are warned when collisions are detected.)

**-nostatic** Generates a different source code, where these additional functions are generated for each library specified in the config file:  
void ERR\_load\_<LIB>\_strings(void);  
void ERR\_unload\_<LIB>\_strings(void);  
void ERR\_<LIB>\_error(int f, int r, char \*fn, int ln);  
#define <LIB>err(f,r) ERR\_<LIB>\_error(f,r,\_\_FILE\_\_,\_\_LINE\_\_)  
while the code facilitates the use of these in an environment where the error support routines are dynamically loaded at runtime.  
Default: 'static' code generation.

**-staticloader** Prefix generated functions with the 'static' scope modifier.  
Default: don't write any scope modifier prefix.

**-write** Actually (over)write the generated code to the header and C source files as assigned to each library through the config file.  
Default: don't write.

**-help / -h / -? / --help** Show this help text.

... Additional arguments are added to the file list to scan, assuming '-recurse' was NOT specified on the command line.

EOF

```

    exit 1;
} else {
    last;
}
}

if($recurse) {
    @source = ( <crypto/*.c>, <crypto/**/*.c>, <ssl/*.c>,
        <fips/*.c>, <fips/**/*.c>);
} else {
    @source = @ARGV;
}

# Read in the config file

open(IN, "<$config") || die "Can't open config file $config";

# Parse config file

while(<IN>)
{
    if(/^L\s+(\S+)\s+(\S+)\s+(\S+)/) {
        $hinc{$1} = $2;
        $libinc{$2} = $1;
        $cskip{$3} = $1;
        if($3 ne "NONE") {
            $src{$1} = $3;
            $fmax{$1} = 100;
            $rmax{$1} = 100;
            $fassigned{$1} = ":";
            $rassigned{$1} = ":";
            $fnew{$1} = 0;
            $rnew{$1} = 0;
        }
    }
    } elsif (/^F\s+(\S+)/) {
        # Add extra function with $1
    } elsif (/^R\s+(\S+)\s+(\S+)/) {
        $rextra{$1} = $2;
        $rcodes{$1} = $2;
    }
}

close IN;

# Scan each header file in turn and make a list of error codes
# and function names

while (($hdr, $lib) = each %libinc)

```

```

{
next if($hdr eq "NONE");
print STDERR "Scanning header file $hdr\n" if $debug;
my $line = "", $def= "", $linenr = 0, $gotfile = 0;
if (open(IN, "<$hdr")) {
    $gotfile = 1;
    while(<IN>) {
$linenr++;
print STDERR "line: $linenr\r" if $debug;

last if(/BEGIN\s+ERROR\s+CODES/);
if ($line ne "") {
    $_ = $line . $_;
    $line = "";
}

if (/\\$/) {
    $line = $_;
    next;
}

if (/^\/) {
    if (not /^*\/) { # multiline comment...
$line = $_; # ... just accumulate
next;
    } else {
s/^*.*?\/*\/gs; # wipe it
    }
}

if ($cpp) {
    $cpp++ if /^#\s*if/;
    $cpp-- if /^#\s*endif/;
    next;
}
$cpp = 1 if /^#\s*ifdef.*cplusplus/; # skip "C" declaration

next if (/^#/);          # skip preprocessor directives

s/{[^{}]*}/gs;          # ignore {} blocks

if (/{\|\/) { # Add a } so editor works...
    $line = $_;
} else {
    $def .= $_;
}
}
}
}

```

```

print STDERR "                \r" if $debug;
    $defnr = 0;
# Delete any DECLARE_ macros
$def =~ s/DECLARE_\w+(\[w,\s+\])/gs;
foreach (split /;/, $def) {
    $defnr++;
    print STDERR "def: $defnr\r" if $debug;

    # The goal is to collect function names from function declarations.

    s/^\[n\s]*//g;
    s/\[n\s]*$/g;

    # Skip over recognized non-function declarations
    next if(/typedef\W/ or /DECLARE_STACK_OF/ or /TYPEDEF_.*_OF/);

    # Remove STACK_OF(foo)
    s/STACK_OF(\w+)/void/;

    # Reduce argument lists to empty ()
    # fold round brackets recursively: (t(*v)(t),t) -> (t{}{}),t) -> {}
    while(/^(.*)/s) {
        s/([^\(\)]+)\{\}/g;
        s/(\s*\s*(\w+)\s*\{\}\s*)/$1/g; #(*f{ }) -> f
    }
    # pretend as we didn't use curly braces: {} -> ()
    s/{\}\{/g;

    if (/(\w+)\s*(\(\).*/s) { # first token prior [first] () is
my $name = $1; # a function name!
$name =~ tr/[a-z]/[A-Z]/;
$ftrans{$name} = $1;
    } elsif (/[\(\)]/ and not (/=/)) {
print STDERR "Header $hdr: cannot parse: $_;\n";
    }
}

print STDERR "                \r" if $debug;

next if $reindex;

# Scan function and reason codes and store them: keep a note of the
# maximum code used.

if ($gotfile) {
    while(<IN>) {
        if(/^\#define\s+(\S+)\s+(\S+)/) {

```

```

$name = $1;
$code = $2;
next if $name =~ /^${lib}err/;
unless($name =~ /^${lib}_(RF)_(\w+)/) {
    print STDERR "Invalid error code $name\n";
    next;
}
if($1 eq "R") {
    $rcodes{$name} = $code;
    if ($rassigned{$lib} =~ /:$code:/) {
        print STDERR "!! ERROR: $lib reason code $code assigned twice (collision at $name)\n";
        ++$errcount;
    }
    $rassigned{$lib} .= "$code:";
    if(!(exists $rextra{$name}) &&
        ($code > $rmax{$lib})) {
        $rmax{$lib} = $code;
    }
} else {
    if ($fassigned{$lib} =~ /:$code:/) {
        print STDERR "!! ERROR: $lib function code $code assigned twice (collision at $name)\n";
        ++$errcount;
    }
    $fassigned{$lib} .= "$code:";
    if($code > $fmax{$lib}) {
        $fmax{$lib} = $code;
    }
    $fcodes{$name} = $code;
}
}
}
}

if ($debug) {
    if (defined($fmax{$lib})) {
        print STDERR "Max function code fmax" . "{" . "$lib" . "} = $fmax{$lib}\n";
        $fassigned{$lib} =~ m/^(.*):$/;
        @fassigned = sort {$a <=> $b} split(":", $1);
        print STDERR " @fassigned\n";
    }
    if (defined($rmax{$lib})) {
        print STDERR "Max reason code rmax" . "{" . "$lib" . "} = $rmax{$lib}\n";
        $rassigned{$lib} =~ m/^(.*):$/;
        @rassigned = sort {$a <=> $b} split(":", $1);
        print STDERR " @rassigned\n";
    }
}
}

```



```

if ($lib eq "SSL") {
  if ($rmax{$lib} >= 1000) {
    print STDERR "!! ERROR: SSL error codes 1000+ are reserved for alerts.\n";
    print STDERR "!!    Any new alerts must be added to $config.\n";
    ++$errcount;
    print STDERR "\n";
  }
}
close IN;
}

```

```

# Scan each C source file and look for function and reason codes
# This is done by looking for strings that "look like" function or
# reason codes: basically anything consisting of all upper case and
# numerics which has _F_ or _R_ in it and which has the name of an
# error library at the start. This seems to work fine except for the
# oddly named structure BIO_F_CTX which needs to be ignored.
# If a code doesn't exist in list compiled from headers then mark it
# with the value "X" as a place holder to give it a value later.
# Store all function and reason codes found in %ufcodes and %urcodes
# so all those unreferenced can be printed out.

```

```

foreach $file (@source) {
  # Don't parse the error source file.
  next if exists $skip{$file};
  print STDERR "File loaded: ".$file."r" if $debug;
  open(IN, "<$file") || die "Can't open source file $file\n";
  while(<IN>) {
    # skip obsoleted source files entirely!
    last if(/^#error\s+obsolete/);

    if(/((([A-Z0-9]+)_F_([A-Z0-9_]+))/) {
      next unless exists $src{$2};
      next if($1 eq "BIO_F_BUFFER_CTX");
      $ufcodes{$1} = 1;
      if(!exists $fcodes{$1}) {
        $fcodes{$1} = "X";
        $fnew{$2}++;
      }
      $notrans{$1} = 1 unless exists $ftrans{$3};
      print STDERR "Function: $1\t= $fcodes{$1} (lib: $2, name: $3)\n" if $debug;
    }
    if(/((([A-Z0-9]+)_R_[A-Z0-9_]+))/) {
      next unless exists $src{$2};
      $urcodes{$1} = 1;
      if(!exists $rcodes{$1}) {
        $rcodes{$1} = "X";
      }
    }
  }
}

```

```

    $rnew{$2}++;
  }
  print STDERR "Reason: $1\t= $rcodes{$1} (lib: $2)\n" if $debug;
}
}
close IN;
}
print STDERR "                \n" if $debug;

# Now process each library in turn.

foreach $lib (keys %csrc)
{
  my $hfile = $hinc{$lib};
  my $cfile = $csrc{$lib};
  if(!$fnew{$lib} && !$rnew{$lib}) {
    print STDERR "$lib:\t\tNo new error codes\n";
    next unless $rebuild;
  } else {
    print STDERR "$lib:\t\t$fnew{$lib} New Functions,";
    print STDERR " $rnew{$lib} New Reasons.\n";
    next unless $dowrite;
  }
}

# If we get here then we have some new error codes so we
# need to rebuild the header file and C file.

# Make a sorted list of error and reason codes for later use.

my @function = sort grep(/^${lib}_/,keys %fcodes);
my @reasons = sort grep(/^${lib}_/,keys %rcodes);

# Rewrite the header file

if (open(IN, "<$hfile")) {
  # Copy across the old file
  while(<IN>) {
    push @out, $_;
    last if (/BEGIN ERROR CODES/);
  }
  close IN;
} else {
  push @out,
"/* =====\n",
" * Copyright (c) 2001-2011 The OpenSSL Project. All rights reserved.\n",
" *\n",
" * Redistribution and use in source and binary forms, with or without\n",
" * modification, are permitted provided that the following conditions\n",

```

```

" * are met:\n",
" *\n",
" * 1. Redistributions of source code must retain the above copyright\n",
" * notice, this list of conditions and the following disclaimer. \n",
" *\n",
" * 2. Redistributions in binary form must reproduce the above copyright\n",
" * notice, this list of conditions and the following disclaimer in\n",
" * the documentation and/or other materials provided with the\n",
" * distribution.\n",
" *\n",
" * 3. All advertising materials mentioning features or use of this\n",
" * software must display the following acknowledgment:\n",
" * \"This product includes software developed by the OpenSSL Project\n",
" * for use in the OpenSSL Toolkit. (http://www.openssl.org/)\n",
" *\n",
" * 4. The names \"OpenSSL Toolkit\" and \"OpenSSL Project\" must not be used to\n",
" * endorse or promote products derived from this software without\n",
" * prior written permission. For written permission, please contact\n",
" * openssl-core\@openssl.org.\n",
" *\n",
" * 5. Products derived from this software may not be called \"OpenSSL\n",
" * nor may \"OpenSSL\" appear in their names without prior written\n",
" * permission of the OpenSSL Project.\n",
" *\n",
" * 6. Redistributions of any form whatsoever must retain the following\n",
" * acknowledgment:\n",
" * \"This product includes software developed by the OpenSSL Project\n",
" * for use in the OpenSSL Toolkit (http://www.openssl.org/)\n",
" *\n",
" * THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS\" AND ANY\n",
" * EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE\n",
" * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR\n",
" * PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR\n",
" * ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,\n",
" * SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT\n",
" * NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;\n",
" * LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)\n",
" * HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,\n",
" * STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)\n",
" * ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED\n",
" * OF THE POSSIBILITY OF SUCH DAMAGE.\n",
" * =====\n",
" *\n",
" * This product includes cryptographic software written by Eric Young\n",
" * (eay\@cryptsoft.com). This product includes software written by Tim\n",
" * Hudson (tjh\@cryptsoft.com).\n",
" *\n",
" */

```

```

"\n",
"#ifndef HEADER_${lib}_ERR_H\n",
"#define HEADER_${lib}_ERR_H\n",
"\n",
#ifdef __cplusplus\n",
"extern \"C\" {\n",
"#endif\n",
"\n",
/* BEGIN ERROR CODES */\n",
}
open (OUT, ">$hfile") || die "Can't Open File $hfile for writing\n";

print OUT @out;
undef @out;
print OUT <<"EOF";
/* The following lines are auto generated by the script mkerr.pl. Any changes
* made after this point may be overwritten when the script is next run.
*/
EOF
if($static) {
    print OUT <<"EOF";
    ${staticloader}void ERR_load_${lib}_strings(void);

EOF
} else {
    print OUT <<"EOF";
    ${staticloader}void ERR_load_${lib}_strings(void);
    ${staticloader}void ERR_unload_${lib}_strings(void);
    ${staticloader}void ERR_${lib}_error(int function, int reason, char *file, int line);
    #define ${lib}err(f,r) ERR_${lib}_error((f),(r),__FILE__,__LINE__)

EOF
}
print OUT <<"EOF";
/* Error codes for the $lib functions. */

/* Function codes. */
EOF

foreach $i (@function) {
    $z=6-int(length($i)/8);
    if($fcodes{$i} eq "X") {
        $fassigned{$lib} =~ m/^([:^:]*):/;
        $findcode = $1;
        if (!defined($findcode)) {
            $findcode = $fmax{$lib};
        }
        while ($fassigned{$lib} =~ m/:$findcode:/) {

```

```

    $findcode++;
}
$fcodes{$i} = $findcode;
$assigned{$lib} .= "$findcode:";
print STDERR "New Function code $i\n" if $debug;
}
printf OUT "#define $i%s $fcodes{$i}\n", "\t" x $z;
}

print OUT "\n/* Reason codes. *\n";

foreach $i (@reasons) {
    $z=6-int(length($i)/8);
    if($rcodes{$i} eq "X") {
        $rassigned{$lib} =~ m/^([:^:]*);/;
        $findcode = $1;
        if (!defined($findcode)) {
            $findcode = $rmax{$lib};
        }
        while ($rassigned{$lib} =~ m/:$findcode:/) {
            $findcode++;
        }
        $rcodes{$i} = $findcode;
        $assigned{$lib} .= "$findcode:";
        print STDERR "New Reason code $i\n" if $debug;
    }
    printf OUT "#define $i%s $rcodes{$i}\n", "\t" x $z;
}
print OUT <<"EOF";

#ifdef __cplusplus
}
#endif
#endif
EOF
close OUT;

# Rewrite the C source file containing the error details.

# First, read any existing reason string definitions:
my %err_reason_strings;
if (open(IN, "<$cfile") {
    while (<IN>) {
        if (/^\b($lib)_R_(\w*)\b.*\"(.*)\"/) {
            $err_reason_strings{$1} = $2;
        }
        if (/^\b($lib)_F_(\w*)\b.*\"(.*)\"/) {
            if (!exists $trans{$1} && ($1 ne $2)) {

```

```

    print STDERR "WARNING: Mismatched function string $2\n";
    $ftrans{$1} = $2;
  }
}
close(IN);
}

my $hincf;
if($static) {
  $hfile =~ /([\^\+]+)/;
  $hincf = "<${hprefix}$1>";
} else {
  $hincf = "\"$hfile\"";
}

# If static we know the error code at compile time so use it
# in error definitions.

if ($static)
{
  $pack_errcode = "ERR_LIB_${lib}";
  $load_errcode = "0";
}
else
{
  $pack_errcode = "0";
  $load_errcode = "ERR_LIB_${lib}";
}

open (OUT,">$cfile") || die "Can't open $cfile for writing";

print OUT <<"EOF";
/* $cfile */
/* =====
* Copyright (c) 1999-2011 The OpenSSL Project. All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in

```

```

* the documentation and/or other materials provided with the
* distribution.
*
* 3. All advertising materials mentioning features or use of this
* software must display the following acknowledgment:
* "This product includes software developed by the OpenSSL Project
* for use in the OpenSSL Toolkit. (http://www.OpenSSL.org/)"
*
* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to
* endorse or promote products derived from this software without
* prior written permission. For written permission, please contact
* openssl-core\@OpenSSL.org.
*
* 5. Products derived from this software may not be called "OpenSSL"
* nor may "OpenSSL" appear in their names without prior written
* permission of the OpenSSL Project.
*
* 6. Redistributions of any form whatsoever must retain the following
* acknowledgment:
* "This product includes software developed by the OpenSSL Project
* for use in the OpenSSL Toolkit (http://www.OpenSSL.org/)"
*
* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS" AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
* =====
*
* This product includes cryptographic software written by Eric Young
* (eay\@cryptsoft.com). This product includes software written by Tim
* Hudson (tjh\@cryptsoft.com).
*
*/

/* NOTE: this file was auto generated by the mkerr.pl script: any changes
* made to it will be overwritten when the script next updates this file,
* only reason strings will be preserved.
*/

```

```
#include <stdio.h>
```

```

#include <openssl/err.h>
#include $hincf

/* BEGIN ERROR CODES */
#ifndef OPENSSSL_NO_ERR

#define ERR_FUNC(func) ERR_PACK($pack_errcode,func,0)
#define ERR_REASON(reason) ERR_PACK($pack_errcode,0,reason)

static ERR_STRING_DATA ${lib}_str_funcs[]=
{
EOF
# Add each function code: if a function name is found then use it.
foreach $i (@function) {
my $fn;
$i =~ /^${lib}_F_(\S+)/;
$fn = $1;
if(exists $ftrans{$fn}) {
$fn = $ftrans{$fn};
}
# print OUT "{ERR_PACK($pack_errcode,$i,0),\t"$fn"}\n";
print OUT "{ERR_FUNC($i),\t"$fn"}\n";
}
print OUT <<"EOF";
{0,NULL}
};

static ERR_STRING_DATA ${lib}_str_reasons[]=
{
EOF
# Add each reason code.
foreach $i (@reasons) {
my $rn;
my $rstr = "ERR_REASON($i)";
my $nspc = 0;
if (exists $err_reason_strings{$i}) {
$rn = $err_reason_strings{$i};
} else {
$i =~ /^${lib}_R_(\S+)/;
$rn = $1;
$rn =~ tr/_[A-Z]/ [a-z]/;
}
$nspc = 40 - length($rstr) unless length($rstr) > 40;
$nspc = " " x $nspc;
print OUT "${rstr}${nspc},\t"$rn"}\n";
}
if($static) {
print OUT <<"EOF";
}

```



```

{0,NULL}
};

#endif

${staticloader}void ERR_load_${lib}_strings(void)
{
#ifdef OPENSSSL_NO_ERR

if (ERR_func_error_string(${lib}_str_functs[0].error) == NULL)
{
ERR_load_strings($load_errcode,${lib}_str_functs);
ERR_load_strings($load_errcode,${lib}_str_reasons);
}
#endif
}
EOF
} else {
print OUT <<"EOF";
{0,NULL}
};

#endif

#ifdef ${lib}_LIB_NAME
static ERR_STRING_DATA ${lib}_lib_name[]=
{
{0,${lib}_LIB_NAME},
{0,NULL}
};
#endif

static int ${lib}_lib_error_code=0;
static int ${lib}_error_init=1;

${staticloader}void ERR_load_${lib}_strings(void)
{
if (${lib}_lib_error_code == 0)
${lib}_lib_error_code=ERR_get_next_error_library();

if (${lib}_error_init)
{
${lib}_error_init=0;
#ifdef OPENSSSL_NO_ERR
ERR_load_strings(${lib}_lib_error_code,${lib}_str_functs);
ERR_load_strings(${lib}_lib_error_code,${lib}_str_reasons);
#endif
}
}

```

```

#ifdef ${lib}_LIB_NAME
    ${lib}_lib_name->error = ERR_PACK(${lib}_lib_error_code,0,0);
    ERR_load_strings(0,${lib}_lib_name);
#endif
}
}

${staticloader}void ERR_unload_${lib}_strings(void)
{
    if (${lib}_error_init == 0)
    {
#ifdef OPENSSSL_NO_ERR
        ERR_unload_strings(${lib}_lib_error_code,${lib}_str_functs);
        ERR_unload_strings(${lib}_lib_error_code,${lib}_str_reasons);
#endif
    }

#ifdef ${lib}_LIB_NAME
        ERR_unload_strings(0,${lib}_lib_name);
#endif
    ${lib}_error_init=1;
}
}

${staticloader}void ERR_${lib}_error(int function, int reason, char *file, int line)
{
    if (${lib}_lib_error_code == 0)
        ${lib}_lib_error_code=ERR_get_next_error_library();
    ERR_PUT_error(${lib}_lib_error_code,function,reason,file,line);
}
EOF

}

close OUT;
undef %err_reason_strings;
}

if($debug && defined(%notrans)) {
    print STDERR "The following function codes were not translated:\n";
    foreach(sort keys %notrans)
    {
        print STDERR "$_\n";
    }
}

# Make a list of unreferenced function and reason codes

```

```
foreach (keys %fcodes) {
  push (@funref, $_) unless exists $ufcodes{$_};
}
```

```
foreach (keys %rcodes) {
  push (@runref, $_) unless exists $urcodes{$_};
}
```

```
if($debug && defined(@funref) ) {
  print STDERR "The following function codes were not referenced:\n";
  foreach(sort @funref)
  {
    print STDERR "$_\n";
  }
}
```

```
if($debug && defined(@runref) ) {
  print STDERR "The following reason codes were not referenced:\n";
  foreach(sort @runref)
  {
    print STDERR "$_\n";
  }
}
```

```
if($errcount) {
  print STDERR "There were errors, failing...\n\n";
  exit $errcount;
}
```

Found in path(s):

```
* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/util/mkerr.pl
No license file was found, but licenses were detected in source scan.
```

```
/* Copyright (C) 1995-1997 Eric Young (eay@cryptsoft.com)
```

```
* All rights reserved.
```

```
*
```

```
* This package is an SSL implementation written
```

```
* by Eric Young (eay@cryptsoft.com).
```

```
* The implementation was written so as to conform with Netscapes SSL.
```

```
*
```

```
* This library is free for commercial and non-commercial use as long as
```

```
* the following conditions are aheared to. The following conditions
```

```
* apply to all code found in this distribution, be it the RC4, RSA,
```

```
* lhash, DES, etc., code; not just the SSL code. The SSL documentation
```

```
* included with this distribution is covered by the same copyright terms
```

```
* except that the holder is Tim Hudson (tjh@cryptsoft.com).
```

```
*
```

```
* Copyright remains Eric Young's, and as such any Copyright notices in
```

```

* the code are not to be removed.
* If this package is used in a product, Eric Young should be given attribution
* as the author of the parts of the library used.
* This can be in the form of a textual message at program startup or
* in documentation (online or textual) provided with the package.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the copyright
* notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
* 3. All advertising materials mentioning features or use of this software
* must display the following acknowledgement:
* "This product includes cryptographic software written by
* Eric Young (eay@cryptsoft.com)"
* The word 'cryptographic' can be left out if the routines from the library
* being used are not cryptographic related :-).
* 4. If you include any Windows specific code (or a derivative thereof) from
* the apps directory (application code) you must include an acknowledgement:
* "This product includes software written by Tim Hudson (tjh@cryptsoft.com)"
*
* THIS SOFTWARE IS PROVIDED BY ERIC YOUNG ``AS IS" AND
* ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
* FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
* DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
* OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
* LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
* OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* The licence and distribution terms for any publically available version or
* derivative of this code cannot be changed. i.e. this code cannot simply be
* copied and put under another distribution licence
* [including the GNU Public Licence.]
*/
/* =====
* Copyright (c) 1998-2006 The OpenSSL Project. All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*

```

```

* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.
*
* 3. All advertising materials mentioning features or use of this
* software must display the following acknowledgment:
* "This product includes software developed by the OpenSSL Project
* for use in the OpenSSL Toolkit. (http://www.openssl.org/)"
*
* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to
* endorse or promote products derived from this software without
* prior written permission. For written permission, please contact
* openssl-core@openssl.org.
*
* 5. Products derived from this software may not be called "OpenSSL"
* nor may "OpenSSL" appear in their names without prior written
* permission of the OpenSSL Project.
*
* 6. Redistributions of any form whatsoever must retain the following
* acknowledgment:
* "This product includes software developed by the OpenSSL Project
* for use in the OpenSSL Toolkit (http://www.openssl.org/)"
*
* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS'' AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
* =====
*
* This product includes cryptographic software written by Eric Young
* (eay@cryptsoft.com). This product includes software written by Tim
* Hudson (tjh@cryptsoft.com).
*
*/
/* =====
* Copyright 2002 Sun Microsystems, Inc. ALL RIGHTS RESERVED.

```

\*  
\* Portions of the attached software ("Contribution") are developed by  
\* SUN MICROSYSTEMS, INC., and are contributed to the OpenSSL project.  
\*  
\* The Contribution is licensed pursuant to the Eric Young open source  
\* license provided above.  
\*  
\* The binary polynomial arithmetic software is originally written by  
\* Sheueling Chang Shantz and Douglas Stebila of Sun Microsystems Laboratories.  
\*  
\*/

Found in path(s):

\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/bn/bn.h  
No license file was found, but licenses were detected in source scan.

/\* =====

\* Copyright (c) 2001 The OpenSSL Project. All rights reserved.  
\*  
\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:  
\*  
\* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.  
\*  
\* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in  
\* the documentation and/or other materials provided with the  
\* distribution.  
\*  
\* 3. All advertising materials mentioning features or use of this  
\* software must display the following acknowledgment:  
\* "This product includes software developed by the OpenSSL Project  
\* for use in the OpenSSL Toolkit. (<http://www.openssl.org/>)"  
\*  
\* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to  
\* endorse or promote products derived from this software without  
\* prior written permission. For written permission, please contact  
\* [openssl-core@openssl.org](mailto:openssl-core@openssl.org).  
\*  
\* 5. Products derived from this software may not be called "OpenSSL"  
\* nor may "OpenSSL" appear in their names without prior written  
\* permission of the OpenSSL Project.  
\*  
\* 6. Redistributions of any form whatsoever must retain the following  
\* acknowledgment:  
\* "This product includes software developed by the OpenSSL Project

```

* for use in the OpenSSL Toolkit (http://www.openssl.org/)"
*
* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS" AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
* =====
*
* This product includes cryptographic software written by Eric Young
* (eay@cryptsoft.com). This product includes software written by Tim
* Hudson (tjh@cryptsoft.com).
*
*/

```

Found in path(s):

```

* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/mem_clr.c
* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-
2.0.16/crypto/ui/ui_compat.h
* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/ui/ui_locl.h
* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/ui/ui.h

```

No license file was found, but licenses were detected in source scan.

```

/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
* All rights reserved.
*
* This package is an SSL implementation written
* by Eric Young (eay@cryptsoft.com).
* The implementation was written so as to conform with Netscapes SSL.
*
* This library is free for commercial and non-commercial use as long as
* the following conditions are aheared to. The following conditions
* apply to all code found in this distribution, be it the RC4, RSA,
* lhash, DES, etc., code; not just the SSL code. The SSL documentation
* included with this distribution is covered by the same copyright terms
* except that the holder is Tim Hudson (tjh@cryptsoft.com).
*
* Copyright remains Eric Young's, and as such any Copyright notices in
* the code are not to be removed.
* If this package is used in a product, Eric Young should be given attribution
* as the author of the parts of the library used.

```

```

* This can be in the form of a textual message at program startup or
* in documentation (online or textual) provided with the package.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the copyright
* notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
* 3. All advertising materials mentioning features or use of this software
* must display the following acknowledgement:
* "This product includes cryptographic software written by
* Eric Young (eay@cryptsoft.com)"
* The word 'cryptographic' can be left out if the routines from the library
* being used are not cryptographic related :-).
* 4. If you include any Windows specific code (or a derivative thereof) from
* the apps directory (application code) you must include an acknowledgement:
* "This product includes software written by Tim Hudson (tjh@cryptsoft.com)"
*
* THIS SOFTWARE IS PROVIDED BY ERIC YOUNG ``AS IS'' AND
* ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
* FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
* DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
* OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
* LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
* OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* The licence and distribution terms for any publically available version or
* derivative of this code cannot be changed. i.e. this code cannot simply be
* copied and put under another distribution licence
* [including the GNU Public Licence.]
*/
/* =====
* Copyright (c) 1998-2006 The OpenSSL Project. All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*

```



- \* 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \*
- \* 3. All advertising materials mentioning features or use of this software must display the following acknowledgment:
  - \* "This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit. (<http://www.openssl.org/>)"
  - \*
- \* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact [openssl-core@openssl.org](mailto:openssl-core@openssl.org).
- \*
- \* 5. Products derived from this software may not be called "OpenSSL" nor may "OpenSSL" appear in their names without prior written permission of the OpenSSL Project.
- \*
- \* 6. Redistributions of any form whatsoever must retain the following acknowledgment:
  - \* "This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit (<http://www.openssl.org/>)"
  - \*
- \* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
- \* =====
- \*
- \* This product includes cryptographic software written by Eric Young ([ey@cryptsoft.com](mailto:ey@cryptsoft.com)). This product includes software written by Tim Hudson ([tjh@cryptsoft.com](mailto:tjh@cryptsoft.com)).
- \*
- \* /

Found in path(s):

- \* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/rsa/rsa\_eay.c
- \* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/err/err.h

```
* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/bn/bn_mont.c
```

No license file was found, but licenses were detected in source scan.

```
### Public domain ###
```

Found in path(s):

```
* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/aes/asm/bsaes-x86_64.pl
```

No license file was found, but licenses were detected in source scan.

```
#!/usr/bin/env perl
```

```
#
```

```
# =====
```

```
# Written by Andy Polyakov <appro@openssl.org> for the OpenSSL  
# project. The module is, however, dual licensed under OpenSSL and  
# CRYPTOGAMS licenses depending on where you obtain it. For further  
# details see http://www.openssl.org/~appro/cryptogams/.
```

```
# =====
```

```
#
```

```
# December 2011
```

```
#
```

```
# The module implements GCM GHASH function and underlying single  
# multiplication operation in GF(2128). Even though subroutines  
# have _4bit suffix, they are not using any tables, but rely on  
# hardware Galois Field Multiply support. Streamed GHASH processes  
# byte in ~7 cycles, which is >6x faster than "4-bit" table-driven  
# code compiled with TI's cl6x 6.0 with -mv6400+ -o2 flags. We are  
# comparing apples vs. oranges, but compiler surely could have done  
# better, because theoretical [though not necessarily achievable]  
# estimate for "4-bit" table-driven implementation is ~12 cycles.
```

```
while (($output=shift) && ($output!~/^[w\~]*\.[w+$/)) {  
    open STDOUT,">$output";
```

```
($Xip,$Htable,$Inp,$len)=("A4","B4","A6","B6"); # arguments
```

```
($Z0,$Z1,$Z2,$Z3, $H0, $H1, $H2, $H3,
```

```
    $H0x,$H1x,$H2x,$H3x)=map("A$_",(16..27));
```

```
($H01u,$H01y,$H2u,$H3u, $H0y,$H1y,$H2y,$H3y,
```

```
    $H0z,$H1z,$H2z,$H3z)=map("B$_",(16..27));
```

```
($FF000000,$E10000)=("B30","B31");
```

```
($xip,$x0,$x1,$xib)=map("B$_",(6..9)); # $xip zaps $len
```

```
$xia="A9";
```

```
($rem,$res)=("B4","B5"); # $rem zaps $Htable
```

```
$code.=<<____;
```

```
.text
```

```

.asg B3,RA

.if 0
.global _gcm_gmult_1bit
_gcm_gmult_1bit:
ADDAD $Htable,2,$Htable
.endif

.global _gcm_gmult_4bit
_gcm_gmult_4bit:
.asmfunc
LDDW *${Htable}[-1],$H1:$H0 ; H.lo
LDDW *${Htable}[-2],$H3:$H2 ; H.hi
|| MV $Xip,${xip} ; reassign Xi
|| MVK 15,B1 ; SPLOOPD constant

MVK 0xE1,$E10000
|| LDBU *++${xip}[15],$x1 ; Xi[15]
MVK 0xFF,$FF000000
|| LDBU *--${xip},$x0 ; Xi[14]
SHL $E10000,16,$E10000 ; [pre-shifted] reduction polynomial
SHL $FF000000,24,$FF000000 ; upper byte mask
|| BNOP ghash_loop?
|| MVK 1,B0 ; take a single spin

PACKH2 $H0,$H1,$xia ; pack H0' and H1's upper bytes
AND $H2,$FF000000,$H2u ; H2's upper byte
AND $H3,$FF000000,$H3u ; H3's upper byte
|| SHRU $H2u,8,$H2u
SHRU $H3u,8,$H3u
|| ZERO $Z1:$Z0
SHRU2 $xia,8,$H01u
|| ZERO $Z3:$Z2
.endasmfunc

.global _gcm_ghash_4bit
_gcm_ghash_4bit:
.asmfunc
LDDW *${Htable}[-1],$H1:$H0 ; H.lo
|| SHRU $len,4,B0 ; reassign len
LDDW *${Htable}[-2],$H3:$H2 ; H.hi
|| MV $Xip,${xip} ; reassign Xi
|| MVK 15,B1 ; SPLOOPD constant

MVK 0xE1,$E10000
|| [B0] LDNDW *${inp}[1],$H1x:$H0x
MVK 0xFF,$FF000000
|| [B0] LDNDW *${inp}++[2],$H3x:$H2x

```

```

SHL $E10000,16,$E10000 ; [pre-shifted] reduction polynomial
|| LDDW *${xip}[1],$Z1:$Z0
SHL $FF000000,24,$FF000000 ; upper byte mask
|| LDDW *${xip}[0],$Z3:$Z2

```

```

PACKH2 $H0,$H1,$xia ; pack H0' and H1's upper bytes
AND $H2,$FF000000,$H2u ; H2's upper byte
AND $H3,$FF000000,$H3u ; H3's upper byte
|| SHRU $H2u,8,$H2u
SHRU $H3u,8,$H3u
SHRU2 $xia,8,$H01u

```

```

|| [B0] XOR $H0x,$Z0,$Z0 ; Xi^=inp
|| [B0] XOR $H1x,$Z1,$Z1
.if .LITTLE_ENDIAN
[B0] XOR $H2x,$Z2,$Z2
|| [B0] XOR $H3x,$Z3,$Z3
|| [B0] SHRU $Z1,24,$xia ; Xi[15], avoid cross-path stall
STDW $Z1:$Z0,*${xip}[1]
|| [B0] SHRU $Z1,16,$x0 ; Xi[14]
|| [B0] ZERO $Z1:$Z0
.else
[B0] XOR $H2x,$Z2,$Z2
|| [B0] XOR $H3x,$Z3,$Z3
|| [B0] MV $Z0,$xia ; Xi[15], avoid cross-path stall
STDW $Z1:$Z0,*${xip}[1]
|| [B0] SHRU $Z0,8,$x0 ; Xi[14]
|| [B0] ZERO $Z1:$Z0
.endif
STDW $Z3:$Z2,*${xip}[0]
|| [B0] ZERO $Z3:$Z2
|| [B0] MV $xia,$x1
[B0] ADDK 14,${xip}

```

```

ghash_loop?:
SPLOOPD 6 ; 6*16+7
|| MVC B1,ILC
|| [B0] SUB B0,1,B0
|| ZERO A0
|| ADD $x1,$x1,$xib ; SHL $x1,1,$xib
|| SHL $x1,1,$xia

```

```

#####
# 0  D2.  M1    M2  |
# 1     M1      |
# 2     M1    M2  |
# 3  D1. M1    M2  |

```

```

# 4  S1. L1      |
# 5  S2 S1x L1   D2 L2 |_____
# 6/0  L1 S1  L2 S2x |D2.  M1    M2  |
# 7/1  L1 S1 D1x S2 M2 |  M1      |
# 8/2    S1 L1x S2  |  M1    M2  |
# 9/3    S1 L1x    | D1. M1    M2  |
# 10/4    D1x     | S1. L1      |
# 11/5    |S2 S1x L1   D2 L2 |_____
# 12/6/0  D1x  ___|  L1 S1  L2 S2x |D2.  ....
# 7/1    L1 S1 D1x S2 M2 |  ....
# 8/2    S1 L1x S2  |  ....
#####...      .....|.....

```

\$code.=<<\_\_\_;

```

XORMPY $H0,$xia,$H0x ; 0 ; HXi[i]
|| XORMPY $H01u,$xib,$H01y
|| [A0] LDBU *--${xip},$x0
XORMPY $H1,$xia,$H1x ; 1
XORMPY $H2,$xia,$H2x ; 2
|| XORMPY $H2u,$xib,$H2y
XORMPY $H3,$xia,$H3x ; 3
|| XORMPY $H3u,$xib,$H3y
||[!A0] MVK.D 15,A0 ; *--${xip} counter
XOR.L $H0x,$Z0,$Z0 ; 4 ; Z^=HXi[i]
|| [A0] SUB.S A0,1,A0
XOR.L $H1x,$Z1,$Z1 ; 5
|| AND.D $H01y,$FF000000,$H0z
|| SWAP2.L $H01y,$H1y ; ; SHL $H01y,16,$H1y
|| SHL $x0,1,$xib
|| SHL $x0,1,$xia

XOR.L $H2x,$Z2,$Z2 ; 6/0 ; [0,0] in epilogue
|| SHL $Z0,1,$rem ; ; rem=Z<<1
|| SHRMB.S $Z1,$Z0,$Z0 ; ; Z>>=8
|| AND.L $H1y,$FF000000,$H1z
XOR.L $H3x,$Z3,$Z3 ; 7/1
|| SHRMB.S $Z2,$Z1,$Z1
|| XOR.D $H0z,$Z0,$Z0 ; merge upper byte products
|| AND.S $H2y,$FF000000,$H2z
|| XORMPY $E10000,$rem,$res ; ; implicit rem&0x1FE
XOR.L $H1z,$Z1,$Z1 ; 8/2
|| SHRMB.S $Z3,$Z2,$Z2
|| AND.S $H3y,$FF000000,$H3z
XOR.L $H2z,$Z2,$Z2 ; 9/3
|| SHRU $Z3,8,$Z3
XOR.D $H3z,$Z3,$Z3 ; 10/4
NOP ; 11/5

```

SPKERNEL 0,2

```

|| XOR.D $res,$Z3,$Z3 ; 12/6/0; Z^=res

; input pre-fetch is possible where D1 slot is available...
[B0] LDNDW *${inp}[1],$H1x:$H0x ; 8/-
[B0] LDNDW *${inp}++[2],$H3x:$H2x ; 9/-
NOP ; 10/-
.if .LITTLE_ENDIAN
SWAP2 $Z0,$Z1 ; 11/-
|| SWAP4 $Z1,$Z0
SWAP4 $Z1,$Z1 ; 12/-
|| SWAP2 $Z0,$Z0
SWAP2 $Z2,$Z3
|| SWAP4 $Z3,$Z2
||[!B0] BNOP RA
SWAP4 $Z3,$Z3
|| SWAP2 $Z2,$Z2
|| [B0] BNOP ghash_loop?
[B0] XOR $H0x,$Z0,$Z0 ; Xi^=inp
|| [B0] XOR $H1x,$Z1,$Z1
[B0] XOR $H2x,$Z2,$Z2
|| [B0] XOR $H3x,$Z3,$Z3
|| [B0] SHRU $Z1,24,$xia ; Xi[15], avoid cross-path stall
STDW $Z1:$Z0,*${xip}[1]
|| [B0] SHRU $Z1,16,$x0 ; Xi[14]
|| [B0] ZERO $Z1:$Z0
.else
[!B0] BNOP RA ; 11/-
[B0] BNOP ghash_loop? ; 12/-
[B0] XOR $H0x,$Z0,$Z0 ; Xi^=inp
|| [B0] XOR $H1x,$Z1,$Z1
[B0] XOR $H2x,$Z2,$Z2
|| [B0] XOR $H3x,$Z3,$Z3
|| [B0] MV $Z0,$xia ; Xi[15], avoid cross-path stall
STDW $Z1:$Z0,*${xip}[1]
|| [B0] SHRU $Z0,8,$x0 ; Xi[14]
|| [B0] ZERO $Z1:$Z0
.endif
STDW $Z3:$Z2,*${xip}[0]
|| [B0] ZERO $Z3:$Z2
|| [B0] MV $xia,$x1
[B0] ADDK 14,$xip
.endasmfunc

.sect .const
.cstring "GHASH for C64x+, CRYPTOGRAMS by <appro@openssl.org>"
.align 4

```

```
print $code;
close STDOUT;
```

Found in path(s):

```
* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/modes/asm/ghash-c64xplus.pl
```

No license file was found, but licenses were detected in source scan.

```
/* =====
* Copyright (c) 2010 The OpenSSL Project. All rights reserved.
*
* Redistribution and use is governed by OpenSSL license.
* =====
*/
```

Found in path(s):

```
* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/modes/modes_lcl.h
```

No license file was found, but licenses were detected in source scan.

```
/* =====
* Copyright 2002 Sun Microsystems, Inc. ALL RIGHTS RESERVED.
*
* The Elliptic Curve Public-Key Crypto Library (ECC Code) included
* herein is developed by SUN MICROSYSTEMS, INC., and is contributed
* to the OpenSSL project.
*
* The ECC Code is licensed pursuant to the OpenSSL open source
* license provided below.
*
* The software is originally written by Sheueling Chang Shantz and
* Douglas Stebila of Sun Microsystems Laboratories.
*
*/
```

```
/* =====
* Copyright (c) 1998-2005 The OpenSSL Project. All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.
```

```

*
* 3. All advertising materials mentioning features or use of this
* software must display the following acknowledgment:
* "This product includes software developed by the OpenSSL Project
* for use in the OpenSSL Toolkit. (http://www.openssl.org/)"
*
* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to
* endorse or promote products derived from this software without
* prior written permission. For written permission, please contact
* openssl-core@openssl.org.
*
* 5. Products derived from this software may not be called "OpenSSL"
* nor may "OpenSSL" appear in their names without prior written
* permission of the OpenSSL Project.
*
* 6. Redistributions of any form whatsoever must retain the following
* acknowledgment:
* "This product includes software developed by the OpenSSL Project
* for use in the OpenSSL Toolkit (http://www.openssl.org/)"
*
* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS" AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
* =====
*
* This product includes cryptographic software written by Eric Young
* (eay@cryptsoft.com). This product includes software written by Tim
* Hudson (tjh@cryptsoft.com).
*
*/

```

Found in path(s):

```

* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-
2.0.16/crypto/ec/ec2_smpl.c

```

No license file was found, but licenses were detected in source scan.

```

/* Copyright (C) 1995-1997 Eric Young (eay@mincom.oz.au).

```

```

# * All rights reserved.

```

```

# * Copyright remains Eric Young's, and as such any Copyright notices in

```



```

# * the code are not to be removed.
# * See the COPYRIGHT file in the SSLeay distribution for more details.
# */
/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
 * All rights reserved.
 *
 * This package is an SSL implementation written
 * by Eric Young (eay@cryptsoft.com).
 * The implementation was written so as to conform with Netscapes SSL.
 *
 * This library is free for commercial and non-commercial use as long as
 * the following conditions are aheared to. The following conditions
 * apply to all code found in this distribution, be it the RC4, RSA,
 * lhash, DES, etc., code; not just the SSL code. The SSL documentation
 * included with this distribution is covered by the same copyright terms
 * except that the holder is Tim Hudson (tjh@cryptsoft.com).
 *
 * Copyright remains Eric Young's, and as such any Copyright notices in
 * the code are not to be removed.
 * If this package is used in a product, Eric Young should be given attribution
 * as the author of the parts of the library used.
 * This can be in the form of a textual message at program startup or
 * in documentation (online or textual) provided with the package.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 * 1. Redistributions of source code must retain the copyright
 * notice, this list of conditions and the following disclaimer.
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in the
 * documentation and/or other materials provided with the distribution.
 * 3. All advertising materials mentioning features or use of this software
 * must display the following acknowledgement:
 * "This product includes cryptographic software written by
 * Eric Young (eay@cryptsoft.com)"
 * The word 'cryptographic' can be left out if the rouines from the library
 * being used are not cryptographic related :-).
 * 4. If you include any Windows specific code (or a derivative thereof) from
 * the apps directory (application code) you must include an acknowledgement:
 * "This product includes software written by Tim Hudson (tjh@cryptsoft.com)"
 *
 * THIS SOFTWARE IS PROVIDED BY ERIC YOUNG ``AS IS" AND
 * ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
 * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 * ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
 * FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
 * DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS

```

\* OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT  
\* LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY  
\* OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF  
\* SUCH DAMAGE.

\*

\* The licence and distribution terms for any publically available version or  
\* derivative of this code cannot be changed. i.e. this code cannot simply be  
\* copied and put under another distribution licence  
\* [including the GNU Public Licence.]

\*/

Found in path(s):

\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/bn/bn\_prime.pl

No license file was found, but licenses were detected in source scan.

/\* =====

\* Copyright (c) 1998-2004 The OpenSSL Project. All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:

\*

\* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in  
\* the documentation and/or other materials provided with the  
\* distribution.

\*

\* 3. All advertising materials mentioning features or use of this  
\* software must display the following acknowledgment:  
\* "This product includes software developed by the OpenSSL Project  
\* for use in the OpenSSL Toolkit. (<http://www.openssl.org/>)"

\*

\* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to  
\* endorse or promote products derived from this software without  
\* prior written permission. For written permission, please contact  
\* [openssl-core@openssl.org](mailto:openssl-core@openssl.org).

\*

\* 5. Products derived from this software may not be called "OpenSSL"  
\* nor may "OpenSSL" appear in their names without prior written  
\* permission of the OpenSSL Project.

\*

\* 6. Redistributions of any form whatsoever must retain the following  
\* acknowledgment:

\* "This product includes software developed by the OpenSSL Project  
\* for use in the OpenSSL Toolkit (<http://www.openssl.org/>)"  
\*  
\* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS" AND ANY  
\* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR  
\* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR  
\* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
\* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT  
\* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;  
\* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\* =====

\*  
\* This product includes cryptographic software written by Eric Young  
\* (eay@cryptsoft.com). This product includes software written by Tim  
\* Hudson (tjh@cryptsoft.com).

\*  
\*/

Found in path(s):

\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/bn/bn\_ctx.c

No license file was found, but licenses were detected in source scan.

/\* =====

\* Copyright (c) 1998-2000 The OpenSSL Project. All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:

\*

\* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in  
\* the documentation and/or other materials provided with the  
\* distribution.

\*

\* 3. All advertising materials mentioning features or use of this  
\* software must display the following acknowledgment:

\* "This product includes software developed by the OpenSSL Project  
\* for use in the OpenSSL Toolkit. (<http://www.openssl.org/>)"

\*

\* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to  
 \* endorse or promote products derived from this software without  
 \* prior written permission. For written permission, please contact  
 \* openssl-core@openssl.org.  
 \*

\* 5. Products derived from this software may not be called "OpenSSL"  
 \* nor may "OpenSSL" appear in their names without prior written  
 \* permission of the OpenSSL Project.  
 \*

\* 6. Redistributions of any form whatsoever must retain the following  
 \* acknowledgment:  
 \* "This product includes software developed by the OpenSSL Project  
 \* for use in the OpenSSL Toolkit (<http://www.openssl.org/>)"  
 \*

\* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS" AND ANY  
 \* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
 \* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR  
 \* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR  
 \* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
 \* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT  
 \* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;  
 \* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \* =====  
 \*

\* This product includes cryptographic software written by Eric Young  
 \* (eay@cryptsoft.com). This product includes software written by Tim  
 \* Hudson (tjh@cryptsoft.com).  
 \*

\*/  
 /\* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)  
 \* All rights reserved.  
 \*

\* This package is an SSL implementation written  
 \* by Eric Young (eay@cryptsoft.com).  
 \* The implementation was written so as to conform with Netscapes SSL.  
 \*

\* This library is free for commercial and non-commercial use as long as  
 \* the following conditions are adhered to. The following conditions  
 \* apply to all code found in this distribution, be it the RC4, RSA,  
 \* lhash, DES, etc., code; not just the SSL code. The SSL documentation  
 \* included with this distribution is covered by the same copyright terms  
 \* except that the holder is Tim Hudson (tjh@cryptsoft.com).  
 \*

\* Copyright remains Eric Young's, and as such any Copyright notices in

```

* the code are not to be removed.
* If this package is used in a product, Eric Young should be given attribution
* as the author of the parts of the library used.
* This can be in the form of a textual message at program startup or
* in documentation (online or textual) provided with the package.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the copyright
* notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
* 3. All advertising materials mentioning features or use of this software
* must display the following acknowledgement:
* "This product includes cryptographic software written by
* Eric Young (eay@cryptsoft.com)"
* The word 'cryptographic' can be left out if the routines from the library
* being used are not cryptographic related :-).
* 4. If you include any Windows specific code (or a derivative thereof) from
* the apps directory (application code) you must include an acknowledgement:
* "This product includes software written by Tim Hudson (tjh@cryptsoft.com)"
*
* THIS SOFTWARE IS PROVIDED BY ERIC YOUNG ``AS IS" AND
* ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
* FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
* DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
* OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
* LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
* OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* The licence and distribution terms for any publically available version or
* derivative of this code cannot be changed. i.e. this code cannot simply be
* copied and put under another distribution licence
* [including the GNU Public Licence.]
*/

```

Found in path(s):

```

* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-
2.0.16/crypto/bn/bn_mod.c

```

No license file was found, but licenses were detected in source scan.

```

/* =====

```

```

* Copyright 2002 Sun Microsystems, Inc. ALL RIGHTS RESERVED.
*
* The Elliptic Curve Public-Key Crypto Library (ECC Code) included
* herein is developed by SUN MICROSYSTEMS, INC., and is contributed
* to the OpenSSL project.
*
* The ECC Code is licensed pursuant to the OpenSSL open source
* license provided below.
*
* The ECDH software is originally written by Douglas Stebila of
* Sun Microsystems Laboratories.
*
*/
/* =====
* Copyright (c) 1998-2003 The OpenSSL Project. All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.
*
* 3. All advertising materials mentioning features or use of this
* software must display the following acknowledgment:
* "This product includes software developed by the OpenSSL Project
* for use in the OpenSSL Toolkit. (http://www.OpenSSL.org/)"
*
* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to
* endorse or promote products derived from this software without
* prior written permission. For written permission, please contact
* openssl-core@OpenSSL.org.
*
* 5. Products derived from this software may not be called "OpenSSL"
* nor may "OpenSSL" appear in their names without prior written
* permission of the OpenSSL Project.
*
* 6. Redistributions of any form whatsoever must retain the following
* acknowledgment:
* "This product includes software developed by the OpenSSL Project
* for use in the OpenSSL Toolkit (http://www.OpenSSL.org/)"
*
* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS'' AND ANY

```

\* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR  
\* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR  
\* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
\* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT  
\* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;  
\* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

/\* =====

\*  
\* This product includes cryptographic software written by Eric Young  
\* (eay@cryptsoft.com). This product includes software written by Tim  
\* Hudson (tjh@cryptsoft.com).  
\*  
\*/

Found in path(s):

\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/ecdh/ech\_ossl.c  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/ecdh/ech\_key.c

No license file was found, but licenses were detected in source scan.

/\* =====

\* Copyright (c) 2008 The OpenSSL Project. All rights reserved.  
\*  
\* Rights for redistribution and usage in source and binary  
\* forms are granted according to the OpenSSL license.  
\*/

Found in path(s):

\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/modes/modes.h

No license file was found, but licenses were detected in source scan.

/\* =====

\* Copyright (c) 1998-2002 The OpenSSL Project. All rights reserved.  
\*  
\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:  
\*  
\* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.  
\*

\* 2. Redistributions in binary form must reproduce the above copyright  
 \* notice, this list of conditions and the following disclaimer in  
 \* the documentation and/or other materials provided with the  
 \* distribution.  
 \*

\* 3. All advertising materials mentioning features or use of this  
 \* software must display the following acknowledgment:  
 \* "This product includes software developed by the OpenSSL Project  
 \* for use in the OpenSSL Toolkit. (<http://www.openssl.org/>)"  
 \*

\* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to  
 \* endorse or promote products derived from this software without  
 \* prior written permission. For written permission, please contact  
 \* openssl-core@openssl.org.  
 \*

\* 5. Products derived from this software may not be called "OpenSSL"  
 \* nor may "OpenSSL" appear in their names without prior written  
 \* permission of the OpenSSL Project.  
 \*

\* 6. Redistributions of any form whatsoever must retain the following  
 \* acknowledgment:  
 \* "This product includes software developed by the OpenSSL Project  
 \* for use in the OpenSSL Toolkit (<http://www.openssl.org/>)"  
 \*

\* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS" AND ANY  
 \* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
 \* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR  
 \* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR  
 \* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
 \* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT  
 \* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;  
 \* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \* =====  
 \*  
 \*/

Found in path(s):

\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/aes/aes.h  
 \* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
 2.0.16/crypto/aes/aes\_locl.h  
 \* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
 2.0.16/crypto/aes/aes\_ecb.c  
 \* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
 2.0.16/crypto/aes/aes\_cbc.c



No license file was found, but licenses were detected in source scan.

```
/* =====  
* Copyright (c) 2011 The OpenSSL Project. All rights reserved.  
*  
* Redistribution and use in source and binary forms, with or without  
* modification, are permitted provided that the following conditions  
* are met:  
*  
* 1. Redistributions of source code must retain the above copyright  
* notice, this list of conditions and the following disclaimer.  
*  
* 2. Redistributions in binary form must reproduce the above copyright  
* notice, this list of conditions and the following disclaimer in  
* the documentation and/or other materials provided with the  
* distribution.  
*  
* 3. All advertising materials mentioning features or use of this  
* software must display the following acknowledgment:  
* "This product includes software developed by the OpenSSL Project  
* for use in the OpenSSL Toolkit. (http://www.openssl.org/)"  
*  
* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to  
* endorse or promote products derived from this software without  
* prior written permission. For written permission, please contact  
* openssl-core@openssl.org.  
*  
* 5. Products derived from this software may not be called "OpenSSL"  
* nor may "OpenSSL" appear in their names without prior written  
* permission of the OpenSSL Project.  
*  
* 6. Redistributions of any form whatsoever must retain the following  
* acknowledgment:  
* "This product includes software developed by the OpenSSL Project  
* for use in the OpenSSL Toolkit (http://www.openssl.org/)"  
*  
* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS'' AND ANY  
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR  
* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR  
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT  
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;  
* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
* OF THE POSSIBILITY OF SUCH DAMAGE.
```

\*  
\*/

```
#define FIPS_AUTH_KEY "etaonrishdlcupfm"  
#define FIPS_AUTH_CRYPTOFFICER "7f92562d409c903322c0f94a1188ae8178339a4f"  
#define FIPS_AUTH_CRYPTouser "cb6cbdaad26cd210a8b31a5d56a876ee1d51a96c"
```

Found in path(s):

\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/fips/fips\_auth.in  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (c) 2004, Richard Levitte <richard@levitte.org>

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\*

\* THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS'' AND

\* ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

\* ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE

\* FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL

\* DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS

\* OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT

\* LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY

\* OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF

\* SUCH DAMAGE.

\*/

Found in path(s):

\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/o\_dir.h

No license file was found, but licenses were detected in source scan.

/\* =====

\* Copyright (c) 2007 The OpenSSL Project. All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\*

- \* 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \*
- \* 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \*
- \* 3. All advertising materials mentioning features or use of this software must display the following acknowledgment:  
 \* "This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit. (<http://www.openssl.org/>)"
- \*
- \* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact [openssl-core@openssl.org](mailto:openssl-core@openssl.org).
- \*
- \* 5. Products derived from this software may not be called "OpenSSL" nor may "OpenSSL" appear in their names without prior written permission of the OpenSSL Project.
- \*
- \* 6. Redistributions of any form whatsoever must retain the following acknowledgment:  
 \* "This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit (<http://www.openssl.org/>)"
- \*
- \* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
- \* =====
- \*
- \* This product includes cryptographic software written by Eric Young ([ey@cryptsoft.com](mailto:ey@cryptsoft.com)). This product includes software written by Tim Hudson ([tjh@cryptsoft.com](mailto:tjh@cryptsoft.com)).
- \*
- \* /

Found in path(s):

```
* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/dsa/dsa_locl.h
```

No license file was found, but licenses were detected in source scan.

```
/**
```

```
* rijndael-alg-fst.c
```

```
*
```

```
* @version 3.0 (December 2000)
```

```
*
```

```
* Optimised ANSI C code for the Rijndael cipher (now AES)
```

```
*
```

```
* @author Vincent Rijmen <vincent.rijmen@esat.kuleuven.ac.be>
```

```
* @author Antoon Bosselaers <antoon.bosselaers@esat.kuleuven.ac.be>
```

```
* @author Paulo Barreto <paulo.barreto@terra.com.br>
```

```
*
```

```
* This code is hereby placed in the public domain.
```

```
*
```

```
* THIS SOFTWARE IS PROVIDED BY THE AUTHORS "AS IS" AND ANY EXPRESS  
* OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED  
* WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE  
* ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHORS OR CONTRIBUTORS BE  
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR  
* BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,  
* WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE  
* OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE,  
* EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/aes/aes_core.c
```

No license file was found, but licenses were detected in source scan.

```
/* =====
```

```
* Copyright (c) 1998-2001 The OpenSSL Project. All rights reserved.
```

```
*
```

```
* Redistribution and use in source and binary forms, with or without  
* modification, are permitted provided that the following conditions  
* are met:
```

```
*
```

```
* 1. Redistributions of source code must retain the above copyright  
* notice, this list of conditions and the following disclaimer.
```

```
*
```

```
* 2. Redistributions in binary form must reproduce the above copyright  
* notice, this list of conditions and the following disclaimer in  
* the documentation and/or other materials provided with the
```

```

* distribution.
*
* 3. All advertising materials mentioning features or use of this
* software must display the following acknowledgment:
* "This product includes software developed by the OpenSSL Project
* for use in the OpenSSL Toolkit. (http://www.openssl.org/)"
*
* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to
* endorse or promote products derived from this software without
* prior written permission. For written permission, please contact
* openssl-core@openssl.org.
*
* 5. Products derived from this software may not be called "OpenSSL"
* nor may "OpenSSL" appear in their names without prior written
* permission of the OpenSSL Project.
*
* 6. Redistributions of any form whatsoever must retain the following
* acknowledgment:
* "This product includes software developed by the OpenSSL Project
* for use in the OpenSSL Toolkit (http://www.openssl.org/)"
*
* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS" AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
* =====
*
* This product includes cryptographic software written by Eric Young
* (eay@cryptsoft.com). This product includes software written by Tim
* Hudson (tjh@cryptsoft.com).
*
*/
/* =====
* Copyright 2002 Sun Microsystems, Inc. ALL RIGHTS RESERVED.
* Portions of this software developed by SUN MICROSYSTEMS, INC.,
* and contributed to the OpenSSL project.
*/

```

Found in path(s):

```
* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-
```

2.0.16/crypto/ec/ecp\_mont.c

No license file was found, but licenses were detected in source scan.

```
/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
 * All rights reserved.
 *
 * This package is an SSL implementation written
 * by Eric Young (eay@cryptsoft.com).
 * The implementation was written so as to conform with Netscapes SSL.
 *
 * This library is free for commercial and non-commercial use as long as
 * the following conditions are aheared to. The following conditions
 * apply to all code found in this distribution, be it the RC4, RSA,
 * lhash, DES, etc., code; not just the SSL code. The SSL documentation
 * included with this distribution is covered by the same copyright terms
 * except that the holder is Tim Hudson (tjh@cryptsoft.com).
 *
 * Copyright remains Eric Young's, and as such any Copyright notices in
 * the code are not to be removed.
 * If this package is used in a product, Eric Young should be given attribution
 * as the author of the parts of the library used.
 * This can be in the form of a textual message at program startup or
 * in documentation (online or textual) provided with the package.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 * 1. Redistributions of source code must retain the copyright
 * notice, this list of conditions and the following disclaimer.
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in the
 * documentation and/or other materials provided with the distribution.
 * 3. All advertising materials mentioning features or use of this software
 * must display the following acknowledgement:
 * "This product includes cryptographic software written by
 * Eric Young (eay@cryptsoft.com)"
 * The word 'cryptographic' can be left out if the rouines from the library
 * being used are not cryptographic related :-).
 * 4. If you include any Windows specific code (or a derivative thereof) from
 * the apps directory (application code) you must include an acknowledgement:
 * "This product includes software written by Tim Hudson (tjh@cryptsoft.com)"
 *
 * THIS SOFTWARE IS PROVIDED BY ERIC YOUNG ``AS IS" AND
 * ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
 * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 * ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
 * FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
 * DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
```

\* OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT  
\* LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY  
\* OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF  
\* SUCH DAMAGE.  
\*  
\* The licence and distribution terms for any publically available version or  
\* derivative of this code cannot be changed. i.e. this code cannot simply be  
\* copied and put under another distribution licence  
\* [including the GNU Public Licence.]  
\*/

Found in path(s):

\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/hmac/hmac.h  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/rand/rand.h  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/bn/bn\_lib.c  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/bn/bn\_recv.c  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/bn/bn\_prime.h  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/sha/sha1dgst.c  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/hmac/hmac.c  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/objects/objects.h  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/bn/bn\_asm.c  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/rsa/rsa\_pk1.c  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/lhash/lhash.h  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/dh/dh.h  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/des/cfb64ede.c  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/rsa/rsa.h  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/des/ncbc\_enc.c  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/rsa/rsa\_x931g.c  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/bn/bn\_add.c  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/asn1/asn1.h  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/dsa/dsa\_key.c  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-

2.0.16/crypto/stack/stack.h  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/e\_os.h  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/dsa/dsa.h  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/cryptlib.h  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/bn/bn\_sqr.c  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/des/set\_key.c  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/fips/dsa/fips\_dsatest.c  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/des/pc\_des.h  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/dh/dh\_key.c  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/rsa/rsa\_crpt.c  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/bn/bn\_mul.c  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/des/ofb64ede.c  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/evp/evp.h  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/evp/m\_sha1.c  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/rsa/rsa\_ssl.c  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/asn1/asn1\_mac.h  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/des/cfb\_enc.c  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/rsa/rsa\_gen.c  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/des/cfb64enc.c  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/dh/dh\_check.c  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/bn/bn\_word.c  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/des/des\_enc.c  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/evp/m\_dss1.c  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/dsa/dsa\_ossl.c  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/des/fcrypt\_b.c  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/evp/m\_dss.c  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/sha/sha.h



\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/des/des\_ver.h  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/fips/utl/fips\_enc.c  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/evp/e\_null.c  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/bn/bn\_div.c  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/des/ecb3\_enc.c  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/dsa/dsa\_gen.c  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/util/add\_cr.pl  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/buffer/buf\_str.c  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/buffer/buffer.h  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/sha/sha\_locl.h  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/rsa/rsa\_none.c  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/bn/bn\_shift.c  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/bio/bio.h  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/evp/e\_des3.c  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/des/spr.h  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/dh/dh\_gen.c

No license file was found, but licenses were detected in source scan.

/\* =====

\* Copyright (c) 2011 The OpenSSL Project. All rights reserved.  
\*  
\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:  
\*  
\* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.  
\*  
\* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in  
\* the documentation and/or other materials provided with the  
\* distribution.  
\*  
\* 3. All advertising materials mentioning features or use of this  
\* software must display the following acknowledgment:  
\* "This product includes software developed by the OpenSSL Project

```

* for use in the OpenSSL Toolkit. (http://www.OpenSSL.org/)"
*
* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to
* endorse or promote products derived from this software without
* prior written permission. For written permission, please contact
* licensing@OpenSSL.org.
*
* 5. Products derived from this software may not be called "OpenSSL"
* nor may "OpenSSL" appear in their names without prior written
* permission of the OpenSSL Project.
*
* 6. Redistributions of any form whatsoever must retain the following
* acknowledgment:
* "This product includes software developed by the OpenSSL Project
* for use in the OpenSSL Toolkit (http://www.OpenSSL.org/)"
*
* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS" AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
* =====
*/

```

Found in path(s):

```

* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-
2.0.16/fips/dh/fips_dhvs.c
* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-
2.0.16/fips/rand/fips_drng_selftest.c
* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-
2.0.16/fips/rand/fips_rand_lcl.h
* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-
2.0.16/fips/rand/fips_drng_rand.c
* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-
2.0.16/fips/ecdh/fips_ecdhvs.c
* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-
2.0.16/fips/aes/fips_gcmtest.c
* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-
2.0.16/fips/rand/fips_drngvs.c
* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/fips/utl/fips_lck.c
* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-

```

2.0.16/fips/rand/fips\_drbg\_ctr.c

\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-

2.0.16/fips/ecdsa/fips\_ecdsavs.c

\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-

2.0.16/fips/rand/fips\_drbg\_lib.c

\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-

2.0.16/fips/rand/fips\_drbg\_hmac.c

\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-

2.0.16/fips/rand/fips\_drbg\_hash.c

No license file was found, but licenses were detected in source scan.

/\* =====

\* Copyright (c) 1998-2005 The OpenSSL Project. All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\*

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\*

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in

\* the documentation and/or other materials provided with the

\* distribution.

\*

\* 3. All advertising materials mentioning features or use of this

\* software must display the following acknowledgment:

\* "This product includes software developed by the OpenSSL Project

\* for use in the OpenSSL Toolkit. (<http://www.openssl.org/>)"

\*

\* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to

\* endorse or promote products derived from this software without

\* prior written permission. For written permission, please contact

\* [openssl-core@openssl.org](mailto:openssl-core@openssl.org).

\*

\* 5. Products derived from this software may not be called "OpenSSL"

\* nor may "OpenSSL" appear in their names without prior written

\* permission of the OpenSSL Project.

\*

\* 6. Redistributions of any form whatsoever must retain the following

\* acknowledgment:

\* "This product includes software developed by the OpenSSL Project

\* for use in the OpenSSL Toolkit (<http://www.openssl.org/>)"

\*

\* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS" AND ANY

\* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR

\* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR  
\* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
\* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT  
\* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;  
\* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\* =====

\*

\* This product includes cryptographic software written by Eric Young  
\* (eay@cryptsoft.com). This product includes software written by Tim  
\* Hudson (tjh@cryptsoft.com).

\*

\*/

/\* =====

\* Copyright 2002 Sun Microsystems, Inc. ALL RIGHTS RESERVED.

\*

\* Portions of the attached software ("Contribution") are developed by  
\* SUN MICROSYSTEMS, INC., and are contributed to the OpenSSL project.

\*

\* The Contribution is licensed pursuant to the OpenSSL open source  
\* license provided above.

\*

\* The elliptic curve binary polynomial software is originally written by  
\* Sheueling Chang Shantz and Douglas Stebila of Sun Microsystems Laboratories.

\*

\*/

Found in path(s):

\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/ec/ec.h

No license file was found, but licenses were detected in source scan.

/\* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

\* All rights reserved.

\*

\* This package is an SSL implementation written  
\* by Eric Young (eay@cryptsoft.com).

\* The implementation was written so as to conform with Netscapes SSL.

\*

\* This library is free for commercial and non-commercial use as long as  
\* the following conditions are aheared to. The following conditions  
\* apply to all code found in this distribution, be it the RC4, RSA,  
\* lhash, DES, etc., code; not just the SSL code. The SSL documentation  
\* included with this distribution is covered by the same copyright terms  
\* except that the holder is Tim Hudson (tjh@cryptsoft.com).

\*

```

* Copyright remains Eric Young's, and as such any Copyright notices in
* the code are not to be removed.
* If this package is used in a product, Eric Young should be given attribution
* as the author of the parts of the library used.
* This can be in the form of a textual message at program startup or
* in documentation (online or textual) provided with the package.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the copyright
*   notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in the
*   documentation and/or other materials provided with the distribution.
* 3. All advertising materials mentioning features or use of this software
*   must display the following acknowledgement:
*   "This product includes cryptographic software written by
*   Eric Young (eay@cryptsoft.com)"
*   The word 'cryptographic' can be left out if the rouines from the library
*   being used are not cryptographic related :-).
* 4. If you include any Windows specific code (or a derivative thereof) from
*   the apps directory (application code) you must include an acknowledgement:
*   "This product includes software written by Tim Hudson (tjh@cryptsoft.com)"
*
* THIS SOFTWARE IS PROVIDED BY ERIC YOUNG ``AS IS" AND
* ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
* FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
* DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
* OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
* LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
* OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* The licence and distribution terms for any publically available version or
* derivative of this code cannot be changed. i.e. this code cannot simply be
* copied and put under another distribution licence
* [including the GNU Public Licence.]
*/
/* =====
* Copyright (c) 1998-2005 The OpenSSL Project. All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:

```

\*  
 \* 1. Redistributions of source code must retain the above copyright  
 \* notice, this list of conditions and the following disclaimer.  
 \*  
 \* 2. Redistributions in binary form must reproduce the above copyright  
 \* notice, this list of conditions and the following disclaimer in  
 \* the documentation and/or other materials provided with the  
 \* distribution.  
 \*  
 \* 3. All advertising materials mentioning features or use of this  
 \* software must display the following acknowledgment:  
 \* "This product includes software developed by the OpenSSL Project  
 \* for use in the OpenSSL Toolkit. (<http://www.openssl.org/>)"  
 \*  
 \* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to  
 \* endorse or promote products derived from this software without  
 \* prior written permission. For written permission, please contact  
 \* openssl-core@openssl.org.  
 \*  
 \* 5. Products derived from this software may not be called "OpenSSL"  
 \* nor may "OpenSSL" appear in their names without prior written  
 \* permission of the OpenSSL Project.  
 \*  
 \* 6. Redistributions of any form whatsoever must retain the following  
 \* acknowledgment:  
 \* "This product includes software developed by the OpenSSL Project  
 \* for use in the OpenSSL Toolkit (<http://www.openssl.org/>)"  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS" AND ANY  
 \* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
 \* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR  
 \* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR  
 \* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
 \* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT  
 \* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;  
 \* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \* =====  
 \*  
 \* This product includes cryptographic software written by Eric Young  
 \* (eay@cryptsoft.com). This product includes software written by Tim  
 \* Hudson (tjh@cryptsoft.com).  
 \*  
 \*/

Found in path(s):

\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/bn/bn\_exp.c

No license file was found, but licenses were detected in source scan.

/\* Copyright (C) 1995-1997 Eric Young (eay@cryptsoft.com)

\* All rights reserved.

\*

\* This package is an SSL implementation written

\* by Eric Young (eay@cryptsoft.com).

\* The implementation was written so as to conform with Netscapes SSL.

\*

\* This library is free for commercial and non-commercial use as long as

\* the following conditions are aheared to. The following conditions

\* apply to all code found in this distribution, be it the RC4, RSA,

\* lhash, DES, etc., code; not just the SSL code. The SSL documentation

\* included with this distribution is covered by the same copyright terms

\* except that the holder is Tim Hudson (tjh@cryptsoft.com).

\*

\* Copyright remains Eric Young's, and as such any Copyright notices in

\* the code are not to be removed.

\* If this package is used in a product, Eric Young should be given attribution

\* as the author of the parts of the library used.

\* This can be in the form of a textual message at program startup or

\* in documentation (online or textual) provided with the package.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\* 1. Redistributions of source code must retain the copyright

\* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\* 3. All advertising materials mentioning features or use of this software

\* must display the following acknowledgement:

\* "This product includes cryptographic software written by

\* Eric Young (eay@cryptsoft.com)"

\* The word 'cryptographic' can be left out if the rouines from the library

\* being used are not cryptographic related :-).

\* 4. If you include any Windows specific code (or a derivative thereof) from

\* the apps directory (application code) you must include an acknowledgement:

\* "This product includes software written by Tim Hudson (tjh@cryptsoft.com)"

\*

\* THIS SOFTWARE IS PROVIDED BY ERIC YOUNG ``AS IS" AND

\* ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

\* ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE

\* FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL  
\* DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS  
\* OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT  
\* LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY  
\* OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF  
\* SUCH DAMAGE.

\*  
\* The licence and distribution terms for any publically available version or  
\* derivative of this code cannot be changed. i.e. this code cannot simply be  
\* copied and put under another distribution licence  
\* [including the GNU Public Licence.]  
\*/

Found in path(s):

\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/des/des\_locl.h  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/objects/obj\_dat.pl  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/objects/objects.pl  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/des/des.h  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/objects/obj\_mac.h  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/objects/obj\_dat.h

No license file was found, but licenses were detected in source scan.

/\* =====

\* Copyright 2002 Sun Microsystems, Inc. ALL RIGHTS RESERVED.

\*  
\* The Elliptic Curve Public-Key Crypto Library (ECC Code) included  
\* herein is developed by SUN MICROSYSTEMS, INC., and is contributed  
\* to the OpenSSL project.

\*  
\* The ECC Code is licensed pursuant to the OpenSSL open source  
\* license provided below.

\*  
\* The ECDH software is originally written by Douglas Stebila of  
\* Sun Microsystems Laboratories.

\*  
\*/

/\* =====

\* Copyright (c) 2000-2002 The OpenSSL Project. All rights reserved.

\*  
\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:



\*  
 \* 1. Redistributions of source code must retain the above copyright  
 \* notice, this list of conditions and the following disclaimer.  
 \*  
 \* 2. Redistributions in binary form must reproduce the above copyright  
 \* notice, this list of conditions and the following disclaimer in  
 \* the documentation and/or other materials provided with the  
 \* distribution.  
 \*  
 \* 3. All advertising materials mentioning features or use of this  
 \* software must display the following acknowledgment:  
 \* "This product includes software developed by the OpenSSL Project  
 \* for use in the OpenSSL Toolkit. (<http://www.OpenSSL.org/>)"  
 \*  
 \* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to  
 \* endorse or promote products derived from this software without  
 \* prior written permission. For written permission, please contact  
 \* [licensing@OpenSSL.org](mailto:licensing@OpenSSL.org).  
 \*  
 \* 5. Products derived from this software may not be called "OpenSSL"  
 \* nor may "OpenSSL" appear in their names without prior written  
 \* permission of the OpenSSL Project.  
 \*  
 \* 6. Redistributions of any form whatsoever must retain the following  
 \* acknowledgment:  
 \* "This product includes software developed by the OpenSSL Project  
 \* for use in the OpenSSL Toolkit (<http://www.OpenSSL.org/>)"  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS" AND ANY  
 \* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
 \* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR  
 \* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR  
 \* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
 \* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT  
 \* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;  
 \* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \* =====  
 \*  
 \* This product includes cryptographic software written by Eric Young  
 \* ([ey@cryptsoft.com](mailto:ey@cryptsoft.com)). This product includes software written by Tim  
 \* Hudson ([tjh@cryptsoft.com](mailto:tjh@cryptsoft.com)).  
 \*  
 \*/

Found in path(s):

\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/ecdh/ecdh.h

No license file was found, but licenses were detected in source scan.

```
/* =====  
* Copyright (c) 2010 The OpenSSL Project. All rights reserved.  
*  
* Redistribution and use in source and binary forms, with or without  
* modification, are permitted provided that the following conditions  
* are met:  
*  
* 1. Redistributions of source code must retain the above copyright  
* notice, this list of conditions and the following disclaimer.  
*  
* 2. Redistributions in binary form must reproduce the above copyright  
* notice, this list of conditions and the following disclaimer in  
* the documentation and/or other materials provided with the  
* distribution.  
*  
* 3. All advertising materials mentioning features or use of this  
* software must display the following acknowledgment:  
* "This product includes software developed by the OpenSSL Project  
* for use in the OpenSSL Toolkit. (http://www.openssl.org/)"  
*  
* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to  
* endorse or promote products derived from this software without  
* prior written permission. For written permission, please contact  
* openssl-core@openssl.org.  
*  
* 5. Products derived from this software may not be called "OpenSSL"  
* nor may "OpenSSL" appear in their names without prior written  
* permission of the OpenSSL Project.  
*  
* 6. Redistributions of any form whatsoever must retain the following  
* acknowledgment:  
* "This product includes software developed by the OpenSSL Project  
* for use in the OpenSSL Toolkit (http://www.openssl.org/)"  
*  
* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS'' AND ANY  
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR  
* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR  
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT  
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;  
* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
```

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\* =====  
\*/

Found in path(s):

\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/modes/gcm128.c

No license file was found, but licenses were detected in source scan.

/\* =====

\* Copyright (c) 1998-2006 The OpenSSL Project. All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:

\*

\* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in  
\* the documentation and/or other materials provided with the  
\* distribution.

\*

\* 3. All advertising materials mentioning features or use of this  
\* software must display the following acknowledgment:  
\* "This product includes software developed by the OpenSSL Project  
\* for use in the OpenSSL Toolkit. (<http://www.openssl.org/>)"

\*

\* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to  
\* endorse or promote products derived from this software without  
\* prior written permission. For written permission, please contact  
\* [openssl-core@openssl.org](mailto:openssl-core@openssl.org).

\*

\* 5. Products derived from this software may not be called "OpenSSL"  
\* nor may "OpenSSL" appear in their names without prior written  
\* permission of the OpenSSL Project.

\*

\* 6. Redistributions of any form whatsoever must retain the following  
\* acknowledgment:  
\* "This product includes software developed by the OpenSSL Project  
\* for use in the OpenSSL Toolkit (<http://www.openssl.org/>)"

\*

\* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS" AND ANY  
\* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR

\* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR  
\* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
\* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT  
\* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;  
\* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\* =====

\*

\* This product includes cryptographic software written by Eric Young  
\* (eay@cryptsoft.com). This product includes software written by Tim  
\* Hudson (tjh@cryptsoft.com).

\*

\*/

/\* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

\* All rights reserved.

\*

\* This package is an SSL implementation written

\* by Eric Young (eay@cryptsoft.com).

\* The implementation was written so as to conform with Netscapes SSL.

\*

\* This library is free for commercial and non-commercial use as long as

\* the following conditions are aheared to. The following conditions

\* apply to all code found in this distribution, be it the RC4, RSA,

\* lhash, DES, etc., code; not just the SSL code. The SSL documentation

\* included with this distribution is covered by the same copyright terms

\* except that the holder is Tim Hudson (tjh@cryptsoft.com).

\*

\* Copyright remains Eric Young's, and as such any Copyright notices in

\* the code are not to be removed.

\* If this package is used in a product, Eric Young should be given attribution

\* as the author of the parts of the library used.

\* This can be in the form of a textual message at program startup or

\* in documentation (online or textual) provided with the package.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\* 1. Redistributions of source code must retain the copyright

\* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\* 3. All advertising materials mentioning features or use of this software

\* must display the following acknowledgement:

\* "This product includes cryptographic software written by

```

* Eric Young (eay@cryptsoft.com)"
* The word 'cryptographic' can be left out if the rouines from the library
* being used are not cryptographic related :-).
* 4. If you include any Windows specific code (or a derivative thereof) from
* the apps directory (application code) you must include an acknowledgement:
* "This product includes software written by Tim Hudson (tjh@cryptsoft.com)"
*
* THIS SOFTWARE IS PROVIDED BY ERIC YOUNG ``AS IS" AND
* ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
* FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
* DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
* OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
* LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
* OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* The licence and distribution terms for any publically available version or
* derivative of this code cannot be changed. i.e. this code cannot simply be
* copied and put under another distribution licence
* [including the GNU Public Licence.]
*/

```

Found in path(s):

```

* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-
2.0.16/crypto/bn/bn_blind.c

```

No license file was found, but licenses were detected in source scan.

# project. The module is, however, dual licensed under OpenSSL and

Found in path(s):

```

* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-
2.0.16/crypto/aes/asm/aes-parisc.pl
* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-
2.0.16/crypto/bn/asm/ia64-mont.pl
* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-
2.0.16/crypto/modes/asm/ghash-parisc.pl
* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-
2.0.16/crypto/aes/asm/aesni-x86_64.pl
* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-
2.0.16/crypto/bn/asm/armv4-mont.pl
* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-
2.0.16/crypto/sha/asm/sha256-c64x.pl
* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-
2.0.16/crypto/sha/asm/sha512-armv8.pl
* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-

```

2.0.16/crypto/modes/asm/ghash-x86\_64.pl  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/modes/asm/ghashv8-armx.pl  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/bn/asm/s390x-gf2m.pl  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/sha/asm/sha512-parisc.pl  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/bn/asm/via-mont.pl  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/sha/asm/sha1-c64xplus.pl  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/sha/asm/sha1-s390x.pl  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/sha/asm/sha1-armv4-large.pl  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/sha/asm/sha256-586.pl  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/bn/asm/x86\_64-gf2m.pl  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/sha/asm/sha1-x86\_64.pl  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/sha/asm/sha512-mips.pl  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/sha/asm/sha256-armv4.pl  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/sha/asm/sha512-armv4.pl  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/bn/asm/s390x-mont.pl  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/bn/asm/sparcv9a-mont.pl  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/aes/asm/aesni-x86.pl  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/bn/asm/x86-mont.pl  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/aes/asm/aes-s390x.pl  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/bn/asm/x86\_64-mont.pl  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/sha/asm/sha1-thumb.pl  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/modes/asm/ghash-armv4.pl  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/bn/asm/ppc-mont.pl  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/bn/asm/x86\_64-mont5.pl  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-

2.0.16/crypto/aes/asm/aes-c64x.pl  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/sha/asm/sha256-c64xplus.pl  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/aes/asm/aes-armv4.pl  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/aes/asm/aes-586.pl  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/modes/asm/ghash-x86.pl  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/sha/asm/sha1-ia64.pl  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/sha/asm/sha512p8-ppc.pl  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/modes/asm/ghash-s390x.pl  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/modes/asm/ghash-alpha.pl  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/aes/asm/aesv8-armx.pl  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/sha/asm/sha1-mips.pl  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/sha/asm/sha512-ppc.pl  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/aes/asm/aesni-sha1-x86\_64.pl  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/bn/asm/ppc64-mont.pl  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/sha/asm/sha1-sparcv9a.pl  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/aes/asm/aes-c64xplus.pl  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/sha/asm/sha1-alpha.pl  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/sha/asm/sha1-parisc.pl  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/bn/asm/x86-gf2m.pl  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/sha/asm/sha1-sparcv9.pl  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/aes/asm/aes-mips.pl  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/bn/asm/mips-mont.pl  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/aes/asm/aes-ppc.pl  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/sha/asm/sha1-c64x.pl  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-

2.0.16/crypto/bn/asm/sparcv9-mont.pl  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/modes/asm/ghash-ia64.pl  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/sha/asm/sha1-586.pl  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/sha/asm/sha512-ia64.pl  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/sha/asm/sha1-armv8.pl  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/sha/asm/sha512-s390x.pl  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/bn/asm/armv4-gf2m.pl  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/bn/asm/parisc-mont.pl  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/sha/asm/sha512-586.pl  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/modes/asm/ghash-sparcv9.pl  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/bn/asm/alpha-mont.pl  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/sha/asm/sha512-sparcv9.pl  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/crypto/aes/asm/aes-x86\_64.pl

No license file was found, but licenses were detected in source scan.

/\* =====

\* Copyright (c) 2010 The OpenSSL Project. All rights reserved.  
\*  
\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:  
\*  
\* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.  
\*  
\* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in  
\* the documentation and/or other materials provided with the  
\* distribution.  
\*  
\* 3. All advertising materials mentioning features or use of this  
\* software must display the following acknowledgment:  
\* "This product includes software developed by the OpenSSL Project  
\* for use in the OpenSSL Toolkit. (<http://www.OpenSSL.org/>)"  
\*  
\* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to



```

* endorse or promote products derived from this software without
* prior written permission. For written permission, please contact
* licensing@OpenSSL.org.
*
* 5. Products derived from this software may not be called "OpenSSL"
* nor may "OpenSSL" appear in their names without prior written
* permission of the OpenSSL Project.
*
* 6. Redistributions of any form whatsoever must retain the following
* acknowledgment:
* "This product includes software developed by the OpenSSL Project
* for use in the OpenSSL Toolkit (http://www.OpenSSL.org/)"
*
* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS" AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
* =====
*/

```

Found in path(s):

```

* /opt/cola/permits/1298757353_1648826790.95/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/fips/utl/fips_err.c
* /opt/cola/permits/1298757353_1648826790.95/openssl-fips-2-0-16-tar-gz/openssl-fips-
2.0.16/crypto/cmac/cmac.c
* /opt/cola/permits/1298757353_1648826790.95/openssl-fips-2-0-16-tar-gz/openssl-fips-
2.0.16/fips/utl/fips_mem.c
* /opt/cola/permits/1298757353_1648826790.95/openssl-fips-2-0-16-tar-gz/openssl-fips-
2.0.16/crypto/cmac/cmac.h

```

No license file was found, but licenses were detected in source scan.

```

/* =====
* Copyright (c) 1998-2005 The OpenSSL Project. All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*

```

- \* 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \*
- \* 3. All advertising materials mentioning features or use of this software must display the following acknowledgment:
  - \* "This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit. (<http://www.openssl.org/>)"
  - \*
- \* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact [openssl-core@openssl.org](mailto:openssl-core@openssl.org).
- \*
- \* 5. Products derived from this software may not be called "OpenSSL" nor may "OpenSSL" appear in their names without prior written permission of the OpenSSL Project.
- \*
- \* 6. Redistributions of any form whatsoever must retain the following acknowledgment:
  - \* "This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit (<http://www.openssl.org/>)"
  - \*
- \* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
- \* =====
- \*
- \* This product includes cryptographic software written by Eric Young ([ey@cryptsoft.com](mailto:ey@cryptsoft.com)). This product includes software written by Tim Hudson ([tjh@cryptsoft.com](mailto:tjh@cryptsoft.com)).
- \*
- \* /

Found in path(s):

\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/bn/bn\_nist.c

No license file was found, but licenses were detected in source scan.

```
#!/usr/bin/env perl
#
# =====
# Written by Andy Polyakov <appro@openssl.org> for the OpenSSL
# project. The module is, however, dual licensed under OpenSSL and
# CRYPTOGAMS licenses depending on where you obtain it. For further
# details see http://www.openssl.org/~appro/cryptogams/.
# =====
#
# SHA1 for C64x.
#
# November 2016
#
# This is fully-unrolled SHA1 implementation. It's 25% faster than
# one with compact loops, doesn't use in-memory ring buffer, as
# everything is accomodated in registers, and has "perfect" interrupt
# agility. Drawback is obviously the code size...

while (($output=shift) && ($output!~/\w[\w-]*\.\w+$/)) { }
open STDOUT,">$output";

($CTX,$INP,$NUM) = ("A4","B4","A6"); # arguments

($A,$B,$C,$D,$E, $Arot,$F,$F0,$K) = map("A$_",(16..20, 21..24));
@V = ($A,$B,$C,$D,$E);
@X = map("B$_",(16..31));
($Actx,$Bctx,$Cctx,$Dctx,$Ectx) = map("A$_",(3,6..9)); # zaps $NUM

sub BODY_00_19 {
my ($i,$a,$b,$c,$d,$e) = @_;
my $j = ($i+1)&15;

$code.=<<__  if ($i<14);
  ROTL $a,5,$Arot ;; $i
  || AND $c,$b,$F
  || ANDN $d,$b,$F0
  || ADD $K,$e,$e ; E+=K
  || LDNW *${INP}++,@X[$i+2]
  OR $F0,$F,$F ; F_00_19(B,C,D)
  || ROTL $b,30,$b
  || SWAP2 @X[$i+1],@X[$i+1]
  || ADD @X[$i],$e,$e ; E+=X[i]
  ADD $Arot,$e,$e ; E+=rot(A,5)
  || SWAP4 @X[$i+1],@X[$i+1]
  ADD $F,$e,$e ; E+=F_00_19(B,C,D)
__

```

```

$code.=<<__ if ($i==14);
    ROTL $a,5,$Arot ;; $i
    || AND $c,$b,$F
    || ANDN $d,$b,$F0
    || ADD $K,$e,$e ; E+=K
    OR $F0,$F,$F ; F_00_19(B,C,D)
    || ROTL $b,30,$b
    || ADD @X[$i],$e,$e ; E+=X[i]
    || SWAP2 @X[$i+1],@X[$i+1]
    ADD $Arot,$e,$e ; E+=rot(A,5)
    || SWAP4 @X[$i+1],@X[$i+1]
    ADD $F,$e,$e ; E+=F_00_19(B,C,D)

__
$code.=<<__ if ($i==15);
    || XOR @X[($j+2)&15],@X[$j],@X[$j]
    ROTL $a,5,$Arot ;; $i
    || AND $c,$b,$F
    || ANDN $d,$b,$F0
    || ADD $K,$e,$e ; E+=K
    || XOR @X[($j+8)&15],@X[$j],@X[$j]
    OR $F0,$F,$F ; F_00_19(B,C,D)
    || ROTL $b,30,$b
    || ADD @X[$i],$e,$e ; E+=X[i]
    || XOR @X[($j+13)&15],@X[$j],@X[$j]
    ADD $Arot,$e,$e ; E+=rot(A,5)
    || ROTL @X[$j],1,@X[$j]
    ADD $F,$e,$e ; E+=F_00_19(B,C,D)

__
$code.=<<__ if ($i>15);
    || XOR @X[($j+2)&15],@X[$j],@X[$j]
    ROTL $a,5,$Arot ;; $i
    || AND $c,$b,$F
    || ANDN $d,$b,$F0
    || ADD $K,$e,$e ; E+=K
    || XOR @X[($j+8)&15],@X[$j],@X[$j]
    OR $F0,$F,$F ; F_00_19(B,C,D)
    || ROTL $b,30,$b
    || ADD @X[$i&15],$e,$e ; E+=X[i]
    || XOR @X[($j+13)&15],@X[$j],@X[$j]
    ADD $Arot,$e,$e ; E+=rot(A,5)
    || ROTL @X[$j],1,@X[$j]
    ADD $F,$e,$e ; E+=F_00_19(B,C,D)

__
}

```

```

sub BODY_20_39 {
my ($i,$a,$b,$c,$d,$e) = @_;
my $j = ($i+1)&15;

```

```

$code.=<<__ if ($i<79);
|| XOR @X[($j+2)&15],@X[$j],@X[$j]
  ROTL $a,5,$Arot ;; $i
|| XOR $c,$b,$F
|| ADD $K,$e,$e ; E+=K
|| XOR @X[($j+8)&15],@X[$j],@X[$j]
  XOR $d,$F,$F ; F_20_39(B,C,D)
|| ROTL $b,30,$b
|| ADD @X[$i&15],$e,$e ; E+=X[i]
|| XOR @X[($j+13)&15],@X[$j],@X[$j]
  ADD $Arot,$e,$e ; E+=rot(A,5)
|| ROTL @X[$j],1,@X[$j]
  ADD $F,$e,$e ; E+=F_20_39(B,C,D)
__
$code.=<<__ if ($i==79);
|| [A0] B loop?
|| [A0] LDNW *${INP}++,@X[0] ; pre-fetch input
  ROTL $a,5,$Arot ;; $i
|| XOR $c,$b,$F
|| ADD $K,$e,$e ; E+=K
|| [A0] LDNW *${INP}++,@X[1]
  XOR $d,$F,$F ; F_20_39(B,C,D)
|| ROTL $b,30,$b
|| ADD @X[$i&15],$e,$e ; E+=X[i]
  ADD $Arot,$e,$e ; E+=rot(A,5)
  ADD $F,$e,$e ; E+=F_20_39(B,C,D)
|| ADD $Bctx,$a,$a ; accumulate context
|| ADD $Cctx,$b,$b
  ADD $Dctx,$c,$c
|| ADD $Ectx,$d,$d
|| ADD $Actx,$e,$e
;===== branch to loop? is taken here
__
}

```

```

sub BODY_40_59 {
my ($i,$a,$b,$c,$d,$e) = @_;
my $j = ($i+1)&15;

```

```

$code.=<<__;
|| XOR @X[($j+2)&15],@X[$j],@X[$j]
  ROTL $a,5,$Arot ;; $i
|| AND $c,$b,$F
|| AND $d,$b,$F0
|| ADD $K,$e,$e ; E+=K
|| XOR @X[($j+8)&15],@X[$j],@X[$j]
  XOR $F0,$F,$F

```

```

|| AND $c,$d,$F0
|| ROTL $b,30,$b
|| XOR @X[($j+13)&15],@X[$j],@X[$j]
|| ADD @X[$i&15],$e,$e ; E+=X[i]
XOR $F0,$F,$F ; F_40_59(B,C,D)
|| ADD $Arot,$e,$e ; E+=rot(A,5)
|| ROTL @X[$j],1,@X[$j]
ADD $F,$e,$e ; E+=F_20_39(B,C,D)
____
}

$code=<<<____;
.text

.if .ASSEMBLER_VERSION<7000000
.asg 0,__TI_EABI__
.endif
.if __TI_EABI__
.asg sha1_block_data_order,_sha1_block_data_order
.endif

.asg B3,RA
.asg A15,FP
.asg B15,SP

.if .BIG_ENDIAN
.asg MV,SWAP2
.asg MV,SWAP4
.endif

.global _sha1_block_data_order
_sha1_block_data_order:
.asmfunc
MV $NUM,A0 ; reassign $NUM
[!A0] BNOP RA ; if ($NUM==0) return;
|| [A0] LDW *${CTX}[0],$A ; load A-E...
[A0] LDW *${CTX}[1],$B
[A0] LDW *${CTX}[2],$C
[A0] LDW *${CTX}[3],$D
[A0] LDW *${CTX}[4],$E
[A0] LDNW *${INP}++,@X[0] ; pre-fetch input
[A0] LDNW *${INP}++,@X[1]
NOP 3

loop?:
SUB A0,1,A0
|| MV $A,$Actx
|| MVD $B,$Bctx

```

```

|| SWAP2 @X[0],@X[0]
|| MVKL 0x5a827999,$K
MVKH 0x5a827999,$K ; K_00_19
|| MV $C,$Cctx
|| MV $D,$Dctx
|| MVD $E,$Ectx
|| SWAP4 @X[0],@X[0]

——
for ($i=0;$i<20;$i++) { &BODY_00_19($i,@V); unshift(@V,pop(@V)); }
$code.=<<____;
|| MVKL 0x6ed9eba1,$K
MVKH 0x6ed9eba1,$K ; K_20_39

——
for (;$i<40;$i++) { &BODY_20_39($i,@V); unshift(@V,pop(@V)); }
$code.=<<____;
|| MVKL 0x8f1bbcdc,$K
MVKH 0x8f1bbcdc,$K ; K_40_59

——
for (;$i<60;$i++) { &BODY_40_59($i,@V); unshift(@V,pop(@V)); }
$code.=<<____;
|| MVKL 0xca62c1d6,$K
MVKH 0xca62c1d6,$K ; K_60_79

——
for (;$i<80;$i++) { &BODY_20_39($i,@V); unshift(@V,pop(@V)); }
$code.=<<____;
BNOP RA ; return
STW $A,*${CTX}[0] ; emit A-E...
STW $B,*${CTX}[1]
STW $C,*${CTX}[2]
STW $D,*${CTX}[3]
STW $E,*${CTX}[4]
.endasmfunc

.sect .const
.cstring "SHA1 block transform for C64x, CRYPTOGRAMS by <appro\@openssl.org>"
.align 4

——

print $code;
close STDOUT;

Found in path(s):
* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/sha/asm/sha1-c64x-large.pl
No license file was found, but licenses were detected in source scan.

/* =====
* Copyright (c) 2001-2011 The OpenSSL Project. All rights reserved.

```

\*  
 \* Redistribution and use in source and binary forms, with or without  
 \* modification, are permitted provided that the following conditions  
 \* are met:  
 \*  
 \* 1. Redistributions of source code must retain the above copyright  
 \* notice, this list of conditions and the following disclaimer.  
 \*  
 \* 2. Redistributions in binary form must reproduce the above copyright  
 \* notice, this list of conditions and the following disclaimer in  
 \* the documentation and/or other materials provided with the  
 \* distribution.  
 \*  
 \* 3. All advertising materials mentioning features or use of this  
 \* software must display the following acknowledgment:  
 \* "This product includes software developed by the OpenSSL Project  
 \* for use in the OpenSSL Toolkit. (<http://www.openssl.org/>)"  
 \*  
 \* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to  
 \* endorse or promote products derived from this software without  
 \* prior written permission. For written permission, please contact  
 \* openssl-core@openssl.org.  
 \*  
 \* 5. Products derived from this software may not be called "OpenSSL"  
 \* nor may "OpenSSL" appear in their names without prior written  
 \* permission of the OpenSSL Project.  
 \*  
 \* 6. Redistributions of any form whatsoever must retain the following  
 \* acknowledgment:  
 \* "This product includes software developed by the OpenSSL Project  
 \* for use in the OpenSSL Toolkit (<http://www.openssl.org/>)"  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS" AND ANY  
 \* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
 \* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR  
 \* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR  
 \* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
 \* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT  
 \* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;  
 \* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \* =====  
 \*  
 \*/



Found in path(s):

\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/evp/e\_aes.c

No license file was found, but licenses were detected in source scan.

```
/* =====  
* Copyright (c) 1998-2002 The OpenSSL Project. All rights reserved.  
*  
* Redistribution and use in source and binary forms, with or without  
* modification, are permitted provided that the following conditions  
* are met:  
*  
* 1. Redistributions of source code must retain the above copyright  
* notice, this list of conditions and the following disclaimer.  
*  
* 2. Redistributions in binary form must reproduce the above copyright  
* notice, this list of conditions and the following disclaimer in  
* the documentation and/or other materials provided with the  
* distribution.  
*  
* 3. All advertising materials mentioning features or use of this  
* software must display the following acknowledgment:  
* "This product includes software developed by the OpenSSL Project  
* for use in the OpenSSL Toolkit. (http://www.openssl.org/)"  
*  
* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to  
* endorse or promote products derived from this software without  
* prior written permission. For written permission, please contact  
* openssl-core@openssl.org.  
*  
* 5. Products derived from this software may not be called "OpenSSL"  
* nor may "OpenSSL" appear in their names without prior written  
* permission of the OpenSSL Project.  
*  
* 6. Redistributions of any form whatsoever must retain the following  
* acknowledgment:  
* "This product includes software developed by the OpenSSL Project  
* for use in the OpenSSL Toolkit (http://www.openssl.org/)"  
*  
* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS'' AND ANY  
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR  
* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR  
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT  
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;  
* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
```

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\* =====

\*

\* This product includes cryptographic software written by Eric Young  
\* (eay@cryptsoft.com). This product includes software written by Tim  
\* Hudson (tjh@cryptsoft.com).

\*

\*/

/\* =====

\* Copyright 2002 Sun Microsystems, Inc. ALL RIGHTS RESERVED.

\*

\* Portions of the attached software ("Contribution") are developed by  
\* SUN MICROSYSTEMS, INC., and are contributed to the OpenSSL project.

\*

\* The Contribution is licensed pursuant to the OpenSSL open source  
\* license provided above.

\*

\* The elliptic curve binary polynomial software is originally written by  
\* Sheueling Chang Shantz and Douglas Stebila of Sun Microsystems Laboratories.

\*

\*/

Found in path(s):

\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/ec/ec\_cvt.c

No license file was found, but licenses were detected in source scan.

#!/usr/bin/env perl

# Copyright 2016 The OpenSSL Project Authors. All Rights Reserved.

#

# Licensed under the OpenSSL license (the "License"). You may not use  
# this file except in compliance with the License. You can obtain a copy  
# in the file LICENSE in the source distribution or at  
# <https://www.openssl.org/source/license.html>

```
while (($output=shift) && ($output!~/\w[\w-]*\.\w+$/)) { }  
open STDOUT,">$output";
```

\$code.=<<<\_\_;

.text

.if .ASSEMBLER\_VERSION<7000000

.asg 0,\_\_TI\_EABI\_\_

.endif

.if \_\_TI\_EABI\_\_

.asg OPENSSL\_rdtsc,\_OPENSSL\_rdtsc

.asg OPENSSL\_cleanse,\_OPENSSL\_cleanse

```
.asg CRYPTO_memcmp,_CRYPTO_memcmp
.asg OPENSSSL_atomic_add,_OPENSSSL_atomic_add
.asg OPENSSSL_wipe_cpu,_OPENSSSL_wipe_cpu
.asg OPENSSSL_instrument_bus,_OPENSSSL_instrument_bus
.asg OPENSSSL_instrument_bus2,_OPENSSSL_instrument_bus2
.endif
```

```
.asg B3,RA
.asg 0x01AC0000,TIMER_BASE ; Timer 2
```

```
.global _OPENSSSL_rdtsc
_OPENSSSL_rdtsc:
.asmfunc
MVKL TIMER_BASE,A5
MVKH TIMER_BASE,A5
LDW *A5[0],A2 ; load CTL
LDW *A5[2],A4 ; load CTN
NOP 2
.if .BIG_ENDIAN
MVK 0x2c0,A7 ; internal clock source, don't hold, go
|| MVK -1,A6 ; maximum period
.else
MVK 0x2c0,A6 ; internal clock source, don't hold, go
|| MVK -1,A7 ; maximum period
.endif
[!A2] STDW A7:A6,*A5[0] ; fire it up
|| BNOP RA,5
.endasmfunc
```

```
.global _OPENSSSL_cleanse
_OPENSSSL_cleanse:
.asmfunc
ZERO A3:A2
|| ZERO B2
|| SHRU B4,3,B0 ; is length >= 8
|| ADD 1,A4,B6
[!B0] BNOP RA
|| [B0] SUB B0,1,B2
|| ZERO A1
|| ZERO B1
[B2] BDEC cleanse_loop?,B2
|[!B0] CMPLT 0,B4,A1
|[!B0] CMPLT 1,B4,B1
|| ZERO B5
[A1] STB A2,*A4++[2]
|| [B1] STB B5,*B6++[2]
|| [B2] BDEC cleanse_loop?,B2
|[!B0] CMPLT 2,B4,A1
```

```

| [|B0] CMPLT 3,B4,B1
  [A1] STB A2,*A4++[2]
| [B1] STB B5,*B6++[2]
| [B2] BDEC cleanse_loop?,B2
| [|B0] CMPLT 4,B4,A1
| [|B0] CMPLT 5,B4,B1
  [A1] STB A2,*A4++[2]
| [B1] STB B5,*B6++[2]
| [B2] BDEC cleanse_loop?,B2
| [|B0] CMPLT 6,B4,A1
  [A1] STB A2,*A4++[2]
| [B2] BDEC cleanse_loop?,B2

```

```

cleanse_loop?:
  STNDW A3:A2,*A4++
| SUB B4,8,B4
| [B2] BDEC cleanse_loop?,B2

```

```

MV B4,B0 ; remaining bytes
| ADD 1,A4,B6
| BNOP RA
  [B0] CMPLT 0,B0,A1
| [B0] CMPLT 1,B0,B1
  [A1] STB A2,*A4++[2]
| [B1] STB B5,*B6++[2]
| [B0] CMPLT 2,B0,A1
| [B0] CMPLT 3,B0,B1
  [A1] STB A2,*A4++[2]
| [B1] STB B5,*B6++[2]
| [B0] CMPLT 4,B0,A1
| [B0] CMPLT 5,B0,B1
  [A1] STB A2,*A4++[2]
| [B1] STB B5,*B6++[2]
| [B0] CMPLT 6,B0,A1
  [A1] STB A2,*A4++[2]
.endasmfunc

```

```

.if 0
.global _CRYPTO_memcmp
_CRYPTO_memcmp:
.asmfunc
MV A6,B0
[!B0] BNOP RA
| [|B0] ZERO A4
| [B0] ZERO A1:A0
  [B0] LDBU *A4++,A5
| [B0] LDBU *B4++,B5
| [B0] BDEC memcmp_loop?,B0

```

```

[B0] LDBU *A4++,A5
|| [B0] LDBU *B4++,B5
|| [B0] BDEC memcmp_loop?,B0
[B0] LDBU *A4++,A5
|| [B0] LDBU *B4++,B5
|| [B0] BDEC memcmp_loop?,B0
[B0] LDBU *A4++,A5
|| [B0] LDBU *B4++,B5
|| [B0] BDEC memcmp_loop?,B0
[B0] LDBU *A4++,A5
|| [B0] LDBU *B4++,B5
|| [B0] BDEC memcmp_loop?,B0
XOR A5,B5,A1
|| [B0] LDBU *A4++,A5
|| [B0] LDBU *B4++,B5
|| [B0] BDEC memcmp_loop?,B0

```

```

memcmp_loop?:
OR A1,A0,A0
|| XOR A5,B5,A1
|| [B0] LDBU *A4++,A5
|| [B0] LDBU *B4++,B5
|| [B0] BDEC memcmp_loop?,B0

```

```

BNOP RA,3
ZERO A4
[A0] MVK 1,A4
.endasmfunc
.endif

```

```

.global _OPENSSL_atomic_add
_OPENSSL_atomic_add:
.asmfunc
BNOP atomic_store? ; pre-C64x+ systems are uni-processor, it's
|| LDW *A4,B5 ; enough to hold interrupts off through
; the load-update-store cycle to achieve
; atomicity
NOP
BNOP RA,3 ; and this branch stretches even over store
ADD B4,B5,B5
atomic_store?:
STW B5,*A4
|| MV B5,A4
.endasmfunc

```

```

.global _OPENSSL_wipe_cpu
_OPENSSL_wipe_cpu:
.asmfunc

```

```
ZERO A0
|| ZERO B0
|| ZERO A1
|| ZERO B1
ZERO A3:A2
|| MVD B0,B2
|| ZERO A4
|| ZERO B4
|| ZERO A5
|| ZERO B5
|| BNOP RA
ZERO A7:A6
|| ZERO B7:B6
|| ZERO A8
|| ZERO B8
|| ZERO A9
|| ZERO B9
ZERO A17:A16
|| ZERO B17:B16
|| ZERO A18
|| ZERO B18
|| ZERO A19
|| ZERO B19
ZERO A21:A20
|| ZERO B21:B20
|| ZERO A22
|| ZERO B22
|| ZERO A23
|| ZERO B23
ZERO A25:A24
|| ZERO B25:B24
|| ZERO A26
|| ZERO B26
|| ZERO A27
|| ZERO B27
ZERO A29:A28
|| ZERO B29:B28
|| ZERO A30
|| ZERO B30
|| ZERO A31
|| ZERO B31
.endasmfunc
```

```
CLFLUSH .macro CONTROL,ADDR,LEN
```

```
  B passthrough?
```

```
  || STW ADDR,*CONTROL[0]
```

```
  STW LEN,*CONTROL[1]
```

```
  spinlock?:
```

```

LDW *CONTROL[1],A0
NOP 3
passthrough?:
NOP
[A0] BNOP spinlock?,5
.endm

.global _OPENSSL_instrument_bus
_OPENSSL_instrument_bus:
.asmfunc
MV B4,B0 ; reassign sizeof(output)
|| MV A4,B4 ; reassign output
|| MVK 0x00004030,A3
|| MVKL TIMER_BASE,B16
MV B0,A4 ; return value
|| MVK 1,A1
|| MVKH 0x01840000,A3 ; L1DWIBAR
|| MVKH TIMER_BASE,B16
LDW *B16[2],B8 ; collect 1st tick
|| MVK 0x00004010,A5
NOP 4
MV B8,B9 ; lasttick = tick
|| MVK 0,B7 ; lastdiff = 0
|| MVKH 0x01840000,A5 ; L2WIBAR
CLFLUSH A3,B4,A1 ; write-back and invalidate L1D line
CLFLUSH A5,B4,A1 ; write-back and invalidate L2 line
LDW *B4,B5
NOP 4
ADD B7,B5,B5
STW B5,*B4
bus_loop1?:
LDW *B16[2],B8
|| [B0] SUB B0,1,B0
NOP 4
SUB B8,B9,B7 ; lastdiff = tick - lasttick
|| MV B8,B9 ; lasttick = tick
CLFLUSH A3,B4,A1 ; write-back and invalidate L1D line
CLFLUSH A5,B4,A1 ; write-back and invalidate L2 line
LDW *B4,B5
NOP 4
ADD B7,B5,B5
STW B5,*B4 ; ![B1] is removed to flatten samples
|| ADDK 4,B4
|| [B0] BNOP bus_loop1?,5

BNOP RA,5
.endasmfunc

```

```

.global _OPENSSL_instrument_bus2
_OPENSSL_instrument_bus2:
.asmfunc
MV A6,B0 ;reassign max
|| MV B4,A6 ;reassing sizeof(output)
|| MVK 0x00004030,A3
|| MVKL TIMER_BASE,B16
MV A4,B4 ;reassign output
|| MVK 0,A4 ;return value
|| MVK 1,A1
|| MVKH 0x01840000,A3 ;L1DWIBAR
|| MVKH TIMER_BASE,B16

LDW *B16[2],B8 ; collect 1st tick
|| MVK 0x00004010,A5
NOP 4
MV B8,B9 ; lasttick = tick
|| MVK 0,B7 ; lastdiff = 0
|| MVKH 0x01840000,A5 ; L2WIBAR
CLFLUSH A3,B4,A1 ; write-back and invalidate L1D line
CLFLUSH A5,B4,A1 ; write-back and invalidate L2 line
LDW *B4,B5
NOP 4
ADD B7,B5,B5
STW B5,*B4

LDW *B16[2],B8 ; collect 1st diff
NOP 4
SUB B8,B9,B7 ; lastdiff = tick - lasttick
|| MV B8,B9 ; lasttick = tick
|| SUB B0,1,B0
bus_loop2?:
CLFLUSH A3,B4,A1 ; write-back and invalidate L1D line
CLFLUSH A5,B4,A1 ; write-back and invalidate L2 line
LDW *B4,B5
NOP 4
ADD B7,B5,B5
STW B5,*B4 ; [!B1] is removed to flatten samples
||[!B0] BNOP bus_loop2_done?,2
|| SUB B0,1,B0
LDW *B16[2],B8
NOP 4
SUB B8,B9,B8
|| MV B8,B9
CMPEQ B8,B7,B2
|| MV B8,B7
[!B2] ADDAW B4,1,B4
||[!B2] ADDK 1,A4

```



```
CMPEQ A4,A6,A2
[!A2] BNOP bus_loop2?,5
```

```
bus_loop2_done?:
BNOP RA,5
.endasmfunc
```

```
.if __TI_EABI__
.sect ".init_array"
.else
.sect ".pinit"
.endif
.align 4
.long _OPENSSL_rdtsc ; auto-start timer
```

```
print $code;
close STDOUT;
```

Found in path(s):

```
* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/c64xcpuid.pl
```

No license file was found, but licenses were detected in source scan.

```
/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
 * All rights reserved.
 *
 * This package is an SSL implementation written
 * by Eric Young (eay@cryptsoft.com).
 * The implementation was written so as to conform with Netscapes SSL.
 *
 * This library is free for commercial and non-commercial use as long as
 * the following conditions are aheared to. The following conditions
 * apply to all code found in this distribution, be it the RC4, RSA,
 * lhash, DES, etc., code; not just the SSL code. The SSL documentation
 * included with this distribution is covered by the same copyright terms
 * except that the holder is Tim Hudson (tjh@cryptsoft.com).
 *
 * Copyright remains Eric Young's, and as such any Copyright notices in
 * the code are not to be removed.
 * If this package is used in a product, Eric Young should be given attribution
 * as the author of the parts of the library used.
 * This can be in the form of a textual message at program startup or
 * in documentation (online or textual) provided with the package.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
```

- \* 1. Redistributions of source code must retain the copyright notice, this list of conditions and the following disclaimer.
- \* 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* 3. All advertising materials mentioning features or use of this software must display the following acknowledgement:
  - \* "This product includes cryptographic software written by Eric Young (eay@cryptsoft.com)"
  - \* The word 'cryptographic' can be left out if the routines from the library being used are not cryptographic related :-).
- \* 4. If you include any Windows specific code (or a derivative thereof) from the apps directory (application code) you must include an acknowledgement:
  - \* "This product includes software written by Tim Hudson (tjh@cryptsoft.com)"
- \* THIS SOFTWARE IS PROVIDED BY ERIC YOUNG ``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
- \* The licence and distribution terms for any publically available version or derivative of this code cannot be changed. i.e. this code cannot simply be copied and put under another distribution licence [including the GNU Public Licence.]
- \*/
- /\* =====
- \* Copyright (c) 1998-2000 The OpenSSL Project. All rights reserved.
- \* Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:
  - \* 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
  - \* 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
  - \* 3. All advertising materials mentioning features or use of this

```

* software must display the following acknowledgment:
* "This product includes software developed by the OpenSSL Project
* for use in the OpenSSL Toolkit. (http://www.openssl.org/)"
*
* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to
* endorse or promote products derived from this software without
* prior written permission. For written permission, please contact
* openssl-core@openssl.org.
*
* 5. Products derived from this software may not be called "OpenSSL"
* nor may "OpenSSL" appear in their names without prior written
* permission of the OpenSSL Project.
*
* 6. Redistributions of any form whatsoever must retain the following
* acknowledgment:
* "This product includes software developed by the OpenSSL Project
* for use in the OpenSSL Toolkit (http://www.openssl.org/)"
*
* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS" AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
* =====
*
* This product includes cryptographic software written by Eric Young
* (eay@cryptsoft.com). This product includes software written by Tim
* Hudson (tjh@cryptsoft.com).
*
*/

```

Found in path(s):

```

* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-
2.0.16/crypto/bn/bn_exp2.c
* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/bn/bn_lcl.h
* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-
2.0.16/crypto/rand/rand_lcl.h

```

No license file was found, but licenses were detected in source scan.

```

/* =====
* Copyright (c) 1998-2002 The OpenSSL Project. All rights reserved.

```

\*  
 \* Redistribution and use in source and binary forms, with or without  
 \* modification, are permitted provided that the following conditions  
 \* are met:  
 \*  
 \* 1. Redistributions of source code must retain the above copyright  
 \* notice, this list of conditions and the following disclaimer.  
 \*  
 \* 2. Redistributions in binary form must reproduce the above copyright  
 \* notice, this list of conditions and the following disclaimer in  
 \* the documentation and/or other materials provided with the  
 \* distribution.  
 \*  
 \* 3. All advertising materials mentioning features or use of this  
 \* software must display the following acknowledgment:  
 \* "This product includes software developed by the OpenSSL Project  
 \* for use in the OpenSSL Toolkit. (<http://www.openssl.org/>)"  
 \*  
 \* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to  
 \* endorse or promote products derived from this software without  
 \* prior written permission. For written permission, please contact  
 \* openssl-core@openssl.org.  
 \*  
 \* 5. Products derived from this software may not be called "OpenSSL"  
 \* nor may "OpenSSL" appear in their names without prior written  
 \* permission of the OpenSSL Project.  
 \*  
 \* 6. Redistributions of any form whatsoever must retain the following  
 \* acknowledgment:  
 \* "This product includes software developed by the OpenSSL Project  
 \* for use in the OpenSSL Toolkit (<http://www.openssl.org/>)"  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS" AND ANY  
 \* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
 \* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR  
 \* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR  
 \* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
 \* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT  
 \* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;  
 \* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \* =====  
 \*  
 \* This product includes cryptographic software written by Eric Young  
 \* (eay@cryptsoft.com). This product includes software written by Tim

\* Hudson (tjh@cryptsoft.com).

\*

\*/

Found in path(s):

\*/opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/des/des\_old.h

No license file was found, but licenses were detected in source scan.

/\* =====

\* Copyright (c) 2007 The OpenSSL Project. All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:

\*

\* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in  
\* the documentation and/or other materials provided with the  
\* distribution.

\*

\* 3. All advertising materials mentioning features or use of this  
\* software must display the following acknowledgment:  
\* "This product includes software developed by the OpenSSL Project  
\* for use in the OpenSSL Toolkit. (<http://www.OpenSSL.org/>)"

\*

\* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to  
\* endorse or promote products derived from this software without  
\* prior written permission. For written permission, please contact  
\* [licensing@OpenSSL.org](mailto:licensing@OpenSSL.org).

\*

\* 5. Products derived from this software may not be called "OpenSSL"  
\* nor may "OpenSSL" appear in their names without prior written  
\* permission of the OpenSSL Project.

\*

\* 6. Redistributions of any form whatsoever must retain the following  
\* acknowledgment:  
\* "This product includes software developed by the OpenSSL Project  
\* for use in the OpenSSL Toolkit (<http://www.OpenSSL.org/>)"

\*

\* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS'' AND ANY  
\* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR  
\* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR  
\* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,

\* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT  
\* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;  
\* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\* =====

\*  
\* This product includes cryptographic software written by Eric Young  
\* (eay@cryptsoft.com). This product includes software written by Tim  
\* Hudson (tjh@cryptsoft.com).

\*  
\*/

Found in path(s):

- \* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/fips/rsa/fips\_rsa\_sign.c
- \* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/fips/rsa/fips\_rsa\_lib.c
- \* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/fips/dh/fips\_dh\_lib.c
- \* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/fips/ecdsa/fips\_ecdsa\_lib.c
- \* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/fips/dsa/fips\_dsa\_lib.c

No license file was found, but licenses were detected in source scan.

/\* =====

\* Copyright (c) 2003 The OpenSSL Project. All rights reserved.  
\*  
\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:  
\*  
\* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.  
\*  
\* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in  
\* the documentation and/or other materials provided with the  
\* distribution.  
\*  
\* 3. All advertising materials mentioning features or use of this  
\* software must display the following acknowledgment:  
\* "This product includes software developed by the OpenSSL Project  
\* for use in the OpenSSL Toolkit. (<http://www.OpenSSL.org/>)"  
\*

```

* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to
* endorse or promote products derived from this software without
* prior written permission. For written permission, please contact
* licensing@OpenSSL.org.
*
* 5. Products derived from this software may not be called "OpenSSL"
* nor may "OpenSSL" appear in their names without prior written
* permission of the OpenSSL Project.
*
* 6. Redistributions of any form whatsoever must retain the following
* acknowledgment:
* "This product includes software developed by the OpenSSL Project
* for use in the OpenSSL Toolkit (http://www.OpenSSL.org/)"
*
* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS" AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
* =====
*
* This product includes cryptographic software written by Eric Young
* (eay@cryptsoft.com). This product includes software written by Tim
* Hudson (tjh@cryptsoft.com).
*
*/

```

Found in path(s):

```
* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/o_str.h
```

No license file was found, but licenses were detected in source scan.

```

/* =====
* Copyright (c) 1999 The OpenSSL Project. All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*

```

- \* 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \*
- \* 3. All advertising materials mentioning features or use of this software must display the following acknowledgment:
  - \* "This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit. (<http://www.OpenSSL.org/>)"
  - \*
- \* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact [licensing@OpenSSL.org](mailto:licensing@OpenSSL.org).
- \*
- \* 5. Products derived from this software may not be called "OpenSSL" nor may "OpenSSL" appear in their names without prior written permission of the OpenSSL Project.
- \*
- \* 6. Redistributions of any form whatsoever must retain the following acknowledgment:
  - \* "This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit (<http://www.OpenSSL.org/>)"
  - \*
- \* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
- \* =====
- \*
- \* This product includes cryptographic software written by Eric Young (eay@cryptsoft.com). This product includes software written by Tim Hudson (tjh@cryptsoft.com).
- \*
- \* /

Found in path(s):

\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/evp/evp\_locl.h



No license file was found, but licenses were detected in source scan.

```
/* =====  
* Copyright (c) 2011 The OpenSSL Project. All rights reserved.  
*  
* Redistribution and use in source and binary forms, with or without  
* modification, are permitted provided that the following conditions  
* are met:  
*  
* 1. Redistributions of source code must retain the above copyright  
* notice, this list of conditions and the following disclaimer.  
*  
* 2. Redistributions in binary form must reproduce the above copyright  
* notice, this list of conditions and the following disclaimer in  
* the documentation and/or other materials provided with the  
* distribution.  
*  
* 3. All advertising materials mentioning features or use of this  
* software must display the following acknowledgment:  
* "This product includes software developed by the OpenSSL Project  
* for use in the OpenSSL Toolkit. (http://www.openssl.org/)"  
*  
* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to  
* endorse or promote products derived from this software without  
* prior written permission. For written permission, please contact  
* openssl-core@openssl.org.  
*  
* 5. Products derived from this software may not be called "OpenSSL"  
* nor may "OpenSSL" appear in their names without prior written  
* permission of the OpenSSL Project.  
*  
* 6. Redistributions of any form whatsoever must retain the following  
* acknowledgment:  
* "This product includes software developed by the OpenSSL Project  
* for use in the OpenSSL Toolkit (http://www.openssl.org/)"  
*  
* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS'' AND ANY  
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR  
* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR  
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT  
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;  
* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
* OF THE POSSIBILITY OF SUCH DAMAGE.
```

\*  
\*/

Found in path(s):

\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/fips/fips.h  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/fips/dsa/fips\_dsa\_selftest.c  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/fips/fips\_auth.h  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/fips/fips\_post.c  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/fips/hmac/fips\_hmac\_selftest.c  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/fips/fips\_utl.h  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/fips/cmac/fips\_cmac\_selftest.c  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/fips/fips.c  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/fips/fips\_locl.h  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/fips/rand/fips\_rand\_lib.c

No license file was found, but licenses were detected in source scan.

/\* =====

\* Copyright (c) 1998-2007 The OpenSSL Project. All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:

\*

\* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in  
\* the documentation and/or other materials provided with the  
\* distribution.

\*

\* 3. All advertising materials mentioning features or use of this  
\* software must display the following acknowledgment:  
\* "This product includes software developed by the OpenSSL Project  
\* for use in the OpenSSL Toolkit. (<http://www.openssl.org/>)"

\*

\* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to  
\* endorse or promote products derived from this software without  
\* prior written permission. For written permission, please contact  
\* [openssl-core@openssl.org](mailto:openssl-core@openssl.org).

\*

\* 5. Products derived from this software may not be called "OpenSSL"  
\* nor may "OpenSSL" appear in their names without prior written  
\* permission of the OpenSSL Project.

\*  
 \* 6. Redistributions of any form whatsoever must retain the following  
 \* acknowledgment:  
 \* "This product includes software developed by the OpenSSL Project  
 \* for use in the OpenSSL Toolkit (<http://www.openssl.org/>)"  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS" AND ANY  
 \* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
 \* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR  
 \* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR  
 \* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
 \* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT  
 \* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;  
 \* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.

\* =====  
 \*  
 \* This product includes cryptographic software written by Eric Young  
 \* (eay@cryptsoft.com). This product includes software written by Tim  
 \* Hudson (tjh@cryptsoft.com).  
 \*  
 \*/

/\* =====  
 \* Copyright 2002 Sun Microsystems, Inc. ALL RIGHTS RESERVED.  
 \* Portions of this software developed by SUN MICROSYSTEMS, INC.,  
 \* and contributed to the OpenSSL project.  
 \*/

Found in path(s):

\* /opt/cola/permits/1298757353\_1648826790.95/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/ec/ec\_mult.c

No license file was found, but licenses were detected in source scan.

/\* =====  
 \* Copyright (c) 2005,2007 The OpenSSL Project. All rights reserved.  
 \*  
 \* Redistribution and use in source and binary forms, with or without  
 \* modification, are permitted provided that the following conditions  
 \* are met:  
 \*  
 \* 1. Redistributions of source code must retain the above copyright  
 \* notice, this list of conditions and the following disclaimer.  
 \*  
 \* 2. Redistributions in binary form must reproduce the above copyright  
 \* notice, this list of conditions and the following disclaimer in

```

* the documentation and/or other materials provided with the
* distribution.
*
* 3. All advertising materials mentioning features or use of this
* software must display the following acknowledgment:
* "This product includes software developed by the OpenSSL Project
* for use in the OpenSSL Toolkit. (http://www.OpenSSL.org/)"
*
* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to
* endorse or promote products derived from this software without
* prior written permission. For written permission, please contact
* licensing@OpenSSL.org.
*
* 5. Products derived from this software may not be called "OpenSSL"
* nor may "OpenSSL" appear in their names without prior written
* permission of the OpenSSL Project.
*
* 6. Redistributions of any form whatsoever must retain the following
* acknowledgment:
* "This product includes software developed by the OpenSSL Project
* for use in the OpenSSL Toolkit (http://www.OpenSSL.org/)"
*
* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS" AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
* =====
*
* This product includes cryptographic software written by Eric Young
* (eay@cryptsoft.com). This product includes software written by Tim
* Hudson (tjh@cryptsoft.com).
*
*/

```

Found in path(s):

```

* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-
2.0.16/fips/rsa/fips_rsagtest.c

```

No license file was found, but licenses were detected in source scan.

```

/*

```

tlhelp32.h - Include file for Tool help functions.

Written by Mumit Khan <khan@nanotech.wisc.edu>

This file is part of a free library for the Win32 API.

This library is distributed in the hope that it will be useful,  
but WITHOUT ANY WARRANTY; without even the implied warranty of  
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

\*/

Found in path(s):

\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/ms/tlhelp32.h

No license file was found, but licenses were detected in source scan.

/\* =====

\* Copyright (c) 2002-2006 The OpenSSL Project. All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:

\*

\* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in  
\* the documentation and/or other materials provided with the  
\* distribution.

\*

\* 3. All advertising materials mentioning features or use of this  
\* software must display the following acknowledgment:  
\* "This product includes software developed by the OpenSSL Project  
\* for use in the OpenSSL Toolkit. (<http://www.openssl.org/>)"

\*

\* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to  
\* endorse or promote products derived from this software without  
\* prior written permission. For written permission, please contact  
\* [openssl-core@openssl.org](mailto:openssl-core@openssl.org).

\*

\* 5. Products derived from this software may not be called "OpenSSL"  
\* nor may "OpenSSL" appear in their names without prior written  
\* permission of the OpenSSL Project.

\*

\* 6. Redistributions of any form whatsoever must retain the following  
\* acknowledgment:

\* "This product includes software developed by the OpenSSL Project

```

* for use in the OpenSSL Toolkit (http://www.openssl.org/)"
*
* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS" AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
* =====
*
*/

```

Found in path(s):

```

* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-
2.0.16/crypto/aes/aes_ofb.c
* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-
2.0.16/crypto/aes/aes_cfb.c

```

No license file was found, but licenses were detected in source scan.

```

/* =====
* Copyright (c) 1998-2002 The OpenSSL Project. All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.
*
* 3. All advertising materials mentioning features or use of this
* software must display the following acknowledgment:
* "This product includes software developed by the OpenSSL Project
* for use in the OpenSSL Toolkit. (http://www.openssl.org/)"
*
* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to
* endorse or promote products derived from this software without
* prior written permission. For written permission, please contact

```

```

* openssl-core@openssl.org.
*
* 5. Products derived from this software may not be called "OpenSSL"
* nor may "OpenSSL" appear in their names without prior written
* permission of the OpenSSL Project.
*
* 6. Redistributions of any form whatsoever must retain the following
* acknowledgment:
* "This product includes software developed by the OpenSSL Project
* for use in the OpenSSL Toolkit (http://www.openssl.org/)"
*
* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS" AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
* =====
*
* This product includes cryptographic software written by Eric Young
* (eay@cryptsoft.com). This product includes software written by Tim
* Hudson (tjh@cryptsoft.com).
*
*/
/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
* All rights reserved.
*
* This package is an SSL implementation written
* by Eric Young (eay@cryptsoft.com).
* The implementation was written so as to conform with Netscapes SSL.
*
* This library is free for commercial and non-commercial use as long as
* the following conditions are aheared to. The following conditions
* apply to all code found in this distribution, be it the RC4, RSA,
* lhash, DES, etc., code; not just the SSL code. The SSL documentation
* included with this distribution is covered by the same copyright terms
* except that the holder is Tim Hudson (tjh@cryptsoft.com).
*
* Copyright remains Eric Young's, and as such any Copyright notices in
* the code are not to be removed.
* If this package is used in a product, Eric Young should be given attribution
* as the author of the parts of the library used.

```

\* This can be in the form of a textual message at program startup or  
 \* in documentation (online or textual) provided with the package.  
 \*  
 \* Redistribution and use in source and binary forms, with or without  
 \* modification, are permitted provided that the following conditions  
 \* are met:  
 \* 1. Redistributions of source code must retain the copyright  
 \* notice, this list of conditions and the following disclaimer.  
 \* 2. Redistributions in binary form must reproduce the above copyright  
 \* notice, this list of conditions and the following disclaimer in the  
 \* documentation and/or other materials provided with the distribution.  
 \* 3. All advertising materials mentioning features or use of this software  
 \* must display the following acknowledgement:  
 \* "This product includes cryptographic software written by  
 \* Eric Young (eay@cryptsoft.com)"  
 \* The word 'cryptographic' can be left out if the routines from the library  
 \* being used are not cryptographic related :-).  
 \* 4. If you include any Windows specific code (or a derivative thereof) from  
 \* the apps directory (application code) you must include an acknowledgement:  
 \* "This product includes software written by Tim Hudson (tjh@cryptsoft.com)"  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY ERIC YOUNG ``AS IS'' AND  
 \* ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
 \* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE  
 \* ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE  
 \* FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL  
 \* DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS  
 \* OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT  
 \* LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY  
 \* OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF  
 \* SUCH DAMAGE.  
 \*  
 \* The licence and distribution terms for any publically available version or  
 \* derivative of this code cannot be changed. i.e. this code cannot simply be  
 \* copied and put under another distribution licence  
 \* [including the GNU Public Licence.]  
 \*/

Found in path(s):

\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
 2.0.16/crypto/evp/m\_ecdsa.c

No license file was found, but licenses were detected in source scan.

/\* =====

\* Copyright (c) 2011 The OpenSSL Project. All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without



\* modification, are permitted provided that the following conditions  
\* are met:  
\*  
\* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.  
\*  
\* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in  
\* the documentation and/or other materials provided with the  
\* distribution.  
\*  
\* 3. All advertising materials mentioning features or use of this  
\* software must display the following acknowledgment:  
\* "This product includes software developed by the OpenSSL Project  
\* for use in the OpenSSL Toolkit. (<http://www.openssl.org/>)"  
\*  
\* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to  
\* endorse or promote products derived from this software without  
\* prior written permission. For written permission, please contact  
\* [openssl-core.org](http://openssl-core.org).  
\*  
\* 5. Products derived from this software may not be called "OpenSSL"  
\* nor may "OpenSSL" appear in their names without prior written  
\* permission of the OpenSSL Project.  
\*  
\* 6. Redistributions of any form whatsoever must retain the following  
\* acknowledgment:  
\* "This product includes software developed by the OpenSSL Project  
\* for use in the OpenSSL Toolkit (<http://www.openssl.org/>)"  
\*  
\* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS" AND ANY  
\* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR  
\* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR  
\* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
\* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT  
\* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;  
\* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.  
\*  
\*/

Found in path(s):

\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/fips/rand/fips\_drbg\_selftest.h

No license file was found, but licenses were detected in source scan.

```
/* =====  
* Copyright (c) 1998-2003 The OpenSSL Project. All rights reserved.  
*  
* Redistribution and use in source and binary forms, with or without  
* modification, are permitted provided that the following conditions  
* are met:  
*  
* 1. Redistributions of source code must retain the above copyright  
* notice, this list of conditions and the following disclaimer.  
*  
* 2. Redistributions in binary form must reproduce the above copyright  
* notice, this list of conditions and the following disclaimer in  
* the documentation and/or other materials provided with the  
* distribution.  
*  
* 3. All advertising materials mentioning features or use of this  
* software must display the following acknowledgment:  
* "This product includes software developed by the OpenSSL Project  
* for use in the OpenSSL Toolkit. (http://www.openssl.org/)"  
*  
* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to  
* endorse or promote products derived from this software without  
* prior written permission. For written permission, please contact  
* openssl-core@openssl.org.  
*  
* 5. Products derived from this software may not be called "OpenSSL"  
* nor may "OpenSSL" appear in their names without prior written  
* permission of the OpenSSL Project.  
*  
* 6. Redistributions of any form whatsoever must retain the following  
* acknowledgment:  
* "This product includes software developed by the OpenSSL Project  
* for use in the OpenSSL Toolkit (http://www.openssl.org/)"  
*  
* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS'' AND ANY  
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR  
* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR  
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT  
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;  
* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
* OF THE POSSIBILITY OF SUCH DAMAGE.
```

```
* =====
*
* This product includes cryptographic software written by Eric Young
* (eay@cryptsoft.com). This product includes software written by Tim
* Hudson (tjh@cryptsoft.com).
*
*/
/* =====
* Copyright 2002 Sun Microsystems, Inc. ALL RIGHTS RESERVED.
* Portions of this software developed by SUN MICROSYSTEMS, INC.,
* and contributed to the OpenSSL project.
*/
```

Found in path(s):

`/opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/ec/ecp_nist.c`

No license file was found, but licenses were detected in source scan.

```
/* =====
* Copyright (c) 1998-2002 The OpenSSL Project. All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.
*
* 3. All advertising materials mentioning features or use of this
* software must display the following acknowledgment:
* "This product includes software developed by the OpenSSL Project
* for use in the OpenSSL Toolkit. (http://www.openssl.org/)"
*
* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to
* endorse or promote products derived from this software without
* prior written permission. For written permission, please contact
* openssl-core@openssl.org.
*
* 5. Products derived from this software may not be called "OpenSSL"
* nor may "OpenSSL" appear in their names without prior written
* permission of the OpenSSL Project.
*
* 6. Redistributions of any form whatsoever must retain the following
```

\* acknowledgment:  
\* "This product includes software developed by the OpenSSL Project  
\* for use in the OpenSSL Toolkit (<http://www.openssl.org/>)"  
\*  
\* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS" AND ANY  
\* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR  
\* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR  
\* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
\* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT  
\* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;  
\* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\* =====

\*  
\* This product includes cryptographic software written by Eric Young  
\* (eay@cryptsoft.com). This product includes software written by Tim  
\* Hudson (tjh@cryptsoft.com).

\*  
\*/  
/\* =====

\* Copyright 2002 Sun Microsystems, Inc. ALL RIGHTS RESERVED.  
\* Portions of this software developed by SUN MICROSYSTEMS, INC.,  
\* and contributed to the OpenSSL project.  
\*/

Found in path(s):

\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/ec/ecp\_smpl.c

No license file was found, but licenses were detected in source scan.

/\* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)  
\* All rights reserved.  
\*  
\* This package is an SSL implementation written  
\* by Eric Young (eay@cryptsoft.com).  
\* The implementation was written so as to conform with Netscapes SSL.  
\*  
\* This library is free for commercial and non-commercial use as long as  
\* the following conditions are aheared to. The following conditions  
\* apply to all code found in this distribution, be it the RC4, RSA,  
\* lhash, DES, etc., code; not just the SSL code. The SSL documentation  
\* included with this distribution is covered by the same copyright terms  
\* except that the holder is Tim Hudson (tjh@cryptsoft.com).  
\*  
\*

```

* Copyright remains Eric Young's, and as such any Copyright notices in
* the code are not to be removed.
* If this package is used in a product, Eric Young should be given attribution
* as the author of the parts of the library used.
* This can be in the form of a textual message at program startup or
* in documentation (online or textual) provided with the package.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the copyright
* notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
* 3. All advertising materials mentioning features or use of this software
* must display the following acknowledgement:
* "This product includes cryptographic software written by
* Eric Young (eay@cryptsoft.com)"
* The word 'cryptographic' can be left out if the rouines from the library
* being used are not cryptographic related :-).
* 4. If you include any Windows specific code (or a derivative thereof) from
* the apps directory (application code) you must include an acknowledgement:
* "This product includes software written by Tim Hudson (tjh@cryptsoft.com)"
*
* THIS SOFTWARE IS PROVIDED BY ERIC YOUNG ``AS IS" AND
* ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
* FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
* DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
* OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
* LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
* OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* The licence and distribution terms for any publically available version or
* derivative of this code cannot be changed. i.e. this code cannot simply be
* copied and put under another distribution licence
* [including the GNU Public Licence.]
*/
/* =====
* Copyright (c) 1998-2001 The OpenSSL Project. All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:

```

\*  
 \* 1. Redistributions of source code must retain the above copyright  
 \* notice, this list of conditions and the following disclaimer.  
 \*  
 \* 2. Redistributions in binary form must reproduce the above copyright  
 \* notice, this list of conditions and the following disclaimer in  
 \* the documentation and/or other materials provided with the  
 \* distribution.  
 \*  
 \* 3. All advertising materials mentioning features or use of this  
 \* software must display the following acknowledgment:  
 \* "This product includes software developed by the OpenSSL Project  
 \* for use in the OpenSSL Toolkit. (<http://www.openssl.org/>)"  
 \*  
 \* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to  
 \* endorse or promote products derived from this software without  
 \* prior written permission. For written permission, please contact  
 \* openssl-core@openssl.org.  
 \*  
 \* 5. Products derived from this software may not be called "OpenSSL"  
 \* nor may "OpenSSL" appear in their names without prior written  
 \* permission of the OpenSSL Project.  
 \*  
 \* 6. Redistributions of any form whatsoever must retain the following  
 \* acknowledgment:  
 \* "This product includes software developed by the OpenSSL Project  
 \* for use in the OpenSSL Toolkit (<http://www.openssl.org/>)"  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS" AND ANY  
 \* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
 \* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR  
 \* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR  
 \* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
 \* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT  
 \* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;  
 \* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \* =====  
 \*  
 \* This product includes cryptographic software written by Eric Young  
 \* (eay@cryptsoft.com). This product includes software written by Tim  
 \* Hudson (tjh@cryptsoft.com).  
 \*  
 \*/

Found in path(s):

\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/bn/bn\_prime.c  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/bn/bn\_gcd.c  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/fips/utl/fips\_md.c  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/bn/bn\_rand.c

No license file was found, but licenses were detected in source scan.

/\* =====

\* Copyright (c) 2007 The OpenSSL Project. All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:

\*

\* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in  
\* the documentation and/or other materials provided with the  
\* distribution.

\*

\* 3. All advertising materials mentioning features or use of this  
\* software must display the following acknowledgment:  
\* "This product includes software developed by the OpenSSL Project  
\* for use in the OpenSSL Toolkit. (<http://www.openssl.org/>)"

\*

\* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to  
\* endorse or promote products derived from this software without  
\* prior written permission. For written permission, please contact  
\* [openssl-core@openssl.org](mailto:openssl-core@openssl.org).

\*

\* 5. Products derived from this software may not be called "OpenSSL"  
\* nor may "OpenSSL" appear in their names without prior written  
\* permission of the OpenSSL Project.

\*

\* 6. Redistributions of any form whatsoever must retain the following  
\* acknowledgment:  
\* "This product includes software developed by the OpenSSL Project  
\* for use in the OpenSSL Toolkit (<http://www.openssl.org/>)"

\*

\* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS'' AND ANY  
\* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR  
\* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR

\* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
\* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT  
\* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;  
\* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.  
\*  
\*/

Found in path(s):

\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-  
2.0.16/fips/rand/fips\_rand.c

No license file was found, but licenses were detected in source scan.

/\* =====

\* Copyright (c) 1998-2003 The OpenSSL Project. All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:

\*

\* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in  
\* the documentation and/or other materials provided with the  
\* distribution.

\*

\* 3. All advertising materials mentioning features or use of this  
\* software must display the following acknowledgment:  
\* "This product includes software developed by the OpenSSL Project  
\* for use in the OpenSSL Toolkit. (<http://www.openssl.org/>)"

\*

\* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to  
\* endorse or promote products derived from this software without  
\* prior written permission. For written permission, please contact  
\* [openssl-core@openssl.org](mailto:openssl-core@openssl.org).

\*

\* 5. Products derived from this software may not be called "OpenSSL"  
\* nor may "OpenSSL" appear in their names without prior written  
\* permission of the OpenSSL Project.

\*

\* 6. Redistributions of any form whatsoever must retain the following  
\* acknowledgment:

\* "This product includes software developed by the OpenSSL Project



```

* for use in the OpenSSL Toolkit (http://www.openssl.org/)"
*
* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS" AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
* =====
*
* This product includes cryptographic software written by Eric Young
* (eay@cryptsoft.com). This product includes software written by Tim
* Hudson (tjh@cryptsoft.com).
*
*/
/* =====
* Copyright 2002 Sun Microsystems, Inc. ALL RIGHTS RESERVED.
* Binary polynomial ECC support in OpenSSL originally developed by
* SUN MICROSYSTEMS, INC., and contributed to the OpenSSL project.
*/

```

Found in path(s):

```

* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/ec/ec_lib.c
No license file was found, but licenses were detected in source scan.

```

```

#!/usr/bin/env perl
#
# =====
# Written by Andy Polyakov <appro@openssl.org> for the OpenSSL
# project. The module is, however, dual licensed under OpenSSL and
# CRYPTOGAMS licenses depending on where you obtain it. For further
# details see http://www.openssl.org/~appro/cryptogams/.
# =====
#
# This module implements support for AES instructions as per PowerISA
# specification version 2.07, first implemented by POWER8 processor.
# The module is endian-agnostic in sense that it supports both big-
# and little-endian cases. Data alignment in parallelizable modes is
# handled with VSX loads and stores, which implies MSR.VSX flag being
# set. It should also be noted that ISA specification doesn't prohibit
# alignment exceptions for these instructions on page boundaries.
# Initially alignment was handled in pure AltiVec/VMX way [when data

```

```

# is aligned programmatically, which in turn guarantees exception-
# free execution], but it turned to hamper performance when vcipher
# instructions are interleaved. It's reckoned that eventual
# misalignment penalties at page boundaries are in average lower
# than additional overhead in pure AltiVec approach.
#
# May 2016
#
# Add XTS subroutine, 9x on little- and 12x improvement on big-endian
# systems were measured.
#
#####
# Current large-block performance in cycles per byte processed with
# 128-bit key (less is better).
#
# CBC en-/decrypt CTR XTS
# POWER8[le] 3.96/0.72 0.74 1.1
# POWER8[be] 3.75/0.65 0.66 1.0

$flavour = shift;

if ($flavour =~ /64/) {
    $SIZE_T = 8;
    $LRSIZE = 2*$SIZE_T;
    $STU = "stdu";
    $POP = "ld";
    $PUSH = "std";
    $UCMP = "cmpld";
    $SHL = "sldi";
} elsif ($flavour =~ /32/) {
    $SIZE_T = 4;
    $LRSIZE = $SIZE_T;
    $STU = "stwu";
    $POP = "lwz";
    $PUSH = "stw";
    $UCMP = "cmplw";
    $SHL = "slwi";
} else { die "nonsense $flavour"; }

$LITTLE_ENDIAN = ($flavour =~ /le$/) ? $SIZE_T : 0;

$0 =~ m/(.*[\\])[^\\]+$/; $dir=$1;
( $xlate="{dir}ppc-xlate.pl" and -f $xlate ) or
( $xlate="{dir}../perlasm/ppc-xlate.pl" and -f $xlate ) or
die "can't locate ppc-xlate.pl";

open STDOUT,"|^X $xlate $flavour ".shift || die "can't call $xlate: $!";

```

```

$FRAME=8*$SIZE_T;
$prefix="aes_p8";

$sp="r1";
$vrsave="r12";

#####
{{{ # Key setup procedures  #
my ($inp,$bits,$out,$ptr,$cnt,$rounds)=map("r$_",(3..8));
my ($zero,$in0,$in1,$key,$rcon,$mask,$tmp)=map("v$_",(0..6));
my ($stage,$outperm,$outmask,$outhead,$outtail)=map("v$_",(7..11));

$code.=<<<___.machine "any"

.text

.align 7
rcon:
.long 0x01000000, 0x01000000, 0x01000000, 0x01000000 ?rev
.long 0x1b000000, 0x1b000000, 0x1b000000, 0x1b000000 ?rev
.long 0x0d0e0f0c, 0x0d0e0f0c, 0x0d0e0f0c, 0x0d0e0f0c ?rev
.long 0,0,0,0 ?asis
Lconsts:
mflr r0
bcl 20,31,\,$+4
mflr $ptr #vvvvv "distance between . and rcon
addi $ptr,$ptr,-0x48
mtlr r0
blr
.long 0
.byte 0,12,0x14,0,0,0,0
.asciz "AES for PowerISA 2.07, CRYPTOGRAMS by <appro\@openssl.org>"

.globl .${prefix}_set_encrypt_key
.align 5
.${prefix}_set_encrypt_key:
Lset_encrypt_key:
mflr r11
$PUSH r11,$LRSAVE($sp

li $ptr,-1
${UCMP}i $inp,0
beq- Lenc_key_abort # if ($inp==0) return -1;
${UCMP}i $out,0
beq- Lenc_key_abort # if ($out==0) return -1;
li $ptr,-2
cmpwi $bits,128

```

```

blt- Lenc_key_abort
cmpwi $bits,256
bgt- Lenc_key_abort
andi. r0,$bits,0x3f
bne- Lenc_key_abort

lis r0,0xffff0
mfspr $vrsave,256
mtspr 256,r0

bl Lconsts
mtlr r11

neg r9,$inp
lvx $in0,0,$inp
addi $inp,$inp,15 # 15 is not typo
lvsr $key,0,r9 # borrow $key
li r8,0x20
cmpwi $bits,192
lvx $in1,0,$inp
le?vspltisb $mask,0x0f # borrow $mask
lvx $rcon,0,$ptr
le?vxor $key,$key,$mask # adjust for byte swap
lvx $mask,r8,$ptr
addi $ptr,$ptr,0x10
vperm $in0,$in0,$in1,$key # align [and byte swap in LE]
li $cnt,8
vxor $zero,$zero,$zero
mtctr $cnt

?lvsr $outperm,0,$out
vspltisb $outmask,-1
lvx $outhead,0,$out
?vperm $outmask,$zero,$outmask,$outperm

blt Loop128
addi $inp,$inp,8
beq L192
addi $inp,$inp,8
b L256

.align 4
Loop128:
vperm $key,$in0,$in0,$mask # rotate-n-splat
vsldoi $tmp,$zero,$in0,12 # >>32
vperm $outtail,$in0,$in0,$outperm # rotate
vsel $stage,$outhead,$outtail,$outmask
vmr $outhead,$outtail

```

```
vcipherlast $key,$key,$rcon
stvx $stage,0,$out
addi $out,$out,16
```

```
vxor $in0,$in0,$tmp
vsldoi $tmp,$zero,$tmp,12 # >>32
vxor $in0,$in0,$tmp
vsldoi $tmp,$zero,$tmp,12 # >>32
vxor $in0,$in0,$tmp
vadduwm $rcon,$rcon,$rcon
vxor $in0,$in0,$key
bdnz Loop128
```

```
lvx $rcon,0,$ptr # last two round keys
```

```
vperm $key,$in0,$in0,$mask # rotate-n-splat
vsldoi $tmp,$zero,$in0,12 # >>32
vperm $outtail,$in0,$in0,$outperm # rotate
vsel $stage,$southead,$outtail,$outmask
vmr $southead,$outtail
vcipherlast $key,$key,$rcon
stvx $stage,0,$out
addi $out,$out,16
```

```
vxor $in0,$in0,$tmp
vsldoi $tmp,$zero,$tmp,12 # >>32
vxor $in0,$in0,$tmp
vsldoi $tmp,$zero,$tmp,12 # >>32
vxor $in0,$in0,$tmp
vadduwm $rcon,$rcon,$rcon
vxor $in0,$in0,$key
```

```
vperm $key,$in0,$in0,$mask # rotate-n-splat
vsldoi $tmp,$zero,$in0,12 # >>32
vperm $outtail,$in0,$in0,$outperm # rotate
vsel $stage,$southead,$outtail,$outmask
vmr $southead,$outtail
vcipherlast $key,$key,$rcon
stvx $stage,0,$out
addi $out,$out,16
```

```
vxor $in0,$in0,$tmp
vsldoi $tmp,$zero,$tmp,12 # >>32
vxor $in0,$in0,$tmp
vsldoi $tmp,$zero,$tmp,12 # >>32
vxor $in0,$in0,$tmp
vxor $in0,$in0,$key
vperm $outtail,$in0,$in0,$outperm # rotate
```

```

vsel $stage,$outhead,$outtail,$outmask
vmr $outhead,$outtail
stvx $stage,0,$out

addi $inp,$out,15 # 15 is not typo
addi $out,$out,0x50

li $rounds,10
b Ldone

.align 4
L192:
lvx $tmp,0,$inp
li $snt,4
vperm $outtail,$in0,$in0,$outperm # rotate
vsel $stage,$outhead,$outtail,$outmask
vmr $outhead,$outtail
stvx $stage,0,$out
addi $out,$out,16
vperm $in1,$in1,$tmp,$key # align [and byte swap in LE]
vspltisb $key,8 # borrow $key
mtctr $snt
vsububm $mask,$mask,$key # adjust the mask

Loop192:
vperm $key,$in1,$in1,$mask # rotate-n-splat
vsldoi $tmp,$zero,$in0,12 # >>32
vcipherlast $key,$key,$rcon

vxor $in0,$in0,$tmp
vsldoi $tmp,$zero,$tmp,12 # >>32
vxor $in0,$in0,$tmp
vsldoi $tmp,$zero,$tmp,12 # >>32
vxor $in0,$in0,$tmp

vsldoi $stage,$zero,$in1,8
vspltw $tmp,$in0,3
vxor $tmp,$tmp,$in1
vsldoi $in1,$zero,$in1,12 # >>32
vadduwm $rcon,$rcon,$rcon
vxor $in1,$in1,$tmp
vxor $in0,$in0,$key
vxor $in1,$in1,$key
vsldoi $stage,$stage,$in0,8

vperm $key,$in1,$in1,$mask # rotate-n-splat
vsldoi $tmp,$zero,$in0,12 # >>32
vperm $outtail,$stage,$stage,$outperm # rotate

```

```

vsel $stage,$southead,$outtail,$outmask
vmr $southead,$outtail
vcipherlast $key,$key,$rcon
stvx $stage,0,$out
addi $out,$out,16

vsldoi $stage,$in0,$in1,8
vxor $in0,$in0,$tmp
vsldoi $tmp,$zero,$tmp,12 # >>32
vperm $outtail,$stage,$stage,$outperm # rotate
vsel $stage,$southead,$outtail,$outmask
vmr $southead,$outtail
vxor $in0,$in0,$tmp
vsldoi $tmp,$zero,$tmp,12 # >>32
vxor $in0,$in0,$tmp
stvx $stage,0,$out
addi $out,$out,16

vspltw $tmp,$in0,3
vxor $tmp,$tmp,$in1
vsldoi $in1,$zero,$in1,12 # >>32
vadduwm $rcon,$rcon,$rcon
vxor $in1,$in1,$tmp
vxor $in0,$in0,$key
vxor $in1,$in1,$key
vperm $outtail,$in0,$in0,$outperm # rotate
vsel $stage,$southead,$outtail,$outmask
vmr $southead,$outtail
stvx $stage,0,$out
addi $inp,$out,15 # 15 is not typo
addi $out,$out,16
bdnz Loop192

li $rounds,12
addi $out,$out,0x20
b $ldone

.align 4
L256:
lvx $tmp,0,$inp
li $cnt,7
li $rounds,14
vperm $outtail,$in0,$in0,$outperm # rotate
vsel $stage,$southead,$outtail,$outmask
vmr $southead,$outtail
stvx $stage,0,$out
addi $out,$out,16
vperm $in1,$in1,$tmp,$key # align [and byte swap in LE]

```

mtctr \$cnt

Loop256:

```
vperm $key,$in1,$in1,$mask # rotate-n-splat
vsldoi $tmp,$zero,$in0,12 # >>32
vperm $outtail,$in1,$in1,$outperm # rotate
vsel $stage,$southead,$outtail,$outmask
vmr $southead,$outtail
vcipherlast $key,$key,$rcon
stvx $stage,0,$out
addi $out,$out,16
```

```
vxor $in0,$in0,$tmp
vsldoi $tmp,$zero,$tmp,12 # >>32
vxor $in0,$in0,$tmp
vsldoi $tmp,$zero,$tmp,12 # >>32
vxor $in0,$in0,$tmp
vadduwm $rcon,$rcon,$rcon
vxor $in0,$in0,$key
vperm $outtail,$in0,$in0,$outperm # rotate
vsel $stage,$southead,$outtail,$outmask
vmr $southead,$outtail
stvx $stage,0,$out
addi $inp,$out,15 # 15 is not typo
addi $out,$out,16
bdz Ldone
```

```
vspltw $key,$in0,3 # just splat
vsldoi $tmp,$zero,$in1,12 # >>32
vsbox $key,$key
```

```
vxor $in1,$in1,$tmp
vsldoi $tmp,$zero,$tmp,12 # >>32
vxor $in1,$in1,$tmp
vsldoi $tmp,$zero,$tmp,12 # >>32
vxor $in1,$in1,$tmp
```

```
vxor $in1,$in1,$key
b Loop256
```

.align 4

Ldone:

```
lvx $in1,0,$inp # redundant in aligned case
vsel $in1,$southead,$in1,$outmask
stvx $in1,0,$inp
li $ptr,0
mtspr 256,$vrsave
stw $rounds,0($out)
```



```

Lenc_key_abort:
mr r3,$ptr
blr
.long 0
.byte 0,12,0x14,1,0,0,3,0
.long 0
.size ${prefix}_set_encrypt_key,-.${prefix}_set_encrypt_key

```

```

.globl ${prefix}_set_decrypt_key
.align 5
${prefix}_set_decrypt_key:
$STU $sp,-$FRAME($sp)
mflr r10
$PUSH r10,$FRAME+$LRSAVE($sp)
bl Lset_encrypt_key
mflr r10

```

```

cmpwi r3,0
bne- Ldec_key_abort

```

```

slwi $cnt,$rounds,4
subi $inp,$out,240 # first round key
srwi $rounds,$rounds,1
add $out,$inp,$cnt # last round key
mtctr $rounds

```

```

Ldeckey:
lwz r0, 0($inp)
lwz r6, 4($inp)
lwz r7, 8($inp)
lwz r8, 12($inp)
addi $inp,$inp,16
lwz r9, 0($out)
lwz r10,4($out)
lwz r11,8($out)
lwz r12,12($out)
stw r0, 0($out)
stw r6, 4($out)
stw r7, 8($out)
stw r8, 12($out)
subi $out,$out,16
stw r9, -16($inp)
stw r10,-12($inp)
stw r11,-8($inp)
stw r12,-4($inp)
bdnz Ldeckey

```

```

xor r3,r3,r3 # return value
Ldec_key_abort:
addi $sp,$sp,$FRAME
blr
.long 0
.byte 0,12,4,1,0x80,0,3,0
.long 0
.size ${prefix}_set_decrypt_key,-.${prefix}_set_decrypt_key
_____
}}
#####
{{{ # Single block en- and decrypt procedures #
sub gen_block () {
my $dir = shift;
my $n = $dir eq "de" ? "n" : "";
my ($inp,$out,$key,$rounds,$idx)=map("r$_",(3..7));

$code.=<<____;
.globl ${prefix}_${dir}crypt
.align 5
.${prefix}_${dir}crypt:
lwz $rounds,240($key)
lis r0,0xfc00
mfspr $vrsave,256
li $idx,15 # 15 is not typo
mtspr 256,r0

lvx v0,0,$inp
neg r11,$out
lvx v1,$idx,$inp
lvsl v2,0,$inp # inpperm
le?vspltisb v4,0x0f
?lvsl v3,0,r11 # outperm
le?vxor v2,v2,v4
li $idx,16
vperm v0,v0,v1,v2 # align [and byte swap in LE]
lvx v1,0,$key
?lvsl v5,0,$key # keyperm
srwi $rounds,$rounds,1
lvx v2,$idx,$key
addi $idx,$idx,16
subi $rounds,$rounds,1
?vperm v1,v1,v2,v5 # align round key

vxor v0,v0,v1
lvx v1,$idx,$key
addi $idx,$idx,16
mtctr $rounds

```

```

Loop_${dir}c:
?vperm v2,v2,v1,v5
v${n}cipher v0,v0,v2
lvx v2,$idx,$key
addi $idx,$idx,16
?vperm v1,v1,v2,v5
v${n}cipher v0,v0,v1
lvx v1,$idx,$key
addi $idx,$idx,16
bdnz Loop_${dir}c

?vperm v2,v2,v1,v5
v${n}cipher v0,v0,v2
lvx v2,$idx,$key
?vperm v1,v1,v2,v5
v${n}cipherlast v0,v0,v1

vspltisb v2,-1
vxor v1,v1,v1
li $idx,15 # 15 is not typo
?vperm v2,v1,v2,v3 # outmask
le?vxor v3,v3,v4
lvx v1,0,$out # outhead
vperm v0,v0,v0,v3 # rotate [and byte swap in LE]
vsel v1,v1,v0,v2
lvx v4,$idx,$out
stvx v1,0,$out
vsel v0,v0,v4,v2
stvx v0,$idx,$out

mtspr 256,$vrsave
blr
.long 0
.byte 0,12,0x14,0,0,0,3,0
.long 0
.size ${prefix}_${dir}crypt,-.${prefix}_${dir}crypt
}
}
&gen_block("en");
&gen_block("de");
}}}
#####
{{{ # CBC en- and decrypt procedures #
my ($inp,$out,$len,$key,$ivp,$enc,$rounds,$idx)=map("r$_",(3..10));
my ($rndkey0,$rndkey1,$inout,$tmp)= map("v$_",(0..3));
my ($ivec,$inptail,$inperm,$outhead,$outperm,$outmask,$keyperm)=
    map("v$_",(4..10));

```

```

$code.=<<____;
.globl .${prefix}_cbc_encrypt
.align 5
.${prefix}_cbc_encrypt:
${UCMP}i $len,16
btlr-

cmpwi $enc,0 # test direction
lis r0,0xffe0
mfspr $vrsave,256
mtspr 256,r0

li $idx,15
vxor $rndkey0,$rndkey0,$rndkey0
le?vspltisb $tmp,0x0f

lvx $ivec,0,$ivp # load [unaligned] iv
lvsl $inpperm,0,$ivp
lvx $inptail,$idx,$ivp
le?vxor $inpperm,$inpperm,$tmp
vperm $ivec,$ivec,$inptail,$inpperm

neg r11,$inp
?lvsl $keyperm,0,$key # prepare for unaligned key
lwz $rounds,240($key)

lvsr $inpperm,0,r11 # prepare for unaligned load
lvx $inptail,0,$inp
addi $inp,$inp,15 # 15 is not typo
le?vxor $inpperm,$inpperm,$tmp

?lvsr $outperm,0,$out # prepare for unaligned store
vspltisb $outmask,-1
lvx $outhead,0,$out
?vperm $outmask,$rndkey0,$outmask,$outperm
le?vxor $outperm,$outperm,$tmp

srwi $rounds,$rounds,1
li $idx,16
subi $rounds,$rounds,1
beq Lcbc_dec

Lcbc_enc:
vmr $inout,$inptail
lvx $inptail,0,$inp
addi $inp,$inp,16
mtctr $rounds
subi $len,$len,16 # len-=16

```

```

lvx $rndkey0,0,$key
vperm $inout,$inout,$inptail,$inpperm
lvx $rndkey1,$idx,$key
addi $idx,$idx,16
?vperm $rndkey0,$rndkey0,$rndkey1,$keyperm
vxor $inout,$inout,$rndkey0
lvx $rndkey0,$idx,$key
addi $idx,$idx,16
vxor $inout,$inout,$ivec

```

Loop\_cbc\_enc:

```

?vperm $rndkey1,$rndkey1,$rndkey0,$keyperm
vcipher $inout,$inout,$rndkey1
lvx $rndkey1,$idx,$key
addi $idx,$idx,16
?vperm $rndkey0,$rndkey0,$rndkey1,$keyperm
vcipher $inout,$inout,$rndkey0
lvx $rndkey0,$idx,$key
addi $idx,$idx,16
bdnz Loop_cbc_enc

```

```

?vperm $rndkey1,$rndkey1,$rndkey0,$keyperm
vcipher $inout,$inout,$rndkey1
lvx $rndkey1,$idx,$key
li $idx,16
?vperm $rndkey0,$rndkey0,$rndkey1,$keyperm
vcipherlast $ivec,$inout,$rndkey0
${UCMP}i $len,16

```

```

vperm $tmp,$ivec,$ivec,$outperm
vsel $inout,$outhead,$tmp,$outmask
vmr $outhead,$tmp
stvx $inout,0,$out
addi $out,$out,16
bge Lcbc_enc

```

b Lcbc\_done

.align 4

Lcbc\_dec:

```

${UCMP}i $len,128
bge _aesp8_cbc_decrypt8x
vmr $tmp,$inptail
lvx $inptail,0,$inp
addi $inp,$inp,16
mtctr $rounds
subi $len,$len,16 # len-=16

```

```

lvx $rndkey0,0,$key
vperm $tmp,$tmp,$intail,$inpperm
lvx $rndkey1,$idx,$key
addi $idx,$idx,16
?vperm $rndkey0,$rndkey0,$rndkey1,$keyperm
vxor $inout,$tmp,$rndkey0
lvx $rndkey0,$idx,$key
addi $idx,$idx,16

```

Loop\_cbc\_dec:

```

?vperm $rndkey1,$rndkey1,$rndkey0,$keyperm
vncipher $inout,$inout,$rndkey1
lvx $rndkey1,$idx,$key
addi $idx,$idx,16
?vperm $rndkey0,$rndkey0,$rndkey1,$keyperm
vncipher $inout,$inout,$rndkey0
lvx $rndkey0,$idx,$key
addi $idx,$idx,16
bdnz Loop_cbc_dec

```

```

?vperm $rndkey1,$rndkey1,$rndkey0,$keyperm
vncipher $inout,$inout,$rndkey1
lvx $rndkey1,$idx,$key
li $idx,16
?vperm $rndkey0,$rndkey0,$rndkey1,$keyperm
vncipherlast $inout,$inout,$rndkey0
${UCMP}i $len,16

```

```

vxor $inout,$inout,$ivec
vmr $ivec,$tmp
vperm $tmp,$inout,$inout,$outperm
vsel $inout,$outhead,$tmp,$outmask
vmr $outhead,$tmp
stvx $inout,0,$out
addi $out,$out,16
bge Lcbc_dec

```

Lcbc\_done:

```

addi $out,$out,-1
lvx $inout,0,$out # redundant in aligned case
vsel $inout,$outhead,$inout,$outmask
stvx $inout,0,$out

```

```

neg $enc,$ivp # write [unaligned] iv
li $idx,15 # 15 is not typo
vxor $rndkey0,$rndkey0,$rndkey0
vspltisb $outmask,-1

```

```

le?vspltisb $tmp,0x0f
?lvs! $outperm,0,$enc
?vperm $outmask,$rndkey0,$outmask,$outperm
le?vxor $outperm,$outperm,$tmp
lvx $outhead,0,$ivp
vperm $ivec,$ivec,$ivec,$outperm
vsel $inout,$outhead,$ivec,$outmask
lvx $inptail,$idx,$ivp
stvx $inout,0,$ivp
vsel $inout,$ivec,$inptail,$outmask
stvx $inout,$idx,$ivp

mtspr 256,$vrsave
blr
.long 0
.byte 0,12,0x14,0,0,6,0
.long 0
—
#####
{{ # Optimized CBC decrypt procedure #
my $key_="r11";
my ($x00,$x10,$x20,$x30,$x40,$x50,$x60,$x70)=map("r$_",(0,8,26..31));
  $x00=0 if ($flavour =~ /osx/);
my ($in0, $in1, $in2, $in3, $in4, $in5, $in6, $in7 )=map("v$_",(0..3,10..13));
my ($out0,$out1,$out2,$out3,$out4,$out5,$out6,$out7)=map("v$_",(14..21));
my $rndkey0="v23"; # v24-v25 rotating buffer for first found keys
  # v26-v31 last 6 round keys
my ($tmp,$keyperm)=$(in3,$in4); # aliases with "caller", redundant assignment

$code.=<<___.
.align 5
_esp8_cbc_decrypt8x:
$STU $sp,-($FRAME+21*16+6*$SIZE_T)`($sp)
li r10,`$FRAME+8*16+15`
li r11,`$FRAME+8*16+31`
stvx v20,r10,$sp # ABI says so
addi r10,r10,32
stvx v21,r11,$sp
addi r11,r11,32
stvx v22,r10,$sp
addi r10,r10,32
stvx v23,r11,$sp
addi r11,r11,32
stvx v24,r10,$sp
addi r10,r10,32
stvx v25,r11,$sp
addi r11,r11,32
stvx v26,r10,$sp

```

```

addi r10,r10,32
stvx v27,r11,$sp
addi r11,r11,32
stvx v28,r10,$sp
addi r10,r10,32
stvx v29,r11,$sp
addi r11,r11,32
stvx v30,r10,$sp
stvx v31,r11,$sp
li r0,-1
stw $vrsave,`$FRAME+21*16-4`($sp) # save vrsave
li $x10,0x10
$PUSH r26,`$FRAME+21*16+0*$SIZE_T`($sp)
li $x20,0x20
$PUSH r27,`$FRAME+21*16+1*$SIZE_T`($sp)
li $x30,0x30
$PUSH r28,`$FRAME+21*16+2*$SIZE_T`($sp)
li $x40,0x40
$PUSH r29,`$FRAME+21*16+3*$SIZE_T`($sp)
li $x50,0x50
$PUSH r30,`$FRAME+21*16+4*$SIZE_T`($sp)
li $x60,0x60
$PUSH r31,`$FRAME+21*16+5*$SIZE_T`($sp)
li $x70,0x70
mtspr 256,r0

```

```

subi $rounds,$rounds,3 # -4 in total
subi $len,$len,128 # bias

```

```

lvx $rndkey0,$x00,$key # load key schedule
lvx v30,$x10,$key
addi $key,$key,0x20
lvx v31,$x00,$key
?vperm $rndkey0,$rndkey0,v30,$keyperm
addi $key_,$sp,$FRAME+15
mtctr $rounds

```

```

Load_cbc_dec_key:
?vperm v24,v30,v31,$keyperm
lvx v30,$x10,$key
addi $key,$key,0x20
stvx v24,$x00,$key_ # off-load round[1]
?vperm v25,v31,v30,$keyperm
lvx v31,$x00,$key
stvx v25,$x10,$key_ # off-load round[2]
addi $key_,$key_,0x20
bdnz Load_cbc_dec_key

```



```

lvx v26,$x10,$key
?vperm v24,v30,v31,$keyperm
lvx v27,$x20,$key
stvx v24,$x00,$key_ # off-load round[3]
?vperm v25,v31,v26,$keyperm
lvx v28,$x30,$key
stvx v25,$x10,$key_ # off-load round[4]
addi $key_,$sp,$FRAME+15 # rewind $key_
?vperm v26,v26,v27,$keyperm
lvx v29,$x40,$key
?vperm v27,v27,v28,$keyperm
lvx v30,$x50,$key
?vperm v28,v28,v29,$keyperm
lvx v31,$x60,$key
?vperm v29,v29,v30,$keyperm
lvx $out0,$x70,$key # borrow $out0
?vperm v30,v30,v31,$keyperm
lvx v24,$x00,$key_ # pre-load round[1]
?vperm v31,v31,$out0,$keyperm
lvx v25,$x10,$key_ # pre-load round[2]

```

```

#lvx $inptail,0,$inp # "caller" already did this
#addi $inp,$inp,15 # 15 is not typo
subi $inp,$inp,15 # undo "caller"

```

```

le?li $idx,8
lvx_u $in0,$x00,$inp # load first 8 "words"
le?lvsl $inpperm,0,$idx
le?vspltisb $tmp,0x0f
lvx_u $in1,$x10,$inp
le?vxor $inpperm,$inpperm,$tmp # transform for lvx_u/stvx_u
lvx_u $in2,$x20,$inp
le?vperm $in0,$in0,$in0,$inpperm
lvx_u $in3,$x30,$inp
le?vperm $in1,$in1,$in1,$inpperm
lvx_u $in4,$x40,$inp
le?vperm $in2,$in2,$in2,$inpperm
vxor $out0,$in0,$rndkey0
lvx_u $in5,$x50,$inp
le?vperm $in3,$in3,$in3,$inpperm
vxor $out1,$in1,$rndkey0
lvx_u $in6,$x60,$inp
le?vperm $in4,$in4,$in4,$inpperm
vxor $out2,$in2,$rndkey0
lvx_u $in7,$x70,$inp
addi $inp,$inp,0x80
le?vperm $in5,$in5,$in5,$inpperm
vxor $out3,$in3,$rndkey0

```

```

le?vperm $in6,$in6,$in6,$inpperm
vxor $out4,$in4,$rndkey0
le?vperm $in7,$in7,$in7,$inpperm
vxor $out5,$in5,$rndkey0
vxor $out6,$in6,$rndkey0
vxor $out7,$in7,$rndkey0

```

```
mtctr $rounds
```

```
b Loop_cbc_dec8x
```

```
.align 5
```

```
Loop_cbc_dec8x:
```

```
vncipher $out0,$out0,v24
```

```
vncipher $out1,$out1,v24
```

```
vncipher $out2,$out2,v24
```

```
vncipher $out3,$out3,v24
```

```
vncipher $out4,$out4,v24
```

```
vncipher $out5,$out5,v24
```

```
vncipher $out6,$out6,v24
```

```
vncipher $out7,$out7,v24
```

```
lvs v24,$x20,$key_ # round[3]
```

```
addi $key_,$key_,0x20
```

```
vncipher $out0,$out0,v25
```

```
vncipher $out1,$out1,v25
```

```
vncipher $out2,$out2,v25
```

```
vncipher $out3,$out3,v25
```

```
vncipher $out4,$out4,v25
```

```
vncipher $out5,$out5,v25
```

```
vncipher $out6,$out6,v25
```

```
vncipher $out7,$out7,v25
```

```
lvs v25,$x10,$key_ # round[4]
```

```
bdnz Loop_cbc_dec8x
```

```
subic $len,$len,128 # $len-=128
```

```
vncipher $out0,$out0,v24
```

```
vncipher $out1,$out1,v24
```

```
vncipher $out2,$out2,v24
```

```
vncipher $out3,$out3,v24
```

```
vncipher $out4,$out4,v24
```

```
vncipher $out5,$out5,v24
```

```
vncipher $out6,$out6,v24
```

```
vncipher $out7,$out7,v24
```

```
subfe. r0,r0,r0 # borrow?-1:0
```

```
vncipher $out0,$out0,v25
```

```
vncipher $out1,$out1,v25
```

```
vncipher $out2,$out2,v25
```

```
vncipher $out3,$out3,v25
```

```
vncipher $out4,$out4,v25
vncipher $out5,$out5,v25
vncipher $out6,$out6,v25
vncipher $out7,$out7,v25
```

```
and r0,r0,$len
vncipher $out0,$out0,v26
vncipher $out1,$out1,v26
vncipher $out2,$out2,v26
vncipher $out3,$out3,v26
vncipher $out4,$out4,v26
vncipher $out5,$out5,v26
vncipher $out6,$out6,v26
vncipher $out7,$out7,v26
```

```
add $inp,$inp,r0 # $inp is adjusted in such
# way that at exit from the
# loop inX-in7 are loaded
# with last "words"
```

```
vncipher $out0,$out0,v27
vncipher $out1,$out1,v27
vncipher $out2,$out2,v27
vncipher $out3,$out3,v27
vncipher $out4,$out4,v27
vncipher $out5,$out5,v27
vncipher $out6,$out6,v27
vncipher $out7,$out7,v27
```

```
addi $key_,$sp,$FRAME+15 # rewind $key_
```

```
vncipher $out0,$out0,v28
vncipher $out1,$out1,v28
vncipher $out2,$out2,v28
vncipher $out3,$out3,v28
vncipher $out4,$out4,v28
vncipher $out5,$out5,v28
vncipher $out6,$out6,v28
vncipher $out7,$out7,v28
```

```
lvx v24,$x00,$key_ # re-pre-load round[1]
```

```
vncipher $out0,$out0,v29
vncipher $out1,$out1,v29
vncipher $out2,$out2,v29
vncipher $out3,$out3,v29
vncipher $out4,$out4,v29
vncipher $out5,$out5,v29
vncipher $out6,$out6,v29
vncipher $out7,$out7,v29
```

```
lvx v25,$x10,$key_ # re-pre-load round[2]
```

```

vncipher $out0,$out0,v30
v xor $ivec,$ivec,v31 # xor with last round key
vncipher $out1,$out1,v30
v xor $in0,$in0,v31
vncipher $out2,$out2,v30
v xor $in1,$in1,v31
vncipher $out3,$out3,v30
v xor $in2,$in2,v31
vncipher $out4,$out4,v30
v xor $in3,$in3,v31
vncipher $out5,$out5,v30
v xor $in4,$in4,v31
vncipher $out6,$out6,v30
v xor $in5,$in5,v31
vncipher $out7,$out7,v30
v xor $in6,$in6,v31

```

```

vncipherlast $out0,$out0,$ivec
vncipherlast $out1,$out1,$in0
lvx_u $in0,$x00,$inp # load next input block
vncipherlast $out2,$out2,$in1
lvx_u $in1,$x10,$inp
vncipherlast $out3,$out3,$in2
le?vperm $in0,$in0,$in0,$inpperm
lvx_u $in2,$x20,$inp
vncipherlast $out4,$out4,$in3
le?vperm $in1,$in1,$in1,$inpperm
lvx_u $in3,$x30,$inp
vncipherlast $out5,$out5,$in4
le?vperm $in2,$in2,$in2,$inpperm
lvx_u $in4,$x40,$inp
vncipherlast $out6,$out6,$in5
le?vperm $in3,$in3,$in3,$inpperm
lvx_u $in5,$x50,$inp
vncipherlast $out7,$out7,$in6
le?vperm $in4,$in4,$in4,$inpperm
lvx_u $in6,$x60,$inp
vmr $ivec,$in7
le?vperm $in5,$in5,$in5,$inpperm
lvx_u $in7,$x70,$inp
addi $inp,$inp,0x80

```

```

le?vperm $out0,$out0,$out0,$inpperm
le?vperm $out1,$out1,$out1,$inpperm
stv_x_u $out0,$x00,$out
le?vperm $in6,$in6,$in6,$inpperm
v xor $out0,$in0,$rndkey0

```

```

le?vperm $out2,$out2,$out2,$inpperm
stvx_u $out1,$x10,$out
le?vperm $in7,$in7,$in7,$inpperm
vxor $out1,$in1,$rndkey0
le?vperm $out3,$out3,$out3,$inpperm
stvx_u $out2,$x20,$out
vxor $out2,$in2,$rndkey0
le?vperm $out4,$out4,$out4,$inpperm
stvx_u $out3,$x30,$out
vxor $out3,$in3,$rndkey0
le?vperm $out5,$out5,$out5,$inpperm
stvx_u $out4,$x40,$out
vxor $out4,$in4,$rndkey0
le?vperm $out6,$out6,$out6,$inpperm
stvx_u $out5,$x50,$out
vxor $out5,$in5,$rndkey0
le?vperm $out7,$out7,$out7,$inpperm
stvx_u $out6,$x60,$out
vxor $out6,$in6,$rndkey0
stvx_u $out7,$x70,$out
addi $out,$out,0x80
vxor $out7,$in7,$rndkey0

mtctr $rounds
beq Loop_cbc_dec8x # did $len-=128 borrow?

addic $len,$len,128
beq Lcbc_dec8x_done
nop
nop

Loop_cbc_dec8x_tail: # up to 7 "words" tail...
vncipher $out1,$out1,v24
vncipher $out2,$out2,v24
vncipher $out3,$out3,v24
vncipher $out4,$out4,v24
vncipher $out5,$out5,v24
vncipher $out6,$out6,v24
vncipher $out7,$out7,v24
lvx v24,$x20,$key_ # round[3]
addi $key_,$key_,0x20

vncipher $out1,$out1,v25
vncipher $out2,$out2,v25
vncipher $out3,$out3,v25
vncipher $out4,$out4,v25
vncipher $out5,$out5,v25
vncipher $out6,$out6,v25

```

```
vncipher $out7,$out7,v25
lvx v25,$x10,$key_ # round[4]
bdnz Loop_cbc_dec8x_tail
```

```
vncipher $out1,$out1,v24
vncipher $out2,$out2,v24
vncipher $out3,$out3,v24
vncipher $out4,$out4,v24
vncipher $out5,$out5,v24
vncipher $out6,$out6,v24
vncipher $out7,$out7,v24
```

```
vncipher $out1,$out1,v25
vncipher $out2,$out2,v25
vncipher $out3,$out3,v25
vncipher $out4,$out4,v25
vncipher $out5,$out5,v25
vncipher $out6,$out6,v25
vncipher $out7,$out7,v25
```

```
vncipher $out1,$out1,v26
vncipher $out2,$out2,v26
vncipher $out3,$out3,v26
vncipher $out4,$out4,v26
vncipher $out5,$out5,v26
vncipher $out6,$out6,v26
vncipher $out7,$out7,v26
```

```
vncipher $out1,$out1,v27
vncipher $out2,$out2,v27
vncipher $out3,$out3,v27
vncipher $out4,$out4,v27
vncipher $out5,$out5,v27
vncipher $out6,$out6,v27
vncipher $out7,$out7,v27
```

```
vncipher $out1,$out1,v28
vncipher $out2,$out2,v28
vncipher $out3,$out3,v28
vncipher $out4,$out4,v28
vncipher $out5,$out5,v28
vncipher $out6,$out6,v28
vncipher $out7,$out7,v28
```

```
vncipher $out1,$out1,v29
vncipher $out2,$out2,v29
vncipher $out3,$out3,v29
vncipher $out4,$out4,v29
```

```

vncipher $out5,$out5,v29
vncipher $out6,$out6,v29
vncipher $out7,$out7,v29

vncipher $out1,$out1,v30
vxor $ivec,$ivec,v31 # last round key
vncipher $out2,$out2,v30
vxor $in1,$in1,v31
vncipher $out3,$out3,v30
vxor $in2,$in2,v31
vncipher $out4,$out4,v30
vxor $in3,$in3,v31
vncipher $out5,$out5,v30
vxor $in4,$in4,v31
vncipher $out6,$out6,v30
vxor $in5,$in5,v31
vncipher $out7,$out7,v30
vxor $in6,$in6,v31

cmplwi $len,32 # switch($len)
blt Lcbc_dec8x_one
nop
beq Lcbc_dec8x_two
cmplwi $len,64
blt Lcbc_dec8x_three
nop
beq Lcbc_dec8x_four
cmplwi $len,96
blt Lcbc_dec8x_five
nop
beq Lcbc_dec8x_six

Lcbc_dec8x_seven:
vncipherlast $out1,$out1,$ivec
vncipherlast $out2,$out2,$in1
vncipherlast $out3,$out3,$in2
vncipherlast $out4,$out4,$in3
vncipherlast $out5,$out5,$in4
vncipherlast $out6,$out6,$in5
vncipherlast $out7,$out7,$in6
vmr $ivec,$in7

le?vperm $out1,$out1,$out1,$inpperm
le?vperm $out2,$out2,$out2,$inpperm
stvx_u $out1,$x00,$out
le?vperm $out3,$out3,$out3,$inpperm
stvx_u $out2,$x10,$out
le?vperm $out4,$out4,$out4,$inpperm

```

```
stvx_u $out3,$x20,$out
le?vperm $out5,$out5,$out5,$inpperm
stvx_u $out4,$x30,$out
le?vperm $out6,$out6,$out6,$inpperm
stvx_u $out5,$x40,$out
le?vperm $out7,$out7,$out7,$inpperm
stvx_u $out6,$x50,$out
stvx_u $out7,$x60,$out
addi $out,$out,0x70
b Lcbc_dec8x_done
```

```
.align 5
```

```
Lcbc_dec8x_six:
```

```
vncipherlast $out2,$out2,$ivec
vncipherlast $out3,$out3,$in2
vncipherlast $out4,$out4,$in3
vncipherlast $out5,$out5,$in4
vncipherlast $out6,$out6,$in5
vncipherlast $out7,$out7,$in6
vmr $ivec,$in7
```

```
le?vperm $out2,$out2,$out2,$inpperm
le?vperm $out3,$out3,$out3,$inpperm
stvx_u $out2,$x00,$out
le?vperm $out4,$out4,$out4,$inpperm
stvx_u $out3,$x10,$out
le?vperm $out5,$out5,$out5,$inpperm
stvx_u $out4,$x20,$out
le?vperm $out6,$out6,$out6,$inpperm
stvx_u $out5,$x30,$out
le?vperm $out7,$out7,$out7,$inpperm
stvx_u $out6,$x40,$out
stvx_u $out7,$x50,$out
addi $out,$out,0x60
b Lcbc_dec8x_done
```

```
.align 5
```

```
Lcbc_dec8x_five:
```

```
vncipherlast $out3,$out3,$ivec
vncipherlast $out4,$out4,$in3
vncipherlast $out5,$out5,$in4
vncipherlast $out6,$out6,$in5
vncipherlast $out7,$out7,$in6
vmr $ivec,$in7
```

```
le?vperm $out3,$out3,$out3,$inpperm
le?vperm $out4,$out4,$out4,$inpperm
stvx_u $out3,$x00,$out
```



```
le?vperm $out5,$out5,$out5,$inpperm
stvx_u $out4,$x10,$out
le?vperm $out6,$out6,$out6,$inpperm
stvx_u $out5,$x20,$out
le?vperm $out7,$out7,$out7,$inpperm
stvx_u $out6,$x30,$out
stvx_u $out7,$x40,$out
addi $out,$out,0x50
b Lcbc_dec8x_done
```

```
.align 5
```

```
Lcbc_dec8x_four:
```

```
vncipherlast $out4,$out4,$ivec
vncipherlast $out5,$out5,$in4
vncipherlast $out6,$out6,$in5
vncipherlast $out7,$out7,$in6
vmr $ivec,$in7
```

```
le?vperm $out4,$out4,$out4,$inpperm
le?vperm $out5,$out5,$out5,$inpperm
stvx_u $out4,$x00,$out
le?vperm $out6,$out6,$out6,$inpperm
stvx_u $out5,$x10,$out
le?vperm $out7,$out7,$out7,$inpperm
stvx_u $out6,$x20,$out
stvx_u $out7,$x30,$out
addi $out,$out,0x40
b Lcbc_dec8x_done
```

```
.align 5
```

```
Lcbc_dec8x_three:
```

```
vncipherlast $out5,$out5,$ivec
vncipherlast $out6,$out6,$in5
vncipherlast $out7,$out7,$in6
vmr $ivec,$in7
```

```
le?vperm $out5,$out5,$out5,$inpperm
le?vperm $out6,$out6,$out6,$inpperm
stvx_u $out5,$x00,$out
le?vperm $out7,$out7,$out7,$inpperm
stvx_u $out6,$x10,$out
stvx_u $out7,$x20,$out
addi $out,$out,0x30
b Lcbc_dec8x_done
```

```
.align 5
```

```
Lcbc_dec8x_two:
```

```
vncipherlast $out6,$out6,$ivec
```

```
vncipherlast $out7,$out7,$in6
vmr $ivec,$in7
```

```
le?vperm $out6,$out6,$out6,$inpperm
le?vperm $out7,$out7,$out7,$inpperm
stvx_u $out6,$x00,$out
stvx_u $out7,$x10,$out
addi $out,$out,0x20
b Lcbc_dec8x_done
```

```
.align 5
Lcbc_dec8x_one:
vncipherlast $out7,$out7,$ivec
vmr $ivec,$in7
```

```
le?vperm $out7,$out7,$out7,$inpperm
stvx_u $out7,0,$out
addi $out,$out,0x10
```

```
Lcbc_dec8x_done:
le?vperm $ivec,$ivec,$ivec,$inpperm
stvx_u $ivec,0,$ivp # write [unaligned] iv
```

```
li r10,`$FRAME+15`
li r11,`$FRAME+31`
stvx $inpperm,r10,$sp # wipe copies of round keys
addi r10,r10,32
stvx $inpperm,r11,$sp
addi r11,r11,32
stvx $inpperm,r10,$sp
addi r10,r10,32
stvx $inpperm,r11,$sp
addi r11,r11,32
stvx $inpperm,r10,$sp
addi r10,r10,32
stvx $inpperm,r11,$sp
addi r11,r11,32
stvx $inpperm,r10,$sp
addi r10,r10,32
stvx $inpperm,r11,$sp
addi r11,r11,32
```

```
mtspr 256,$vrsave
lvx v20,r10,$sp # ABI says so
addi r10,r10,32
lvx v21,r11,$sp
addi r11,r11,32
lvx v22,r10,$sp
```

```

addi r10,r10,32
lvx v23,r11,$sp
addi r11,r11,32
lvx v24,r10,$sp
addi r10,r10,32
lvx v25,r11,$sp
addi r11,r11,32
lvx v26,r10,$sp
addi r10,r10,32
lvx v27,r11,$sp
addi r11,r11,32
lvx v28,r10,$sp
addi r10,r10,32
lvx v29,r11,$sp
addi r11,r11,32
lvx v30,r10,$sp
lvx v31,r11,$sp
$POP r26,`$FRAME+21*16+0*$SIZE_T`($sp)
$POP r27,`$FRAME+21*16+1*$SIZE_T`($sp)
$POP r28,`$FRAME+21*16+2*$SIZE_T`($sp)
$POP r29,`$FRAME+21*16+3*$SIZE_T`($sp)
$POP r30,`$FRAME+21*16+4*$SIZE_T`($sp)
$POP r31,`$FRAME+21*16+5*$SIZE_T`($sp)
addi $sp,$sp,`$FRAME+21*16+6*$SIZE_T`
blr
.long 0
.byte 0,12,0x04,0,0x80,6,6,0
.long 0
.size ${prefix}_cbc_encrypt,-.${prefix}_cbc_encrypt
___
}} }}

#####
{{{ # CTR procedure[s] #
my ($inp,$out,$len,$key,$ivp,$x10,$rounds,$idx)=map("r$_",(3..10));
my ($rndkey0,$rndkey1,$inout,$tmp)= map("v$_",(0..3));
my ($ivec,$inptail,$inpperm,$outhead,$outperm,$outmask,$keyperm,$one)=
    map("v$_",(4..11));
my $dat=$tmp;

$code.=<<___;
.globl ${prefix}_ctr32_encrypt_blocks
.align 5
${prefix}_ctr32_encrypt_blocks:
${UCMP}i $len,1
bltlr-

lis r0,0xffff0

```

```

mfspr $vrsave,256
mfspr 256,r0

li $idx,15
vxor $rndkey0,$rndkey0,$rndkey0
le?vspltisb $tmp,0x0f

lvx $ivec,0,$ivp # load [unaligned] iv
lvsl $inpperm,0,$ivp
lvx $inptail,$idx,$ivp
vspltisb $one,1
le?vxor $inpperm,$inpperm,$tmp
vperm $ivec,$ivec,$inptail,$inpperm
vsldoi $one,$rndkey0,$one,1

neg r11,$inp
?lvsl $keyperm,0,$key # prepare for unaligned key
lwz $rounds,240($key)

lvsl $inpperm,0,r11 # prepare for unaligned load
lvx $inptail,0,$inp
addi $inp,$inp,15 # 15 is not typo
le?vxor $inpperm,$inpperm,$tmp

srwi $rounds,$rounds,1
li $idx,16
subi $rounds,$rounds,1

${UCMP}i $len,8
bge _aes8_ctr32_encrypt8x

?lvsl $outperm,0,$out # prepare for unaligned store
vspltisb $outmask,-1
lvx $outhead,0,$out
?vperm $outmask,$rndkey0,$outmask,$outperm
le?vxor $outperm,$outperm,$tmp

lvx $rndkey0,0,$key
mtctr $rounds
lvx $rndkey1,$idx,$key
addi $idx,$idx,16
?vperm $rndkey0,$rndkey0,$rndkey1,$keyperm
vxor $inout,$ivec,$rndkey0
lvx $rndkey0,$idx,$key
addi $idx,$idx,16
b Loop_ctr32_enc

.align 5

```

```

Loop_ctr32_enc:
?vperm $rndkey1,$rndkey1,$rndkey0,$keyperm
vcipher $inout,$inout,$rndkey1
lvx $rndkey1,$idx,$key
addi $idx,$idx,16
?vperm $rndkey0,$rndkey0,$rndkey1,$keyperm
vcipher $inout,$inout,$rndkey0
lvx $rndkey0,$idx,$key
addi $idx,$idx,16
bdnz Loop_ctr32_enc

```

```

vadduwm $ivec,$ivec,$one
vmr $dat,$inptail
lvx $inptail,0,$inp
addi $inp,$inp,16
subic. $len,$len,1 # blocks--

```

```

?vperm $rndkey1,$rndkey1,$rndkey0,$keyperm
vcipher $inout,$inout,$rndkey1
lvx $rndkey1,$idx,$key
vperm $dat,$dat,$inptail,$inpperm
li $idx,16
?vperm $rndkey1,$rndkey0,$rndkey1,$keyperm
lvx $rndkey0,0,$key
vxor $dat,$dat,$rndkey1 # last round key
vcipherlast $inout,$inout,$dat

```

```

lvx $rndkey1,$idx,$key
addi $idx,$idx,16
vperm $inout,$inout,$inout,$outperm
vsel $dat,$southead,$inout,$outmask
mtctr $rounds
?vperm $rndkey0,$rndkey0,$rndkey1,$keyperm
vmr $southead,$inout
vxor $inout,$ivec,$rndkey0
lvx $rndkey0,$idx,$key
addi $idx,$idx,16
stvx $dat,0,$out
addi $out,$out,16
bne Loop_ctr32_enc

```

```

addi $out,$out,-1
lvx $inout,0,$out # redundant in aligned case
vsel $inout,$southead,$inout,$outmask
stvx $inout,0,$out

```

```

mtspr 256,$vrsave
blr

```

```

.long 0
.byte 0,12,0x14,0,0,0,6,0
.long 0
_____
#####
{{ # Optimized CTR procedure #
my $key_="r11";
my ($x00,$x10,$x20,$x30,$x40,$x50,$x60,$x70)=map("r$_",(0,8,26..31));
    $x00=0 if ($flavour =~ /osx/);
my ($in0, $in1, $in2, $in3, $in4, $in5, $in6, $in7 )=map("v$_",(0..3,10,12..14));
my ($out0,$out1,$out2,$out3,$out4,$out5,$out6,$out7)=map("v$_",(15..22));
my $rndkey0="v23"; # v24-v25 rotating buffer for first found keys
    # v26-v31 last 6 round keys
my ($tmp,$keyperm)=$(in3,$in4); # aliases with "caller", redundant assignment
my ($two,$three,$four)=$(southead,$outperm,$outmask);

$code.=<<____;
.align 5
_aesp8_ctr32_encrypt8x:
$STU $sp,-(`$FRAME+21*16+6*$SIZE_T)`($sp)
li r10,`$FRAME+8*16+15`
li r11,`$FRAME+8*16+31`
stvx v20,r10,$sp # ABI says so
addi r10,r10,32
stvx v21,r11,$sp
addi r11,r11,32
stvx v22,r10,$sp
addi r10,r10,32
stvx v23,r11,$sp
addi r11,r11,32
stvx v24,r10,$sp
addi r10,r10,32
stvx v25,r11,$sp
addi r11,r11,32
stvx v26,r10,$sp
addi r10,r10,32
stvx v27,r11,$sp
addi r11,r11,32
stvx v28,r10,$sp
addi r10,r10,32
stvx v29,r11,$sp
addi r11,r11,32
stvx v30,r10,$sp
stvx v31,r11,$sp
li r0,-1
stw $vrsave,`$FRAME+21*16-4`($sp) # save vrsave
li $x10,0x10
$PUSH r26,`$FRAME+21*16+0*$SIZE_T`($sp)

```

```

li $x20,0x20
$PUSH r27,`$FRAME+21*16+1*$SIZE_T`($sp)
li $x30,0x30
$PUSH r28,`$FRAME+21*16+2*$SIZE_T`($sp)
li $x40,0x40
$PUSH r29,`$FRAME+21*16+3*$SIZE_T`($sp)
li $x50,0x50
$PUSH r30,`$FRAME+21*16+4*$SIZE_T`($sp)
li $x60,0x60
$PUSH r31,`$FRAME+21*16+5*$SIZE_T`($sp)
li $x70,0x70
mtspr 256,r0

```

```

subi $rounds,$rounds,3 # -4 in total

```

```

lvx $rndkey0,$x00,$key # load key schedule
lvx v30,$x10,$key
addi $key,$key,0x20
lvx v31,$x00,$key
?vperm $rndkey0,$rndkey0,v30,$keyperm
addi $key_,$sp,$FRAME+15
mtctr $rounds

```

Load\_ctr32\_enc\_key:

```

?vperm v24,v30,v31,$keyperm
lvx v30,$x10,$key
addi $key,$key,0x20
stvx v24,$x00,$key_ # off-load round[1]
?vperm v25,v31,v30,$keyperm
lvx v31,$x00,$key
stvx v25,$x10,$key_ # off-load round[2]
addi $key_,$key_,0x20
bdnz Load_ctr32_enc_key

```

```

lvx v26,$x10,$key
?vperm v24,v30,v31,$keyperm
lvx v27,$x20,$key
stvx v24,$x00,$key_ # off-load round[3]
?vperm v25,v31,v26,$keyperm
lvx v28,$x30,$key
stvx v25,$x10,$key_ # off-load round[4]
addi $key_,$sp,$FRAME+15 # rewind $key_
?vperm v26,v26,v27,$keyperm
lvx v29,$x40,$key
?vperm v27,v27,v28,$keyperm
lvx v30,$x50,$key
?vperm v28,v28,v29,$keyperm
lvx v31,$x60,$key

```

```

?vperm v29,v29,v30,$keyperm
lvx $out0,$x70,$key # borrow $out0
?vperm v30,v30,v31,$keyperm
lvx v24,$x00,$key_ # pre-load round[1]
?vperm v31,v31,$out0,$keyperm
lvx v25,$x10,$key_ # pre-load round[2]

vadduwm $two,$one,$one
subi $inp,$inp,15 # undo "caller"
$SHL $len,$len,4

vadduwm $out1,$ivec,$one # counter values ...
vadduwm $out2,$ivec,$two
vxor $out0,$ivec,$rndkey0 # ... xored with rndkey[0]
le?li $idx,8
vadduwm $out3,$out1,$two
vxor $out1,$out1,$rndkey0
le?lvsl $inpperm,0,$idx
vadduwm $out4,$out2,$two
vxor $out2,$out2,$rndkey0
le?vspltisb $tmp,0x0f
vadduwm $out5,$out3,$two
vxor $out3,$out3,$rndkey0
le?vxor $inpperm,$inpperm,$tmp # transform for lvx_u/stvx_u
vadduwm $out6,$out4,$two
vxor $out4,$out4,$rndkey0
vadduwm $out7,$out5,$two
vxor $out5,$out5,$rndkey0
vadduwm $ivec,$out6,$two # next counter value
vxor $out6,$out6,$rndkey0
vxor $out7,$out7,$rndkey0

mtctr $rounds
b Loop_ctr32_enc8x
.align 5
Loop_ctr32_enc8x:
vcipher $out0,$out0,v24
vcipher $out1,$out1,v24
vcipher $out2,$out2,v24
vcipher $out3,$out3,v24
vcipher $out4,$out4,v24
vcipher $out5,$out5,v24
vcipher $out6,$out6,v24
vcipher $out7,$out7,v24
Loop_ctr32_enc8x_middle:
lvx v24,$x20,$key_ # round[3]
addi $key_,$key_,0x20

```



```

vcipher $out0,$out0,v25
vcipher $out1,$out1,v25
vcipher $out2,$out2,v25
vcipher $out3,$out3,v25
vcipher $out4,$out4,v25
vcipher $out5,$out5,v25
vcipher $out6,$out6,v25
vcipher $out7,$out7,v25
lvx v25,$x10,$key_ # round[4]
bdnz Loop_ctr32_enc8x

subic r11,$len,256 # $len-256, borrow $key_
vcipher $out0,$out0,v24
vcipher $out1,$out1,v24
vcipher $out2,$out2,v24
vcipher $out3,$out3,v24
vcipher $out4,$out4,v24
vcipher $out5,$out5,v24
vcipher $out6,$out6,v24
vcipher $out7,$out7,v24

subfe r0,r0,r0 # borrow?-1:0
vcipher $out0,$out0,v25
vcipher $out1,$out1,v25
vcipher $out2,$out2,v25
vcipher $out3,$out3,v25
vcipher $out4,$out4,v25
vcipher $out5,$out5,v25
vcipher $out6,$out6,v25
vcipher $out7,$out7,v25

and r0,r0,r11
addi $key_,$sp,$FRAME+15 # rewind $key_
vcipher $out0,$out0,v26
vcipher $out1,$out1,v26
vcipher $out2,$out2,v26
vcipher $out3,$out3,v26
vcipher $out4,$out4,v26
vcipher $out5,$out5,v26
vcipher $out6,$out6,v26
vcipher $out7,$out7,v26
lvx v24,$x00,$key_ # re-pre-load round[1]

subic $len,$len,129 # $len-=129
vcipher $out0,$out0,v27
addi $len,$len,1 # $len-=128 really
vcipher $out1,$out1,v27
vcipher $out2,$out2,v27

```

```

vcipher $out3,$out3,v27
vcipher $out4,$out4,v27
vcipher $out5,$out5,v27
vcipher $out6,$out6,v27
vcipher $out7,$out7,v27
lvx v25,$x10,$key_ # re-pre-load round[2]

```

```

vcipher $out0,$out0,v28
lvx_u $in0,$x00,$inp # load input
vcipher $out1,$out1,v28
lvx_u $in1,$x10,$inp
vcipher $out2,$out2,v28
lvx_u $in2,$x20,$inp
vcipher $out3,$out3,v28
lvx_u $in3,$x30,$inp
vcipher $out4,$out4,v28
lvx_u $in4,$x40,$inp
vcipher $out5,$out5,v28
lvx_u $in5,$x50,$inp
vcipher $out6,$out6,v28
lvx_u $in6,$x60,$inp
vcipher $out7,$out7,v28
lvx_u $in7,$x70,$inp
addi $inp,$inp,0x80

```

```

vcipher $out0,$out0,v29
le?vperm $in0,$in0,$in0,$inpperm
vcipher $out1,$out1,v29
le?vperm $in1,$in1,$in1,$inpperm
vcipher $out2,$out2,v29
le?vperm $in2,$in2,$in2,$inpperm
vcipher $out3,$out3,v29
le?vperm $in3,$in3,$in3,$inpperm
vcipher $out4,$out4,v29
le?vperm $in4,$in4,$in4,$inpperm
vcipher $out5,$out5,v29
le?vperm $in5,$in5,$in5,$inpperm
vcipher $out6,$out6,v29
le?vperm $in6,$in6,$in6,$inpperm
vcipher $out7,$out7,v29
le?vperm $in7,$in7,$in7,$inpperm

```

```

add $inp,$inp,r0 # $inp is adjusted in such
# way that at exit from the
# loop inX-in7 are loaded
# with last "words"
subfe. r0,r0,r0 # borrow?-1:0
vcipher $out0,$out0,v30

```

```

vxor $in0,$in0,v31 # xor with last round key
vcipher $out1,$out1,v30
vxor $in1,$in1,v31
vcipher $out2,$out2,v30
vxor $in2,$in2,v31
vcipher $out3,$out3,v30
vxor $in3,$in3,v31
vcipher $out4,$out4,v30
vxor $in4,$in4,v31
vcipher $out5,$out5,v30
vxor $in5,$in5,v31
vcipher $out6,$out6,v30
vxor $in6,$in6,v31
vcipher $out7,$out7,v30
vxor $in7,$in7,v31

```

```

bne Lctr32_enc8x_break # did $len-129 borrow?

```

```

vcipherlast $in0,$out0,$in0
vcipherlast $in1,$out1,$in1
vadduwm $out1,$ivec,$sone # counter values ...
vcipherlast $in2,$out2,$in2
vadduwm $out2,$ivec,$stwo
vxor $out0,$ivec,$rndkey0 # ... xored with rndkey[0]
vcipherlast $in3,$out3,$in3
vadduwm $out3,$out1,$two
vxor $out1,$out1,$rndkey0
vcipherlast $in4,$out4,$in4
vadduwm $out4,$out2,$two
vxor $out2,$out2,$rndkey0
vcipherlast $in5,$out5,$in5
vadduwm $out5,$out3,$two
vxor $out3,$out3,$rndkey0
vcipherlast $in6,$out6,$in6
vadduwm $out6,$out4,$two
vxor $out4,$out4,$rndkey0
vcipherlast $in7,$out7,$in7
vadduwm $out7,$out5,$two
vxor $out5,$out5,$rndkey0
le?vperm $in0,$in0,$in0,$inpperm
vadduwm $ivec,$out6,$two # next counter value
vxor $out6,$out6,$rndkey0
le?vperm $in1,$in1,$in1,$inpperm
vxor $out7,$out7,$rndkey0
mtctr $rounds

```

```

vcipher $out0,$out0,v24
stvx_u $in0,$x00,$out

```

```

le?vperm $in2,$in2,$in2,$inpperm
vcipher $out1,$out1,v24
stvx_u $in1,$x10,$out
le?vperm $in3,$in3,$in3,$inpperm
vcipher $out2,$out2,v24
stvx_u $in2,$x20,$out
le?vperm $in4,$in4,$in4,$inpperm
vcipher $out3,$out3,v24
stvx_u $in3,$x30,$out
le?vperm $in5,$in5,$in5,$inpperm
vcipher $out4,$out4,v24
stvx_u $in4,$x40,$out
le?vperm $in6,$in6,$in6,$inpperm
vcipher $out5,$out5,v24
stvx_u $in5,$x50,$out
le?vperm $in7,$in7,$in7,$inpperm
vcipher $out6,$out6,v24
stvx_u $in6,$x60,$out
vcipher $out7,$out7,v24
stvx_u $in7,$x70,$out
addi $out,$out,0x80

```

b Loop\_ctr32\_enc8x\_middle

```

.align 5
Lctr32_enc8x_break:
cmpwi $len,-0x60
blt Lctr32_enc8x_one
nop
beq Lctr32_enc8x_two
cmpwi $len,-0x40
blt Lctr32_enc8x_three
nop
beq Lctr32_enc8x_four
cmpwi $len,-0x20
blt Lctr32_enc8x_five
nop
beq Lctr32_enc8x_six
cmpwi $len,0x00
blt Lctr32_enc8x_seven

```

```

Lctr32_enc8x_eight:
vcipherlast $out0,$out0,$in0
vcipherlast $out1,$out1,$in1
vcipherlast $out2,$out2,$in2
vcipherlast $out3,$out3,$in3
vcipherlast $out4,$out4,$in4
vcipherlast $out5,$out5,$in5

```

```
vcipherlast $out6,$out6,$in6
vcipherlast $out7,$out7,$in7
```

```
le?vperm $out0,$out0,$out0,$inpperm
le?vperm $out1,$out1,$out1,$inpperm
stvx_u $out0,$x00,$out
le?vperm $out2,$out2,$out2,$inpperm
stvx_u $out1,$x10,$out
le?vperm $out3,$out3,$out3,$inpperm
stvx_u $out2,$x20,$out
le?vperm $out4,$out4,$out4,$inpperm
stvx_u $out3,$x30,$out
le?vperm $out5,$out5,$out5,$inpperm
stvx_u $out4,$x40,$out
le?vperm $out6,$out6,$out6,$inpperm
stvx_u $out5,$x50,$out
le?vperm $out7,$out7,$out7,$inpperm
stvx_u $out6,$x60,$out
stvx_u $out7,$x70,$out
addi $out,$out,0x80
b Lctr32_enc8x_done
```

```
.align 5
```

```
Lctr32_enc8x_seven:
```

```
vcipherlast $out0,$out0,$in1
vcipherlast $out1,$out1,$in2
vcipherlast $out2,$out2,$in3
vcipherlast $out3,$out3,$in4
vcipherlast $out4,$out4,$in5
vcipherlast $out5,$out5,$in6
vcipherlast $out6,$out6,$in7
```

```
le?vperm $out0,$out0,$out0,$inpperm
le?vperm $out1,$out1,$out1,$inpperm
stvx_u $out0,$x00,$out
le?vperm $out2,$out2,$out2,$inpperm
stvx_u $out1,$x10,$out
le?vperm $out3,$out3,$out3,$inpperm
stvx_u $out2,$x20,$out
le?vperm $out4,$out4,$out4,$inpperm
stvx_u $out3,$x30,$out
le?vperm $out5,$out5,$out5,$inpperm
stvx_u $out4,$x40,$out
le?vperm $out6,$out6,$out6,$inpperm
stvx_u $out5,$x50,$out
stvx_u $out6,$x60,$out
addi $out,$out,0x70
b Lctr32_enc8x_done
```

```

.align 5
Lctr32_enc8x_six:
    vcipherlast $out0,$out0,$in2
    vcipherlast $out1,$out1,$in3
    vcipherlast $out2,$out2,$in4
    vcipherlast $out3,$out3,$in5
    vcipherlast $out4,$out4,$in6
    vcipherlast $out5,$out5,$in7

    le?vperm $out0,$out0,$out0,$inpperm
    le?vperm $out1,$out1,$out1,$inpperm
    stvx_u $out0,$x00,$out
    le?vperm $out2,$out2,$out2,$inpperm
    stvx_u $out1,$x10,$out
    le?vperm $out3,$out3,$out3,$inpperm
    stvx_u $out2,$x20,$out
    le?vperm $out4,$out4,$out4,$inpperm
    stvx_u $out3,$x30,$out
    le?vperm $out5,$out5,$out5,$inpperm
    stvx_u $out4,$x40,$out
    stvx_u $out5,$x50,$out
    addi $out,$out,0x60
    b Lctr32_enc8x_done

```

```

.align 5
Lctr32_enc8x_five:
    vcipherlast $out0,$out0,$in3
    vcipherlast $out1,$out1,$in4
    vcipherlast $out2,$out2,$in5
    vcipherlast $out3,$out3,$in6
    vcipherlast $out4,$out4,$in7

    le?vperm $out0,$out0,$out0,$inpperm
    le?vperm $out1,$out1,$out1,$inpperm
    stvx_u $out0,$x00,$out
    le?vperm $out2,$out2,$out2,$inpperm
    stvx_u $out1,$x10,$out
    le?vperm $out3,$out3,$out3,$inpperm
    stvx_u $out2,$x20,$out
    le?vperm $out4,$out4,$out4,$inpperm
    stvx_u $out3,$x30,$out
    stvx_u $out4,$x40,$out
    addi $out,$out,0x50
    b Lctr32_enc8x_done

```

```

.align 5
Lctr32_enc8x_four:

```

```
vcipherlast $out0,$out0,$in4
vcipherlast $out1,$out1,$in5
vcipherlast $out2,$out2,$in6
vcipherlast $out3,$out3,$in7
```

```
le?vperm $out0,$out0,$out0,$inpperm
le?vperm $out1,$out1,$out1,$inpperm
stvx_u $out0,$x00,$out
le?vperm $out2,$out2,$out2,$inpperm
stvx_u $out1,$x10,$out
le?vperm $out3,$out3,$out3,$inpperm
stvx_u $out2,$x20,$out
stvx_u $out3,$x30,$out
addi $out,$out,0x40
b Lctr32_enc8x_done
```

```
.align 5
```

```
Lctr32_enc8x_three:
```

```
vcipherlast $out0,$out0,$in5
vcipherlast $out1,$out1,$in6
vcipherlast $out2,$out2,$in7
```

```
le?vperm $out0,$out0,$out0,$inpperm
le?vperm $out1,$out1,$out1,$inpperm
stvx_u $out0,$x00,$out
le?vperm $out2,$out2,$out2,$inpperm
stvx_u $out1,$x10,$out
stvx_u $out2,$x20,$out
addi $out,$out,0x30
b Lcbc_dec8x_done
```

```
.align 5
```

```
Lctr32_enc8x_two:
```

```
vcipherlast $out0,$out0,$in6
vcipherlast $out1,$out1,$in7
```

```
le?vperm $out0,$out0,$out0,$inpperm
le?vperm $out1,$out1,$out1,$inpperm
stvx_u $out0,$x00,$out
stvx_u $out1,$x10,$out
addi $out,$out,0x20
b Lcbc_dec8x_done
```

```
.align 5
```

```
Lctr32_enc8x_one:
```

```
vcipherlast $out0,$out0,$in7
```

```
le?vperm $out0,$out0,$out0,$inpperm
```

```

stvx_u $out0,0,$out
addi $out,$out,0x10

Lctr32_enc8x_done:
li r10,`$FRAME+15`
li r11,`$FRAME+31`
stvx $inpperm,r10,$sp # wipe copies of round keys
addi r10,r10,32
stvx $inpperm,r11,$sp
addi r11,r11,32
stvx $inpperm,r10,$sp
addi r10,r10,32
stvx $inpperm,r11,$sp
addi r11,r11,32
stvx $inpperm,r10,$sp
addi r10,r10,32
stvx $inpperm,r11,$sp
addi r11,r11,32
stvx $inpperm,r10,$sp
addi r10,r10,32
stvx $inpperm,r11,$sp
addi r11,r11,32

mtspr 256,$vrsave
lvx v20,r10,$sp # ABI says so
addi r10,r10,32
lvx v21,r11,$sp
addi r11,r11,32
lvx v22,r10,$sp
addi r10,r10,32
lvx v23,r11,$sp
addi r11,r11,32
lvx v24,r10,$sp
addi r10,r10,32
lvx v25,r11,$sp
addi r11,r11,32
lvx v26,r10,$sp
addi r10,r10,32
lvx v27,r11,$sp
addi r11,r11,32
lvx v28,r10,$sp
addi r10,r10,32
lvx v29,r11,$sp
addi r11,r11,32
lvx v30,r10,$sp
lvx v31,r11,$sp
$POP r26,`$FRAME+21*16+0*$SIZE_T`($sp)
$POP r27,`$FRAME+21*16+1*$SIZE_T`($sp)

```



```

$POP r28,`$FRAME+21*16+2*$SIZE_T`($sp)
$POP r29,`$FRAME+21*16+3*$SIZE_T`($sp)
$POP r30,`$FRAME+21*16+4*$SIZE_T`($sp)
$POP r31,`$FRAME+21*16+5*$SIZE_T`($sp)
addi $sp,$sp,`$FRAME+21*16+6*$SIZE_T`
blr
.long 0
.byte 0,12,0x04,0,0x80,6,6,0
.long 0
.size ${prefix}_ctr32_encrypt_blocks,-.${prefix}_ctr32_encrypt_blocks
_____
}} }}

```

```
#####
```

```

{{{ # XTS procedures #
my ($inp,$out,$len,$key1,$key2,$ivp,$rounds,$idx) = map("r$_",(3..10));
my ($rndkey0,$rndkey1,$inout) = map("v$_",(0..2));
my ($output,$inptail,$inpperm,$leperm,$keyperm) = map("v$_",(3..7));
my ($tweak,$seven,$eighty7,$tmp,$tweak1) = map("v$_",(8..12));
my $tailen = $key2;

```

```
($inp,$idx) = ($idx,$inp); # reassign
```

```
$code.=<<____;
```

```
.globl ${prefix}_xts_encrypt
```

```
.align 5
```

```
.${prefix}_xts_encrypt:
```

```
mr $inp,r3 # reassign
```

```
li r3,-1
```

```
`${UCMP}i $len,16
```

```
bltlr-
```

```
lis r0,0xffff
```

```
mfspr r12,256 # save vrsave
```

```
li r11,0
```

```
mtspr 256,r0
```

```
vspltisb $seven,0x07 # 0x070707..07
```

```
le?lvsl $leperm,r11,r11
```

```
le?vspltisb $tmp,0x0f
```

```
le?vxor $leperm,$leperm,$seven
```

```
li $idx,15
```

```
lvx $tweak,0,$ivp # load [unaligned] iv
```

```
lvsl $inpperm,0,$ivp
```

```
lvx $inptail,$idx,$ivp
```

```
le?vxor $inpperm,$inpperm,$tmp
```

```
vperm $tweak,$tweak,$inptail,$inpperm
```

```
?lvs! $keyperm,0,$key2 # prepare for unaligned key
lwz $rounds,240($key2)
srwi $rounds,$rounds,1
subi $rounds,$rounds,1
li $idx,16
```

```
neg r11,$inp
lvsr $inpperm,0,r11 # prepare for unaligned load
lvx $sinout,0,$inp
addi $inp,$inp,15 # 15 is not typo
le?vxor $sinpperm,$sinpperm,$tmp
```

```
lvx $rndkey0,0,$key2
lvx $rndkey1,$idx,$key2
addi $idx,$idx,16
?vperm $rndkey0,$rndkey0,$rndkey1,$keyperm
vxor $tweak,$tweak,$rndkey0
lvx $rndkey0,$idx,$key2
addi $idx,$idx,16
mtctr $rounds
```

Ltweak\_xts\_enc:

```
?vperm $rndkey1,$rndkey1,$rndkey0,$keyperm
vcipher $tweak,$tweak,$rndkey1
lvx $rndkey1,$idx,$key2
addi $idx,$idx,16
?vperm $rndkey0,$rndkey0,$rndkey1,$keyperm
vcipher $tweak,$tweak,$rndkey0
lvx $rndkey0,$idx,$key2
addi $idx,$idx,16
bdnz Ltweak_xts_enc
```

```
?vperm $rndkey1,$rndkey1,$rndkey0,$keyperm
vcipher $tweak,$tweak,$rndkey1
lvx $rndkey1,$idx,$key2
li $idx,16
?vperm $rndkey0,$rndkey0,$rndkey1,$keyperm
vcipherlast $tweak,$tweak,$rndkey0
```

```
lvx $sintail,0,$inp
addi $inp,$inp,16
```

```
?lvs! $keyperm,0,$key1 # prepare for unaligned key
lwz $rounds,240($key1)
srwi $rounds,$rounds,1
subi $rounds,$rounds,1
li $idx,16
```

```

vsllb $eighty7,$seven,$seven # 0x808080..80
vor $eighty7,$eighty7,$seven # 0x878787..87
vspltisb $tmp,1 # 0x010101..01
vsldoi $eighty7,$eighty7,$tmp,15 # 0x870101..01

```

```

${UCMP}i $len,96
bge _aesp8_xts_encrypt6x

```

```

andi $taillen,$len,15
subic r0,$len,32
subi $taillen,$taillen,16
subfe r0,r0,r0
and r0,r0,$taillen
add $inp,$inp,r0

```

```

lvx $rndkey0,0,$key1
lvx $rndkey1,$idx,$key1
addi $idx,$idx,16
vperm $inout,$inout,$inptail,$inpperm
?vperm $rndkey0,$rndkey0,$rndkey1,$keyperm
vxor $inout,$inout,$tweak
vxor $inout,$inout,$rndkey0
lvx $rndkey0,$idx,$key1
addi $idx,$idx,16
mtctr $rounds
b Loop_xts_enc

```

```

.align 5
Loop_xts_enc:
?vperm $rndkey1,$rndkey1,$rndkey0,$keyperm
vcipher $inout,$inout,$rndkey1
lvx $rndkey1,$idx,$key1
addi $idx,$idx,16
?vperm $rndkey0,$rndkey0,$rndkey1,$keyperm
vcipher $inout,$inout,$rndkey0
lvx $rndkey0,$idx,$key1
addi $idx,$idx,16
bdnz Loop_xts_enc

```

```

?vperm $rndkey1,$rndkey1,$rndkey0,$keyperm
vcipher $inout,$inout,$rndkey1
lvx $rndkey1,$idx,$key1
li $idx,16
?vperm $rndkey0,$rndkey0,$rndkey1,$keyperm
vxor $rndkey0,$rndkey0,$tweak
vcipherlast $output,$inout,$rndkey0

```

```

le?vperm $tmp,$soutput,$soutput,$leperm
be?nop
le?stvx_u $tmp,0,$sout
be?stvx_u $soutput,0,$sout
addi $sout,$sout,16

subic. $len,$len,16
beq Lxts_enc_done

vmr $sinout,$sinptail
lvx $sinptail,0,$sinp
addi $sinp,$sinp,16
lvx $rndkey0,0,$key1
lvx $rndkey1,$idx,$key1
addi $idx,$idx,16

subic r0,$len,32
subfe r0,r0,r0
and r0,r0,$taillen
add $inp,$inp,r0

vsrab $tmp,$stweak,$seven # next tweak value
vaddubm $stweak,$stweak,$stweak
vsldoi $tmp,$tmp,$tmp,15
vand $tmp,$tmp,$eighty7
vxor $stweak,$stweak,$tmp

vperm $sinout,$sinout,$sinptail,$sinpperm
?vperm $rndkey0,$rndkey0,$rndkey1,$keyperm
vxor $sinout,$sinout,$stweak
vxor $soutput,$soutput,$rndkey0 # just in case $len<16
vxor $sinout,$sinout,$rndkey0
lvx $rndkey0,$idx,$key1
addi $idx,$idx,16

mtctr $rounds
${UCMP}i $len,16
bge Loop_xts_enc

vxor $soutput,$soutput,$stweak
lvsr $sinpperm,0,$len # $sinpperm is no longer needed
vxor $sinptail,$sinptail,$sinptail # $sinptail is no longer needed
vspltisb $tmp,-1
vperm $sinptail,$sinptail,$tmp,$sinpperm
vsel $sinout,$sinout,$soutput,$sinptail

subi r11,$sout,17
subi $sout,$sout,16

```

```

mtctr $len
li $len,16
Loop_xts_enc_steal:
lbzu r0,1(r11)
stb r0,16(r11)
bdnz Loop_xts_enc_steal

mtctr $rounds
b Loop_xts_enc # one more time...

Lxts_enc_done:
mfspr 256,r12 # restore vrsave
li r3,0
blr
.long 0
.byte 0,12,0x04,0,0x80,6,6,0
.long 0
.size ${prefix}_xts_encrypt,-.${prefix}_xts_encrypt

.globl ${prefix}_xts_decrypt
.align 5
.${prefix}_xts_decrypt:
mr $inp,r3 # reassign
li r3,-1
${UCMP}i $len,16
bltlr-

lis r0,0xfff8
mfspr r12,256 # save vrsave
li r11,0
mfspr 256,r0

andi. r0,$len,15
neg r0,r0
andi. r0,r0,16
sub $len,$len,r0

vspltisb $seven,0x07 # 0x070707..07
le?lvsl $leperm,r11,r11
le?vspltisb $tmp,0x0f
le?vxor $leperm,$leperm,$seven

li $idx,15
lvx $tweak,0,$ivp # load [unaligned] iv
lvsl $inpperm,0,$ivp
lvx $inptail,$idx,$ivp
le?vxor $inpperm,$inpperm,$tmp
vperm $tweak,$tweak,$inptail,$inpperm

```

```
?lvs! $keyperm,0,$key2 # prepare for unaligned key
lwz $rounds,240($key2)
srwi $rounds,$rounds,1
subi $rounds,$rounds,1
li $idx,16
```

```
neg r11,$inp
lvsr $inpperm,0,r11 # prepare for unaligned load
lvx $sinout,0,$inp
addi $inp,$inp,15 # 15 is not typo
le?vxor $sinpperm,$sinpperm,$tmp
```

```
lvx $rndkey0,0,$key2
lvx $rndkey1,$idx,$key2
addi $idx,$idx,16
?vperm $rndkey0,$rndkey0,$rndkey1,$keyperm
vxor $tweak,$tweak,$rndkey0
lvx $rndkey0,$idx,$key2
addi $idx,$idx,16
mtctr $rounds
```

Ltweak\_xts\_dec:

```
?vperm $rndkey1,$rndkey1,$rndkey0,$keyperm
vcipher $tweak,$tweak,$rndkey1
lvx $rndkey1,$idx,$key2
addi $idx,$idx,16
?vperm $rndkey0,$rndkey0,$rndkey1,$keyperm
vcipher $tweak,$tweak,$rndkey0
lvx $rndkey0,$idx,$key2
addi $idx,$idx,16
bdnz Ltweak_xts_dec
```

```
?vperm $rndkey1,$rndkey1,$rndkey0,$keyperm
vcipher $tweak,$tweak,$rndkey1
lvx $rndkey1,$idx,$key2
li $idx,16
?vperm $rndkey0,$rndkey0,$rndkey1,$keyperm
vcipherlast $tweak,$tweak,$rndkey0
```

```
lvx $sintail,0,$inp
addi $inp,$inp,16
```

```
?lvs! $keyperm,0,$key1 # prepare for unaligned key
lwz $rounds,240($key1)
srwi $rounds,$rounds,1
subi $rounds,$rounds,1
li $idx,16
```

```

vsllb $eighty7,$seven,$seven # 0x808080..80
vor $eighty7,$eighty7,$seven # 0x878787..87
vspltisb $tmp,1 # 0x010101..01
vsldoi $eighty7,$eighty7,$tmp,15 # 0x870101..01

```

```

${UCMP}i $len,96
bge _aesp8_xts_decrypt6x

```

```

lvx $rndkey0,0,$key1
lvx $rndkey1,$idx,$key1
addi $idx,$idx,16
vperm $inout,$inout,$inptail,$inpperm
?vperm $rndkey0,$rndkey0,$rndkey1,$keyperm
vxor $inout,$inout,$tweak
vxor $inout,$inout,$rndkey0
lvx $rndkey0,$idx,$key1
addi $idx,$idx,16
mtctr $rounds

```

```

${UCMP}i $len,16
blt Ltail_xts_dec
be?b Loop_xts_dec

```

```

.align 5
Loop_xts_dec:
?vperm $rndkey1,$rndkey1,$rndkey0,$keyperm
vncipher $inout,$inout,$rndkey1
lvx $rndkey1,$idx,$key1
addi $idx,$idx,16
?vperm $rndkey0,$rndkey0,$rndkey1,$keyperm
vncipher $inout,$inout,$rndkey0
lvx $rndkey0,$idx,$key1
addi $idx,$idx,16
bdnz Loop_xts_dec

```

```

?vperm $rndkey1,$rndkey1,$rndkey0,$keyperm
vncipher $inout,$inout,$rndkey1
lvx $rndkey1,$idx,$key1
li $idx,16
?vperm $rndkey0,$rndkey0,$rndkey1,$keyperm
vxor $rndkey0,$rndkey0,$tweak
vncipherlast $output,$inout,$rndkey0

```

```

le?vperm $tmp,$output,$output,$leperm
be?nop
le?stvx_u $tmp,0,$out
be?stvx_u $output,0,$out

```

```

addi $out,$out,16

subic $len,$len,16
beq Lxts_dec_done

vmr $inout,$inptail
lvx $inptail,0,$inp
addi $inp,$inp,16
lvx $rndkey0,0,$key1
lvx $rndkey1,$idx,$key1
addi $idx,$idx,16

vsrab $tmp,$tweak,$seven # next tweak value
vaddubm $tweak,$tweak,$tweak
vsldoi $tmp,$tmp,$tmp,15
vand $tmp,$tmp,$eighty7
vxor $tweak,$tweak,$tmp

vperm $inout,$inout,$inptail,$inpperm
?vperm $rndkey0,$rndkey0,$rndkey1,$keyperm
vxor $inout,$inout,$tweak
vxor $inout,$inout,$rndkey0
lvx $rndkey0,$idx,$key1
addi $idx,$idx,16

mtctr $rounds
${UCMP}i $len,16
bge Loop_xts_dec

Ltail_xts_dec:
vsrab $tmp,$tweak,$seven # next tweak value
vaddubm $tweak1,$tweak,$tweak
vsldoi $tmp,$tmp,$tmp,15
vand $tmp,$tmp,$eighty7
vxor $tweak1,$tweak1,$tmp

subi $inp,$inp,16
add $inp,$inp,$len

vxor $inout,$inout,$tweak # :-(
vxor $inout,$inout,$tweak1 # :-)

Loop_xts_dec_short:
?vperm $rndkey1,$rndkey1,$rndkey0,$keyperm
vncipher $inout,$inout,$rndkey1
lvx $rndkey1,$idx,$key1
addi $idx,$idx,16
?vperm $rndkey0,$rndkey0,$rndkey1,$keyperm

```



```

vncipher $inout,$inout,$rndkey0
lvx $rndkey0,$idx,$key1
addi $idx,$idx,16
bdnz Loop_xts_dec_short

?vperm $rndkey1,$rndkey1,$rndkey0,$keyperm
vncipher $inout,$inout,$rndkey1
lvx $rndkey1,$idx,$key1
li $idx,16
?vperm $rndkey0,$rndkey0,$rndkey1,$keyperm
vxor $rndkey0,$rndkey0,$tweak1
vncipherlast $output,$inout,$rndkey0

le?vperm $tmp,$output,$output,$leperm
be?nop
le?stvx_u $tmp,0,$out
be?stvx_u $output,0,$out

vmr $inout,$inptail
lvx $inptail,0,$inp
#addi $inp,$inp,16
lvx $rndkey0,0,$key1
lvx $rndkey1,$idx,$key1
addi $idx,$idx,16
vperm $inout,$inout,$inptail,$inpperm
?vperm $rndkey0,$rndkey0,$rndkey1,$keyperm

lvsr $inpperm,0,$len # $inpperm is no longer needed
vxor $inptail,$inptail,$inptail # $inptail is no longer needed
vspltisb $tmp,-1
vperm $inptail,$inptail,$tmp,$inpperm
vsel $inout,$inout,$output,$inptail

vxor $rndkey0,$rndkey0,$tweak
vxor $inout,$inout,$rndkey0
lvx $rndkey0,$idx,$key1
addi $idx,$idx,16

subi r11,$out,1
mtctr $len
li $len,16
Loop_xts_dec_steal:
lbzu r0,1(r11)
stb r0,16(r11)
bdnz Loop_xts_dec_steal

mtctr $rounds
b Loop_xts_dec # one more time...

```

```

Lxts_dec_done:
    mtspr 256,r12 # restore vrsave
    li r3,0
    blr
    .long 0
    .byte 0,12,0x04,0,0x80,6,6,0
    .long 0
    .size ${prefix}_xts_decrypt,-.${prefix}_xts_decrypt
    _____
#####
{{ # Optimized XTS procedures #
my $key_="r11";
my ($x00,$x10,$x20,$x30,$x40,$x50,$x60,$x70)=map("r$_",(0,8,26..31));
    $x00=0 if ($flavour =~ /osx/);
my ($in0, $in1, $in2, $in3, $in4, $in5 )=map("v$_",(0..5));
my ($out0, $out1, $out2, $out3, $out4, $out5)=map("v$_",(7,12..16));
my ($twk0, $twk1, $twk2, $twk3, $twk4, $twk5)=map("v$_",(17..22));
my $rndkey0="v23"; # v24-v25 rotating buffer for first found keys
    # v26-v31 last 6 round keys
my ($keyperm)=$out0; # aliases with "caller", redundant assignment
my $taillen=$x70;

$code.=<<<____;
.align 5
_esp8_xts_encrypt6x:
    $STU $sp,-(`$FRAME+21*16+6*$$SIZE_T)`($sp)
    mflr r0
    li r7,`$FRAME+8*16+15`
    li r8,`$FRAME+8*16+31`
    $PUSH r0,`$FRAME+21*16+6*$$SIZE_T+$LRSAVE`($sp)
    stvx v20,r7,$sp # ABI says so
    addi r7,r7,32
    stvx v21,r8,$sp
    addi r8,r8,32
    stvx v22,r7,$sp
    addi r7,r7,32
    stvx v23,r8,$sp
    addi r8,r8,32
    stvx v24,r7,$sp
    addi r7,r7,32
    stvx v25,r8,$sp
    addi r8,r8,32
    stvx v26,r7,$sp
    addi r7,r7,32
    stvx v27,r8,$sp
    addi r8,r8,32
    stvx v28,r7,$sp

```

```

addi r7,r7,32
stvx v29,r8,$sp
addi r8,r8,32
stvx v30,r7,$sp
stvx v31,r8,$sp
mr r7,r0
li r0,-1
stw $vrsave,`$FRAME+21*16-4`($sp) # save vrsave
li $x10,0x10
$PUSH r26,`$FRAME+21*16+0*$SIZE_T`($sp)
li $x20,0x20
$PUSH r27,`$FRAME+21*16+1*$SIZE_T`($sp)
li $x30,0x30
$PUSH r28,`$FRAME+21*16+2*$SIZE_T`($sp)
li $x40,0x40
$PUSH r29,`$FRAME+21*16+3*$SIZE_T`($sp)
li $x50,0x50
$PUSH r30,`$FRAME+21*16+4*$SIZE_T`($sp)
li $x60,0x60
$PUSH r31,`$FRAME+21*16+5*$SIZE_T`($sp)
li $x70,0x70
mtspr 256,r0

```

```

subi $rounds,$rounds,3 # -4 in total

```

```

lvx $rndkey0,$x00,$key1 # load key schedule
lvx v30,$x10,$key1
addi $key1,$key1,0x20
lvx v31,$x00,$key1
?vperm $rndkey0,$rndkey0,v30,$keyperm
addi $key_,$sp,$FRAME+15
mtctr $rounds

```

Load\_xts\_enc\_key:

```

?vperm v24,v30,v31,$keyperm
lvx v30,$x10,$key1
addi $key1,$key1,0x20
stvx v24,$x00,$key_ # off-load round[1]
?vperm v25,v31,v30,$keyperm
lvx v31,$x00,$key1
stvx v25,$x10,$key_ # off-load round[2]
addi $key_,$key_,0x20
bdnz Load_xts_enc_key

```

```

lvx v26,$x10,$key1
?vperm v24,v30,v31,$keyperm
lvx v27,$x20,$key1
stvx v24,$x00,$key_ # off-load round[3]

```

```

?vperm v25,v31,v26,$keyperm
lvx v28,$x30,$key1
stvx v25,$x10,$key_ # off-load round[4]
addi $key_,$sp,$FRAME+15 # rewind $key_
?vperm v26,v26,v27,$keyperm
lvx v29,$x40,$key1
?vperm v27,v27,v28,$keyperm
lvx v30,$x50,$key1
?vperm v28,v28,v29,$keyperm
lvx v31,$x60,$key1
?vperm v29,v29,v30,$keyperm
lvx $twk5,$x70,$key1 # borrow $twk5
?vperm v30,v30,v31,$keyperm
lvx v24,$x00,$key_ # pre-load round[1]
?vperm v31,v31,$twk5,$keyperm
lvx v25,$x10,$key_ # pre-load round[2]

```

```

vperm $in0,$inout,$inptail,$inpperm
subi $inp,$inp,31 # undo "caller"
vxor $twk0,$tweak,$rndkey0
vsrab $tmp,$tweak,$seven # next tweak value
vaddubm $tweak,$tweak,$tweak
vsldoi $tmp,$tmp,$tmp,15
vand $tmp,$tmp,$eighty7
vxor $out0,$in0,$twk0
vxor $tweak,$tweak,$tmp

```

```

lvx_u $in1,$x10,$inp
vxor $twk1,$tweak,$rndkey0
vsrab $tmp,$tweak,$seven # next tweak value
vaddubm $tweak,$tweak,$tweak
vsldoi $tmp,$tmp,$tmp,15
le?vperm $in1,$in1,$in1,$leperm
vand $tmp,$tmp,$eighty7
vxor $out1,$in1,$twk1
vxor $tweak,$tweak,$tmp

```

```

lvx_u $in2,$x20,$inp
andi. $taillen,$len,15
vxor $twk2,$tweak,$rndkey0
vsrab $tmp,$tweak,$seven # next tweak value
vaddubm $tweak,$tweak,$tweak
vsldoi $tmp,$tmp,$tmp,15
le?vperm $in2,$in2,$in2,$leperm
vand $tmp,$tmp,$eighty7
vxor $out2,$in2,$twk2
vxor $tweak,$tweak,$tmp

```

```

lvx_u $in3,$x30,$inp
sub $len,$len,$taillen
vxor $twk3,$tweak,$rndkey0
vsrab $tmp,$tweak,$seven # next tweak value
vaddubm $tweak,$tweak,$tweak
vsldoi $tmp,$tmp,$tmp,15
le?vperm $in3,$in3,$in3,$leperm
vand $tmp,$tmp,$eighty7
vxor $out3,$in3,$twk3
vxor $tweak,$tweak,$tmp

```

```

lvx_u $in4,$x40,$inp
subi $len,$len,0x60
vxor $twk4,$tweak,$rndkey0
vsrab $tmp,$tweak,$seven # next tweak value
vaddubm $tweak,$tweak,$tweak
vsldoi $tmp,$tmp,$tmp,15
le?vperm $in4,$in4,$in4,$leperm
vand $tmp,$tmp,$eighty7
vxor $out4,$in4,$twk4
vxor $tweak,$tweak,$tmp

```

```

lvx_u $in5,$x50,$inp
addi $inp,$inp,0x60
vxor $twk5,$tweak,$rndkey0
vsrab $tmp,$tweak,$seven # next tweak value
vaddubm $tweak,$tweak,$tweak
vsldoi $tmp,$tmp,$tmp,15
le?vperm $in5,$in5,$in5,$leperm
vand $tmp,$tmp,$eighty7
vxor $out5,$in5,$twk5
vxor $tweak,$tweak,$tmp

```

```

vxor v31,v31,$rndkey0
mtctr $rounds
b Loop_xts_enc6x

```

```

.align 5
Loop_xts_enc6x:
vcipher $out0,$out0,v24
vcipher $out1,$out1,v24
vcipher $out2,$out2,v24
vcipher $out3,$out3,v24
vcipher $out4,$out4,v24
vcipher $out5,$out5,v24
lvx v24,$x20,$key_ # round[3]
addi $key_,$key_,0x20

```

```

vcipher $out0,$out0,v25
vcipher $out1,$out1,v25
vcipher $out2,$out2,v25
vcipher $out3,$out3,v25
vcipher $out4,$out4,v25
vcipher $out5,$out5,v25
lvx v25,$x10,$key_ # round[4]
bdnz Loop_xts_enc6x

subic $len,$len,96 # $len-=96
vxor $in0,$twk0,v31 # xor with last round key
vcipher $out0,$out0,v24
vcipher $out1,$out1,v24
vsrab $tmp,$tweak,$seven # next tweak value
vxor $twk0,$tweak,$rndkey0
vaddubm $tweak,$tweak,$tweak
vcipher $out2,$out2,v24
vcipher $out3,$out3,v24
vsldoi $tmp,$tmp,$tmp,15
vcipher $out4,$out4,v24
vcipher $out5,$out5,v24

subfe. r0,r0,r0 # borrow?-1:0
vand $tmp,$tmp,$eighty7
vcipher $out0,$out0,v25
vcipher $out1,$out1,v25
vxor $tweak,$tweak,$tmp
vcipher $out2,$out2,v25
vcipher $out3,$out3,v25
vxor $in1,$twk1,v31
vsrab $tmp,$tweak,$seven # next tweak value
vxor $twk1,$tweak,$rndkey0
vcipher $out4,$out4,v25
vcipher $out5,$out5,v25

and r0,r0,$len
vaddubm $tweak,$tweak,$tweak
vsldoi $tmp,$tmp,$tmp,15
vcipher $out0,$out0,v26
vcipher $out1,$out1,v26
vand $tmp,$tmp,$eighty7
vcipher $out2,$out2,v26
vcipher $out3,$out3,v26
vxor $tweak,$tweak,$tmp
vcipher $out4,$out4,v26
vcipher $out5,$out5,v26

add $inp,$inp,r0 # $inp is adjusted in such

```

```

    # way that at exit from the
    # loop inX-in5 are loaded
    # with last "words"
    vxor $in2,$twk2,v31
    vsrab $tmp,$tweak,$seven # next tweak value
    vxor $twk2,$tweak,$rndkey0
    vaddubm $tweak,$tweak,$tweak
    vcipher $out0,$out0,v27
    vcipher $out1,$out1,v27
    vsldoi $tmp,$tmp,$tmp,15
    vcipher $out2,$out2,v27
    vcipher $out3,$out3,v27
    vand $tmp,$tmp,$eighty7
    vcipher $out4,$out4,v27
    vcipher $out5,$out5,v27

    addi $key_,$sp,$FRAME+15 # rewind $key_
    vxor $tweak,$tweak,$tmp
    vcipher $out0,$out0,v28
    vcipher $out1,$out1,v28
    vxor $in3,$twk3,v31
    vsrab $tmp,$tweak,$seven # next tweak value
    vxor $twk3,$tweak,$rndkey0
    vcipher $out2,$out2,v28
    vcipher $out3,$out3,v28
    vaddubm $tweak,$tweak,$tweak
    vsldoi $tmp,$tmp,$tmp,15
    vcipher $out4,$out4,v28
    vcipher $out5,$out5,v28
    lvx v24,$x00,$key_ # re-pre-load round[1]
    vand $tmp,$tmp,$eighty7

    vcipher $out0,$out0,v29
    vcipher $out1,$out1,v29
    vxor $tweak,$tweak,$tmp
    vcipher $out2,$out2,v29
    vcipher $out3,$out3,v29
    vxor $in4,$twk4,v31
    vsrab $tmp,$tweak,$seven # next tweak value
    vxor $twk4,$tweak,$rndkey0
    vcipher $out4,$out4,v29
    vcipher $out5,$out5,v29
    lvx v25,$x10,$key_ # re-pre-load round[2]
    vaddubm $tweak,$tweak,$tweak
    vsldoi $tmp,$tmp,$tmp,15

    vcipher $out0,$out0,v30
    vcipher $out1,$out1,v30

```

```

vand $tmp,$tmp,$eighty7
vcipher $out2,$out2,v30
vcipher $out3,$out3,v30
vxor $tweak,$tweak,$tmp
vcipher $out4,$out4,v30
vcipher $out5,$out5,v30
vxor $in5,$twk5,v31
vsrab $tmp,$tweak,$seven # next tweak value
vxor $twk5,$tweak,$rndkey0

vcipherlast $out0,$out0,$in0
lvx_u $in0,$x00,$inp # load next input block
vaddubm $tweak,$tweak,$tweak
vsldoi $tmp,$tmp,$tmp,15
vcipherlast $out1,$out1,$in1
lvx_u $in1,$x10,$inp
vcipherlast $out2,$out2,$in2
le?vperm $in0,$in0,$in0,$leperm
lvx_u $in2,$x20,$inp
vand $tmp,$tmp,$eighty7
vcipherlast $out3,$out3,$in3
le?vperm $in1,$in1,$in1,$leperm
lvx_u $in3,$x30,$inp
vcipherlast $out4,$out4,$in4
le?vperm $in2,$in2,$in2,$leperm
lvx_u $in4,$x40,$inp
vxor $tweak,$tweak,$tmp
vcipherlast $tmp,$out5,$in5 # last block might be needed
    # in stealing mode
le?vperm $in3,$in3,$in3,$leperm
lvx_u $in5,$x50,$inp
addi $inp,$inp,0x60
le?vperm $in4,$in4,$in4,$leperm
le?vperm $in5,$in5,$in5,$leperm

le?vperm $out0,$out0,$out0,$leperm
le?vperm $out1,$out1,$out1,$leperm
stvx_u $out0,$x00,$out # store output
vxor $out0,$in0,$twk0
le?vperm $out2,$out2,$out2,$leperm
stvx_u $out1,$x10,$out
vxor $out1,$in1,$twk1
le?vperm $out3,$out3,$out3,$leperm
stvx_u $out2,$x20,$out
vxor $out2,$in2,$twk2
le?vperm $out4,$out4,$out4,$leperm
stvx_u $out3,$x30,$out
vxor $out3,$in3,$twk3

```



```

le?vperm $out5,$tmp,$tmp,$leperm
stvx_u $out4,$x40,$out
v xor $out4,$in4,$twk4
le?stvx_u $out5,$x50,$out
be?stvx_u $tmp, $x50,$out
v xor $out5,$in5,$twk5
addi $out,$out,0x60

mtctr $rounds
beq Loop_xts_enc6x # did $len==96 borrow?

addic $len,$len,0x60
beq Lxts_enc6x_zero
cmpwi $len,0x20
blt Lxts_enc6x_one
nop
beq Lxts_enc6x_two
cmpwi $len,0x40
blt Lxts_enc6x_three
nop
beq Lxts_enc6x_four

Lxts_enc6x_five:
v xor $out0,$in1,$twk0
v xor $out1,$in2,$twk1
v xor $out2,$in3,$twk2
v xor $out3,$in4,$twk3
v xor $out4,$in5,$twk4

bl _aesp8_xts_enc5x

le?vperm $out0,$out0,$out0,$leperm
vmr $twk0,$twk5 # unused tweak
le?vperm $out1,$out1,$out1,$leperm
stvx_u $out0,$x00,$out # store output
le?vperm $out2,$out2,$out2,$leperm
stvx_u $out1,$x10,$out
le?vperm $out3,$out3,$out3,$leperm
stvx_u $out2,$x20,$out
v xor $tmp,$out4,$twk5 # last block prep for stealing
le?vperm $out4,$out4,$out4,$leperm
stvx_u $out3,$x30,$out
stvx_u $out4,$x40,$out
addi $out,$out,0x50
bne Lxts_enc6x_steal
b Lxts_enc6x_done

.align 4

```

```

Lxts_enc6x_four:
    vxor $out0,$in2,$twk0
    vxor $out1,$in3,$twk1
    vxor $out2,$in4,$twk2
    vxor $out3,$in5,$twk3
    vxor $out4,$out4,$out4

    bl _aesp8_xts_enc5x

    le?vperm $out0,$out0,$out0,$leperm
    vmr $twk0,$twk4 # unused tweak
    le?vperm $out1,$out1,$out1,$leperm
    stvx_u $out0,$x00,$out # store output
    le?vperm $out2,$out2,$out2,$leperm
    stvx_u $out1,$x10,$out
    vxor $tmp,$out3,$twk4 # last block prep for stealing
    le?vperm $out3,$out3,$out3,$leperm
    stvx_u $out2,$x20,$out
    stvx_u $out3,$x30,$out
    addi $out,$out,0x40
    bne Lxts_enc6x_steal
    b Lxts_enc6x_done

.align 4
Lxts_enc6x_three:
    vxor $out0,$in3,$twk0
    vxor $out1,$in4,$twk1
    vxor $out2,$in5,$twk2
    vxor $out3,$out3,$out3
    vxor $out4,$out4,$out4

    bl _aesp8_xts_enc5x

    le?vperm $out0,$out0,$out0,$leperm
    vmr $twk0,$twk3 # unused tweak
    le?vperm $out1,$out1,$out1,$leperm
    stvx_u $out0,$x00,$out # store output
    vxor $tmp,$out2,$twk3 # last block prep for stealing
    le?vperm $out2,$out2,$out2,$leperm
    stvx_u $out1,$x10,$out
    stvx_u $out2,$x20,$out
    addi $out,$out,0x30
    bne Lxts_enc6x_steal
    b Lxts_enc6x_done

.align 4
Lxts_enc6x_two:
    vxor $out0,$in4,$twk0

```

```

vxor $out1,$in5,$twk1
vxor $out2,$out2,$out2
vxor $out3,$out3,$out3
vxor $out4,$out4,$out4

bl _aesp8_xts_enc5x

le?vperm $out0,$out0,$out0,$leperm
vmr $twk0,$twk2 # unused tweak
vxor $tmp,$out1,$twk2 # last block prep for stealing
le?vperm $out1,$out1,$out1,$leperm
stvx_u $out0,$x00,$out # store output
stvx_u $out1,$x10,$out
addi $out,$out,0x20
bne Lxts_enc6x_steal
b Lxts_enc6x_done

.align 4
Lxts_enc6x_one:
vxor $out0,$in5,$twk0
nop
Loop_xts_enc1x:
vcipher $out0,$out0,v24
lvx v24,$x20,$key_ # round[3]
addi $key_,$key_,0x20

vcipher $out0,$out0,v25
lvx v25,$x10,$key_ # round[4]
bdnz Loop_xts_enc1x

add $inp,$inp,$taillen
cmpwi $taillen,0
vcipher $out0,$out0,v24

subi $inp,$inp,16
vcipher $out0,$out0,v25

lvsr $inperm,0,$taillen
vcipher $out0,$out0,v26

lvx_u $in0,0,$inp
vcipher $out0,$out0,v27

addi $key_,$sp,$FRAME+15 # rewind $key_
vcipher $out0,$out0,v28
lvx v24,$x00,$key_ # re-pre-load round[1]

vcipher $out0,$out0,v29

```

```

lvx v25,$x10,$key_ # re-pre-load round[2]
vxor $twk0,$twk0,v31

le?vperm $in0,$in0,$in0,$leperm
vcipher $out0,$out0,v30

vperm $in0,$in0,$in0,$inpperm
vcipherlast $out0,$out0,$twk0

vmr $twk0,$twk1 # unused tweak
vxor $tmp,$out0,$twk1 # last block prep for stealing
le?vperm $out0,$out0,$out0,$leperm
stvx_u $out0,$x00,$out # store output
addi $out,$out,0x10
bne Lxts_enc6x_steal
b Lxts_enc6x_done

.align 4
Lxts_enc6x_zero:
cmpwi $taillen,0
beq Lxts_enc6x_done

add $inp,$inp,$taillen
subi $inp,$inp,16
lvx_u $in0,0,$inp
lvsr $inpperm,0,$taillen # $in5 is no more
le?vperm $in0,$in0,$in0,$leperm
vperm $in0,$in0,$in0,$inpperm
vxor $tmp,$tmp,$twk0
Lxts_enc6x_steal:
vxor $in0,$in0,$twk0
vxor $out0,$out0,$out0
vspltisb $out1,-1
vperm $out0,$out0,$out1,$inpperm
vsel $out0,$in0,$tmp,$out0 # $tmp is last block, remember?

subi r3,$out,17
subi $out,$out,16
mtctr $taillen
Loop_xts_enc6x_steal:
lbzu r0,1(r3)
stb r0,16(r3)
bdnz Loop_xts_enc6x_steal

li $taillen,0
mtctr $rounds
b Loop_xts_enc1x # one more time...

```

```

.align 4
Lxts_enc6x_done:
    mtlr r7
    li r10,`$FRAME+15`
    li r11,`$FRAME+31`
    stvx $seven,r10,$sp # wipe copies of round keys
    addi r10,r10,32
    stvx $seven,r11,$sp
    addi r11,r11,32
    stvx $seven,r10,$sp
    addi r10,r10,32
    stvx $seven,r11,$sp
    addi r11,r11,32
    stvx $seven,r10,$sp
    addi r10,r10,32
    stvx $seven,r11,$sp
    addi r11,r11,32
    stvx $seven,r10,$sp
    addi r10,r10,32
    stvx $seven,r11,$sp
    addi r11,r11,32

    mtspr 256,$vrsave
    lvx v20,r10,$sp # ABI says so
    addi r10,r10,32
    lvx v21,r11,$sp
    addi r11,r11,32
    lvx v22,r10,$sp
    addi r10,r10,32
    lvx v23,r11,$sp
    addi r11,r11,32
    lvx v24,r10,$sp
    addi r10,r10,32
    lvx v25,r11,$sp
    addi r11,r11,32
    lvx v26,r10,$sp
    addi r10,r10,32
    lvx v27,r11,$sp
    addi r11,r11,32
    lvx v28,r10,$sp
    addi r10,r10,32
    lvx v29,r11,$sp
    addi r11,r11,32
    lvx v30,r10,$sp
    lvx v31,r11,$sp
    $POP r26,`$FRAME+21*16+0*$SIZE_T`($sp)
    $POP r27,`$FRAME+21*16+1*$SIZE_T`($sp)
    $POP r28,`$FRAME+21*16+2*$SIZE_T`($sp)

```

```

$POP r29,`$FRAME+21*16+3*$SIZE_T`($sp)
$POP r30,`$FRAME+21*16+4*$SIZE_T`($sp)
$POP r31,`$FRAME+21*16+5*$SIZE_T`($sp)
addi $sp,$sp,`$FRAME+21*16+6*$SIZE_T`
blr
.long 0
.byte 0,12,0x04,1,0x80,6,6,0
.long 0

```

```

.align 5
_aesp8_xts_enc5x:
vcipher $out0,$out0,v24
vcipher $out1,$out1,v24
vcipher $out2,$out2,v24
vcipher $out3,$out3,v24
vcipher $out4,$out4,v24
lvx v24,$x20,$key_ # round[3]
addi $key_,$key_,0x20

```

```

vcipher $out0,$out0,v25
vcipher $out1,$out1,v25
vcipher $out2,$out2,v25
vcipher $out3,$out3,v25
vcipher $out4,$out4,v25
lvx v25,$x10,$key_ # round[4]
bdnz _aesp8_xts_enc5x

```

```

add $inp,$inp,$taillen
cmpwi $taillen,0
vcipher $out0,$out0,v24
vcipher $out1,$out1,v24
vcipher $out2,$out2,v24
vcipher $out3,$out3,v24
vcipher $out4,$out4,v24

```

```

subi $inp,$inp,16
vcipher $out0,$out0,v25
vcipher $out1,$out1,v25
vcipher $out2,$out2,v25
vcipher $out3,$out3,v25
vcipher $out4,$out4,v25
vxor $twk0,$twk0,v31

```

```

vcipher $out0,$out0,v26
lvsr $inpperm,r0,$taillen # $in5 is no more
vcipher $out1,$out1,v26
vcipher $out2,$out2,v26
vcipher $out3,$out3,v26

```

```

vcipher $out4,$out4,v26
vxor $in1,$stk1,v31

vcipher $out0,$out0,v27
lvx_u $in0,0,$inp
vcipher $out1,$out1,v27
vcipher $out2,$out2,v27
vcipher $out3,$out3,v27
vcipher $out4,$out4,v27
vxor $in2,$stk2,v31

addi $key_,$sp,$FRAME+15 # rewind $key_
vcipher $out0,$out0,v28
vcipher $out1,$out1,v28
vcipher $out2,$out2,v28
vcipher $out3,$out3,v28
vcipher $out4,$out4,v28
lvx v24,$x00,$key_ # re-pre-load round[1]
vxor $in3,$stk3,v31

vcipher $out0,$out0,v29
le?vperm $in0,$in0,$in0,$leperm
vcipher $out1,$out1,v29
vcipher $out2,$out2,v29
vcipher $out3,$out3,v29
vcipher $out4,$out4,v29
lvx v25,$x10,$key_ # re-pre-load round[2]
vxor $in4,$stk4,v31

vcipher $out0,$out0,v30
vperm $in0,$in0,$in0,$inpperm
vcipher $out1,$out1,v30
vcipher $out2,$out2,v30
vcipher $out3,$out3,v30
vcipher $out4,$out4,v30

vcipherlast $out0,$out0,$stk0
vcipherlast $out1,$out1,$in1
vcipherlast $out2,$out2,$in2
vcipherlast $out3,$out3,$in3
vcipherlast $out4,$out4,$in4
blr
    .long 0
    .byte 0,12,0x14,0,0,0,0

.align 5
_esp8_xts_decrypt6x:
$STU $sp,-`($FRAME+21*16+6*$SIZE_T)`($sp)

```

```

mflr r0
li r7,`$FRAME+8*16+15`
li r8,`$FRAME+8*16+31`
$PUSH r0,`$FRAME+21*16+6*$SIZE_T+$LRSAVE`($sp)
stvx v20,r7,$sp # ABI says so
addi r7,r7,32
stvx v21,r8,$sp
addi r8,r8,32
stvx v22,r7,$sp
addi r7,r7,32
stvx v23,r8,$sp
addi r8,r8,32
stvx v24,r7,$sp
addi r7,r7,32
stvx v25,r8,$sp
addi r8,r8,32
stvx v26,r7,$sp
addi r7,r7,32
stvx v27,r8,$sp
addi r8,r8,32
stvx v28,r7,$sp
addi r7,r7,32
stvx v29,r8,$sp
addi r8,r8,32
stvx v30,r7,$sp
stvx v31,r8,$sp
mr r7,r0
li r0,-1
stw $vrsave,`$FRAME+21*16-4`($sp) # save vrsave
li $x10,0x10
$PUSH r26,`$FRAME+21*16+0*$SIZE_T`($sp)
li $x20,0x20
$PUSH r27,`$FRAME+21*16+1*$SIZE_T`($sp)
li $x30,0x30
$PUSH r28,`$FRAME+21*16+2*$SIZE_T`($sp)
li $x40,0x40
$PUSH r29,`$FRAME+21*16+3*$SIZE_T`($sp)
li $x50,0x50
$PUSH r30,`$FRAME+21*16+4*$SIZE_T`($sp)
li $x60,0x60
$PUSH r31,`$FRAME+21*16+5*$SIZE_T`($sp)
li $x70,0x70
mtspr 256,r0

subi $rounds,$rounds,3 # -4 in total

lvx $rndkey0,$x00,$key1 # load key schedule
lvx v30,$x10,$key1

```



```

addi $key1,$key1,0x20
lvx v31,$x00,$key1
?vperm $rndkey0,$rndkey0,v30,$keyperm
addi $key_,$sp,$FRAME+15
mtctr $rounds

Load_xts_dec_key:
?vperm v24,v30,v31,$keyperm
lvx v30,$x10,$key1
addi $key1,$key1,0x20
stvx v24,$x00,$key_ # off-load round[1]
?vperm v25,v31,v30,$keyperm
lvx v31,$x00,$key1
stvx v25,$x10,$key_ # off-load round[2]
addi $key_,$key_,0x20
bdnz Load_xts_dec_key

lvx v26,$x10,$key1
?vperm v24,v30,v31,$keyperm
lvx v27,$x20,$key1
stvx v24,$x00,$key_ # off-load round[3]
?vperm v25,v31,v26,$keyperm
lvx v28,$x30,$key1
stvx v25,$x10,$key_ # off-load round[4]
addi $key_,$sp,$FRAME+15 # rewind $key_
?vperm v26,v26,v27,$keyperm
lvx v29,$x40,$key1
?vperm v27,v27,v28,$keyperm
lvx v30,$x50,$key1
?vperm v28,v28,v29,$keyperm
lvx v31,$x60,$key1
?vperm v29,v29,v30,$keyperm
lvx $twk5,$x70,$key1 # borrow $twk5
?vperm v30,v30,v31,$keyperm
lvx v24,$x00,$key_ # pre-load round[1]
?vperm v31,v31,$twk5,$keyperm
lvx v25,$x10,$key_ # pre-load round[2]

vperm $in0,$inout,$inptail,$inpperm
subi $inp,$inp,31 # undo "caller"
vxor $twk0,$tweak,$rndkey0
vsrab $tmp,$tweak,$seven # next tweak value
vaddubm $tweak,$tweak,$tweak
vsldoi $tmp,$tmp,$tmp,15
vand $tmp,$tmp,$eighty7
vxor $out0,$in0,$twk0
vxor $tweak,$tweak,$tmp

```

```
lvx_u $in1,$x10,$inp
vxor $twk1,$tweak,$rndkey0
vsrab $tmp,$tweak,$seven # next tweak value
vaddubm $tweak,$tweak,$tweak
vsldoi $tmp,$tmp,$tmp,15
le?vperm $in1,$in1,$in1,$leperm
vand $tmp,$tmp,$eighty7
vxor $out1,$in1,$twk1
vxor $tweak,$tweak,$tmp
```

```
lvx_u $in2,$x20,$inp
andi. $taillen,$len,15
vxor $twk2,$tweak,$rndkey0
vsrab $tmp,$tweak,$seven # next tweak value
vaddubm $tweak,$tweak,$tweak
vsldoi $tmp,$tmp,$tmp,15
le?vperm $in2,$in2,$in2,$leperm
vand $tmp,$tmp,$eighty7
vxor $out2,$in2,$twk2
vxor $tweak,$tweak,$tmp
```

```
lvx_u $in3,$x30,$inp
sub $len,$len,$taillen
vxor $twk3,$tweak,$rndkey0
vsrab $tmp,$tweak,$seven # next tweak value
vaddubm $tweak,$tweak,$tweak
vsldoi $tmp,$tmp,$tmp,15
le?vperm $in3,$in3,$in3,$leperm
vand $tmp,$tmp,$eighty7
vxor $out3,$in3,$twk3
vxor $tweak,$tweak,$tmp
```

```
lvx_u $in4,$x40,$inp
subi $len,$len,0x60
vxor $twk4,$tweak,$rndkey0
vsrab $tmp,$tweak,$seven # next tweak value
vaddubm $tweak,$tweak,$tweak
vsldoi $tmp,$tmp,$tmp,15
le?vperm $in4,$in4,$in4,$leperm
vand $tmp,$tmp,$eighty7
vxor $out4,$in4,$twk4
vxor $tweak,$tweak,$tmp
```

```
lvx_u $in5,$x50,$inp
addi $inp,$inp,0x60
vxor $twk5,$tweak,$rndkey0
vsrab $tmp,$tweak,$seven # next tweak value
vaddubm $tweak,$tweak,$tweak
```

```

vsldoi $tmp,$tmp,$tmp,15
le?vperm $in5,$in5,$in5,$leperm
vand $tmp,$tmp,$eighty7
vxor $out5,$in5,$twk5
vxor $tweak,$tweak,$tmp

vxor v31,v31,$rndkey0
mtctr $rounds
b Loop_xts_dec6x

.align 5
Loop_xts_dec6x:
vncipher $out0,$out0,v24
vncipher $out1,$out1,v24
vncipher $out2,$out2,v24
vncipher $out3,$out3,v24
vncipher $out4,$out4,v24
vncipher $out5,$out5,v24
lvx v24,$x20,$key_ # round[3]
addi $key_,$key_,0x20

vncipher $out0,$out0,v25
vncipher $out1,$out1,v25
vncipher $out2,$out2,v25
vncipher $out3,$out3,v25
vncipher $out4,$out4,v25
vncipher $out5,$out5,v25
lvx v25,$x10,$key_ # round[4]
bdnz Loop_xts_dec6x

subic $len,$len,96 # $len-=96
vxor $in0,$twk0,v31 # xor with last round key
vncipher $out0,$out0,v24
vncipher $out1,$out1,v24
vsrab $tmp,$tweak,$seven # next tweak value
vxor $twk0,$tweak,$rndkey0
vaddubm $tweak,$tweak,$tweak
vncipher $out2,$out2,v24
vncipher $out3,$out3,v24
vsldoi $tmp,$tmp,$tmp,15
vncipher $out4,$out4,v24
vncipher $out5,$out5,v24

subfe. r0,r0,r0 # borrow?-1:0
vand $tmp,$tmp,$eighty7
vncipher $out0,$out0,v25
vncipher $out1,$out1,v25
vxor $tweak,$tweak,$tmp

```

```

vncipher $out2,$out2,v25
vncipher $out3,$out3,v25
vxor $in1,$twk1,v31
vsrab $tmp,$tweak,$seven # next tweak value
vxor $twk1,$tweak,$rndkey0
vncipher $out4,$out4,v25
vncipher $out5,$out5,v25

```

```

and r0,r0,$len
vaddubm $tweak,$tweak,$tweak
vsldoi $tmp,$tmp,$tmp,15
vncipher $out0,$out0,v26
vncipher $out1,$out1,v26
vand $tmp,$tmp,$eighty7
vncipher $out2,$out2,v26
vncipher $out3,$out3,v26
vxor $tweak,$tweak,$tmp
vncipher $out4,$out4,v26
vncipher $out5,$out5,v26

```

```

add $inp,$inp,r0 # $inp is adjusted in such
# way that at exit from the
# loop inX-in5 are loaded
# with last "words"
vxor $in2,$twk2,v31
vsrab $tmp,$tweak,$seven # next tweak value
vxor $twk2,$tweak,$rndkey0
vaddubm $tweak,$tweak,$tweak
vncipher $out0,$out0,v27
vncipher $out1,$out1,v27
vsldoi $tmp,$tmp,$tmp,15
vncipher $out2,$out2,v27
vncipher $out3,$out3,v27
vand $tmp,$tmp,$eighty7
vncipher $out4,$out4,v27
vncipher $out5,$out5,v27

```

```

addi $key_,$sp,$FRAME+15 # rewind $key_
vxor $tweak,$tweak,$tmp
vncipher $out0,$out0,v28
vncipher $out1,$out1,v28
vxor $in3,$twk3,v31
vsrab $tmp,$tweak,$seven # next tweak value
vxor $twk3,$tweak,$rndkey0
vncipher $out2,$out2,v28
vncipher $out3,$out3,v28
vaddubm $tweak,$tweak,$tweak
vsldoi $tmp,$tmp,$tmp,15

```

```

vncipher $out4,$out4,v28
vncipher $out5,$out5,v28
lvx v24,$x00,$key_ # re-pre-load round[1]
vand $tmp,$tmp,$eighty7

vncipher $out0,$out0,v29
vncipher $out1,$out1,v29
vxor $tweak,$tweak,$tmp
vncipher $out2,$out2,v29
vncipher $out3,$out3,v29
vxor $in4,$twk4,v31
vsrab $tmp,$tweak,$seven # next tweak value
vxor $twk4,$tweak,$rndkey0
vncipher $out4,$out4,v29
vncipher $out5,$out5,v29
lvx v25,$x10,$key_ # re-pre-load round[2]
vaddubm $tweak,$tweak,$tweak
vsldoi $tmp,$tmp,$tmp,15

vncipher $out0,$out0,v30
vncipher $out1,$out1,v30
vand $tmp,$tmp,$eighty7
vncipher $out2,$out2,v30
vncipher $out3,$out3,v30
vxor $tweak,$tweak,$tmp
vncipher $out4,$out4,v30
vncipher $out5,$out5,v30
vxor $in5,$twk5,v31
vsrab $tmp,$tweak,$seven # next tweak value
vxor $twk5,$tweak,$rndkey0

vncipherlast $out0,$out0,$in0
lvx_u $in0,$x00,$inp # load next input block
vaddubm $tweak,$tweak,$tweak
vsldoi $tmp,$tmp,$tmp,15
vncipherlast $out1,$out1,$in1
lvx_u $in1,$x10,$inp
vncipherlast $out2,$out2,$in2
le?vperm $in0,$in0,$in0,$leperm
lvx_u $in2,$x20,$inp
vand $tmp,$tmp,$eighty7
vncipherlast $out3,$out3,$in3
le?vperm $in1,$in1,$in1,$leperm
lvx_u $in3,$x30,$inp
vncipherlast $out4,$out4,$in4
le?vperm $in2,$in2,$in2,$leperm
lvx_u $in4,$x40,$inp
vxor $tweak,$tweak,$tmp

```

```

vncipherlast $out5,$out5,$in5
le?vperm $in3,$in3,$in3,$leperm
lvx_u $in5,$x50,$inp
addi $inp,$inp,0x60
le?vperm $in4,$in4,$in4,$leperm
le?vperm $in5,$in5,$in5,$leperm

le?vperm $out0,$out0,$out0,$leperm
le?vperm $out1,$out1,$out1,$leperm
stvx_u $out0,$x00,$out # store output
vxor $out0,$in0,$twk0
le?vperm $out2,$out2,$out2,$leperm
stvx_u $out1,$x10,$out
vxor $out1,$in1,$twk1
le?vperm $out3,$out3,$out3,$leperm
stvx_u $out2,$x20,$out
vxor $out2,$in2,$twk2
le?vperm $out4,$out4,$out4,$leperm
stvx_u $out3,$x30,$out
vxor $out3,$in3,$twk3
le?vperm $out5,$out5,$out5,$leperm
stvx_u $out4,$x40,$out
vxor $out4,$in4,$twk4
stvx_u $out5,$x50,$out
vxor $out5,$in5,$twk5
addi $out,$out,0x60

mtctr $rounds
beq Loop_xts_dec6x # did $len-=96 borrow?

addic $len,$len,0x60
beq Lxts_dec6x_zero
cmpwi $len,0x20
blt Lxts_dec6x_one
nop
beq Lxts_dec6x_two
cmpwi $len,0x40
blt Lxts_dec6x_three
nop
beq Lxts_dec6x_four

Lxts_dec6x_five:
vxor $out0,$in1,$twk0
vxor $out1,$in2,$twk1
vxor $out2,$in3,$twk2
vxor $out3,$in4,$twk3
vxor $out4,$in5,$twk4

```

```

bl _aesp8_xts_dec5x

le?vperm $out0,$out0,$out0,$leperm
vmr $twk0,$twk5 # unused tweak
vxo $twk1,$tweak,$rndkey0
le?vperm $out1,$out1,$out1,$leperm
stvx_u $out0,$x00,$out # store output
vxo $out0,$in0,$twk1
le?vperm $out2,$out2,$out2,$leperm
stvx_u $out1,$x10,$out
le?vperm $out3,$out3,$out3,$leperm
stvx_u $out2,$x20,$out
le?vperm $out4,$out4,$out4,$leperm
stvx_u $out3,$x30,$out
stvx_u $out4,$x40,$out
addi $out,$out,0x50
bne Lxts_dec6x_steal
b Lxts_dec6x_done

```

```
.align 4
```

```

Lxts_dec6x_four:
vxo $out0,$in2,$twk0
vxo $out1,$in3,$twk1
vxo $out2,$in4,$twk2
vxo $out3,$in5,$twk3
vxo $out4,$out4,$out4

```

```
bl _aesp8_xts_dec5x
```

```

le?vperm $out0,$out0,$out0,$leperm
vmr $twk0,$twk4 # unused tweak
vmr $twk1,$twk5
le?vperm $out1,$out1,$out1,$leperm
stvx_u $out0,$x00,$out # store output
vxo $out0,$in0,$twk5
le?vperm $out2,$out2,$out2,$leperm
stvx_u $out1,$x10,$out
le?vperm $out3,$out3,$out3,$leperm
stvx_u $out2,$x20,$out
stvx_u $out3,$x30,$out
addi $out,$out,0x40
bne Lxts_dec6x_steal
b Lxts_dec6x_done

```

```
.align 4
```

```

Lxts_dec6x_three:
vxo $out0,$in3,$twk0
vxo $out1,$in4,$twk1

```

```

vxor $out2,$in5,$twk2
vxor $out3,$out3,$out3
vxor $out4,$out4,$out4

bl _aesp8_xts_dec5x

le?vperm $out0,$out0,$out0,$leperm
vmr $twk0,$twk3 # unused tweak
vmr $twk1,$twk4
le?vperm $out1,$out1,$out1,$leperm
stvx_u $out0,$x00,$out # store output
vxor $out0,$in0,$twk4
le?vperm $out2,$out2,$out2,$leperm
stvx_u $out1,$x10,$out
stvx_u $out2,$x20,$out
addi $out,$out,0x30
bne Lxts_dec6x_steal
b Lxts_dec6x_done

```

```

.align 4
Lxts_dec6x_two:
vxor $out0,$in4,$twk0
vxor $out1,$in5,$twk1
vxor $out2,$out2,$out2
vxor $out3,$out3,$out3
vxor $out4,$out4,$out4

```

```

bl _aesp8_xts_dec5x

le?vperm $out0,$out0,$out0,$leperm
vmr $twk0,$twk2 # unused tweak
vmr $twk1,$twk3
le?vperm $out1,$out1,$out1,$leperm
stvx_u $out0,$x00,$out # store output
vxor $out0,$in0,$twk3
stvx_u $out1,$x10,$out
addi $out,$out,0x20
bne Lxts_dec6x_steal
b Lxts_dec6x_done

```

```

.align 4
Lxts_dec6x_one:
vxor $out0,$in5,$twk0
nop
Loop_xts_dec1x:
vncipher $out0,$out0,v24
lvx v24,$x20,$key_ # round[3]
addi $key_,$key_,0x20

```



```

vncipher $out0,$out0,v25
lvx v25,$x10,$key_ # round[4]
bdnz Loop_xts_dec1x

subi r0,$taillen,1
vncipher $out0,$out0,v24

andi r0,r0,16
cmpwi $taillen,0
vncipher $out0,$out0,v25

sub $inp,$inp,r0
vncipher $out0,$out0,v26

lvx_u $in0,0,$inp
vncipher $out0,$out0,v27

addi $key_,$sp,$FRAME+15 # rewind $key_
vncipher $out0,$out0,v28
lvx v24,$x00,$key_ # re-pre-load round[1]

vncipher $out0,$out0,v29
lvx v25,$x10,$key_ # re-pre-load round[2]
vxor $twk0,$twk0,v31

le?vperm $in0,$in0,$in0,$leperm
vncipher $out0,$out0,v30

mtctr $rounds
vncipherlast $out0,$out0,$twk0

vmr $twk0,$twk1 # unused tweak
vmr $twk1,$twk2
le?vperm $out0,$out0,$out0,$leperm
stvx_u $out0,$x00,$out # store output
addi $out,$out,0x10
vxor $out,$in0,$twk2
bne Lxts_dec6x_steal
b Lxts_dec6x_done

.align 4
Lxts_dec6x_zero:
cmpwi $taillen,0
beq Lxts_dec6x_done

lvx_u $in0,0,$inp
le?vperm $in0,$in0,$in0,$leperm

```

```

vxor $out0,$in0,$twk1
Lxts_dec6x_steal:
vncipher $out0,$out0,v24
lvx v24,$x20,$key_ # round[3]
addi $key_,$key_,0x20

vncipher $out0,$out0,v25
lvx v25,$x10,$key_ # round[4]
bdnz Lxts_dec6x_steal

add $inp,$inp,$taillen
vncipher $out0,$out0,v24

cmpwi $taillen,0
vncipher $out0,$out0,v25

lvx_u $in0,0,$inp
vncipher $out0,$out0,v26

lvsr $inpperm,0,$taillen # $in5 is no more
vncipher $out0,$out0,v27

addi $key_,$sp,$FRAME+15 # rewind $key_
vncipher $out0,$out0,v28
lvx v24,$x00,$key_ # re-pre-load round[1]

vncipher $out0,$out0,v29
lvx v25,$x10,$key_ # re-pre-load round[2]
vxor $twk1,$twk1,v31

le?vperm $in0,$in0,$in0,$leperm
vncipher $out0,$out0,v30

vperm $in0,$in0,$in0,$inpperm
vncipherlast $tmp,$out0,$twk1

le?vperm $out0,$tmp,$tmp,$leperm
le?stvx_u $out0,0,$out
be?stvx_u $tmp,0,$out

vxor $out0,$out0,$out0
vspltisb $out1,-1
vperm $out0,$out0,$out1,$inpperm
vsel $out0,$in0,$tmp,$out0
vxor $out0,$out0,$twk0

subi r3,$out,1
mtctr $taillen

```

```

Loop_xts_dec6x_steal:
lbzu r0,1(r3)
stb r0,16(r3)
bdnz Loop_xts_dec6x_steal

li $taillen,0
mtctr $rounds
b Loop_xts_dec1x # one more time...

.align 4
Lxts_dec6x_done:
mtrl r7
li r10,`$FRAME+15`
li r11,`$FRAME+31`
stvx $seven,r10,$sp # wipe copies of round keys
addi r10,r10,32
stvx $seven,r11,$sp
addi r11,r11,32
stvx $seven,r10,$sp
addi r10,r10,32
stvx $seven,r11,$sp
addi r11,r11,32
stvx $seven,r10,$sp
addi r10,r10,32
stvx $seven,r11,$sp
addi r11,r11,32
stvx $seven,r10,$sp
addi r10,r10,32
stvx $seven,r11,$sp
addi r11,r11,32

mtspr 256,$vrsave
lvx v20,r10,$sp # ABI says so
addi r10,r10,32
lvx v21,r11,$sp
addi r11,r11,32
lvx v22,r10,$sp
addi r10,r10,32
lvx v23,r11,$sp
addi r11,r11,32
lvx v24,r10,$sp
addi r10,r10,32
lvx v25,r11,$sp
addi r11,r11,32
lvx v26,r10,$sp
addi r10,r10,32
lvx v27,r11,$sp
addi r11,r11,32

```

```

lvx v28,r10,$sp
addi r10,r10,32
lvx v29,r11,$sp
addi r11,r11,32
lvx v30,r10,$sp
lvx v31,r11,$sp
$POP r26,`$FRAME+21*16+0*$SIZE_T`($sp)
$POP r27,`$FRAME+21*16+1*$SIZE_T`($sp)
$POP r28,`$FRAME+21*16+2*$SIZE_T`($sp)
$POP r29,`$FRAME+21*16+3*$SIZE_T`($sp)
$POP r30,`$FRAME+21*16+4*$SIZE_T`($sp)
$POP r31,`$FRAME+21*16+5*$SIZE_T`($sp)
addi $sp,$sp,`$FRAME+21*16+6*$SIZE_T`
blr
.long 0
.byte 0,12,0x04,1,0x80,6,6,0
.long 0

```

```

.align 5
_esp8_xts_dec5x:
vncipher $out0,$out0,v24
vncipher $out1,$out1,v24
vncipher $out2,$out2,v24
vncipher $out3,$out3,v24
vncipher $out4,$out4,v24
lvx v24,$x20,$key_ # round[3]
addi $key_,$key_,0x20

```

```

vncipher $out0,$out0,v25
vncipher $out1,$out1,v25
vncipher $out2,$out2,v25
vncipher $out3,$out3,v25
vncipher $out4,$out4,v25
lvx v25,$x10,$key_ # round[4]
bdnz _esp8_xts_dec5x

```

```

subi r0,$taillen,1
vncipher $out0,$out0,v24
vncipher $out1,$out1,v24
vncipher $out2,$out2,v24
vncipher $out3,$out3,v24
vncipher $out4,$out4,v24

```

```

andi r0,r0,16
cmpwi $taillen,0
vncipher $out0,$out0,v25
vncipher $out1,$out1,v25
vncipher $out2,$out2,v25

```

```

vncipher $out3,$out3,v25
vncipher $out4,$out4,v25
vxor $twk0,$twk0,v31

sub $inp,$inp,r0
vncipher $out0,$out0,v26
vncipher $out1,$out1,v26
vncipher $out2,$out2,v26
vncipher $out3,$out3,v26
vncipher $out4,$out4,v26
vxor $in1,$twk1,v31

vncipher $out0,$out0,v27
lvx_u $in0,0,$inp
vncipher $out1,$out1,v27
vncipher $out2,$out2,v27
vncipher $out3,$out3,v27
vncipher $out4,$out4,v27
vxor $in2,$twk2,v31

addi $key_,$sp,$FRAME+15 # rewind $key_
vncipher $out0,$out0,v28
vncipher $out1,$out1,v28
vncipher $out2,$out2,v28
vncipher $out3,$out3,v28
vncipher $out4,$out4,v28
lvx v24,$x00,$key_ # re-pre-load round[1]
vxor $in3,$twk3,v31

vncipher $out0,$out0,v29
le?vperm $in0,$in0,$in0,$leperm
vncipher $out1,$out1,v29
vncipher $out2,$out2,v29
vncipher $out3,$out3,v29
vncipher $out4,$out4,v29
lvx v25,$x10,$key_ # re-pre-load round[2]
vxor $in4,$twk4,v31

vncipher $out0,$out0,v30
vncipher $out1,$out1,v30
vncipher $out2,$out2,v30
vncipher $out3,$out3,v30
vncipher $out4,$out4,v30

vncipherlast $out0,$out0,$twk0
vncipherlast $out1,$out1,$in1
vncipherlast $out2,$out2,$in2
vncipherlast $out3,$out3,$in3

```

```

vncipherlast $out4,$out4,$in4
mtctr $rounds
blr
    .long 0
    .byte 0,12,0x14,0,0,0,0,0
    _____
}} }}}}

my $const=1;
foreach(split("\n",$code)) {
    s/\([^\`]*\)/eval($1)/geo;

# constants table endian-specific conversion
if ($const && m/^(long|byte)\s+(\.+)\s+(\?[a-z]*)$/o) {
    my $conv=$3;
    my @bytes=();

    # convert to endian-agnostic format
    if ($1 eq "long") {
        foreach (split(/,s*/, $2)) {
            my $l = /^0/?oct:int;
            push @bytes, ($l>>24)&0xff, ($l>>16)&0xff, ($l>>8)&0xff, $l&0xff;
        }
    } else {
        @bytes = map(/^0/?oct:int, split(/,s*/, $2));
    }

    # little-endian conversion
    if ($flavour =~ /le$/o) {
        SWITCH: for($conv) {
            /^inv/ && do { @bytes=map($_^0xf, @bytes); last; };
            /^rev/ && do { @bytes=reverse(@bytes); last; };
        }
    }

    #emit
    print ".byte\t", join(', ', map (sprintf("0x%02x", $_), @bytes)), "\n";
    next;
}
$const=0 if (m/Lconst:/o); # end of table

# instructions prefixed with '?' are endian-specific and need
# to be adjusted accordingly...
if ($flavour =~ /le$/o) { # little-endian
    s/le\?//o or
    s/be\?/#be#/o or
    s/\?lvsr/lvsl/o or
    s/\?lvsl/lvsr/o or

```

```

s\^(vperm\s+v[0-9]+\s*)(v[0-9]+\s*)(v[0-9]+\s*)(v[0-9]+)/$1$3$2$4/o or
s\^(vsldoi\s+v[0-9]+\s*)(v[0-9]+\s*)(v[0-9]+\s*)([0-9]+)/$1$3$2 16-$4/o or
s\^(vspltw\s+v[0-9]+\s*)(v[0-9]+\s*)([0-9]+)/$1$2 3-$3/o;
} else { # big-endian
s/le\?/#le#/o or
s/be\?//o or
s\^?([a-z]+)/$1/o;
}

print $_, "\n";
}

close STDOUT;

```

Found in path(s):

```

* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-
2.0.16/crypto/aes/asm/aesp8-ppc.pl

```

No license file was found, but licenses were detected in source scan.

```

/* =====
* Copyright (c) 2011 The OpenSSL Project. All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.
*
* 3. All advertising materials mentioning features or use of this
* software must display the following acknowledgment:
* "This product includes software developed by the OpenSSL Project
* for use in the OpenSSL Toolkit. (http://www.OpenSSL.org/)"
*
* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to
* endorse or promote products derived from this software without
* prior written permission. For written permission, please contact
* licensing@OpenSSL.org.
*
* 5. Products derived from this software may not be called "OpenSSL"
* nor may "OpenSSL" appear in their names without prior written
* permission of the OpenSSL Project.
*

```

```

* 6. Redistributions of any form whatsoever must retain the following
* acknowledgment:
* "This product includes software developed by the OpenSSL Project
* for use in the OpenSSL Toolkit (http://www.OpenSSL.org/)"
*
* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS" AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
* =====
*
* This product includes cryptographic software written by Eric Young
* (eay@cryptsoft.com). This product includes software written by Tim
* Hudson (tjh@cryptsoft.com).
*
*/

```

Found in path(s):

```

* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-
2.0.16/fips/dsa/fips_dsa_sign.c
* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/test/fips_algvs.c
* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-
2.0.16/fips/ecdsa/fips_ecdsa_sign.c

```

No license file was found, but licenses were detected in source scan.

```

/* =====
* Copyright (c) 2005 The OpenSSL Project. All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.
*
*/

```



- \* 3. All advertising materials mentioning features or use of this
  - \* software must display the following acknowledgment:
  - \* "This product includes software developed by the OpenSSL Project
  - \* for use in the OpenSSL Toolkit. (<http://www.OpenSSL.org/>)"
  - \*
- \* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to
  - \* endorse or promote products derived from this software without
  - \* prior written permission. For written permission, please contact
  - \* [licensing@OpenSSL.org](mailto:licensing@OpenSSL.org).
  - \*
- \* 5. Products derived from this software may not be called "OpenSSL"
  - \* nor may "OpenSSL" appear in their names without prior written
  - \* permission of the OpenSSL Project.
  - \*
- \* 6. Redistributions of any form whatsoever must retain the following
  - \* acknowledgment:
  - \* "This product includes software developed by the OpenSSL Project
  - \* for use in the OpenSSL Toolkit (<http://www.OpenSSL.org/>)"
  - \*
- \* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS'' AND ANY
  - \* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
  - \* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
  - \* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR
  - \* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
  - \* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
  - \* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
  - \* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
  - \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
  - \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
  - \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
  - \* OF THE POSSIBILITY OF SUCH DAMAGE.
  - \* =====
  - \*
- \* This product includes cryptographic software written by Eric Young
  - \* ([ey@cryptsoft.com](mailto:ey@cryptsoft.com)). This product includes software written by Tim
  - \* Hudson ([tjh@cryptsoft.com](mailto:tjh@cryptsoft.com)).
  - \*
  - \* /

Found in path(s):

- \* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/bn/bn\_x931p.c
- \* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/fips/rsa/fips\_rsavtest.c
- \* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/rsa/rsa\_pss.c
- \* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/fips/rsa/fips\_rsastest.c

```

* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-
2.0.16/fips/sha/fips_shatest.c
* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-
2.0.16/crypto/rsa/rsa_x931.c
* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-
2.0.16/fips/hmac/fips_hmactest.c
* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-
2.0.16/fips/cmac/fips_cmactest.c

```

No license file was found, but licenses were detected in source scan.

```

#!/usr/bin/env perl
#
# =====
# Written by Andy Polyakov <appro@openssl.org> for the OpenSSL
# project. The module is, however, dual licensed under OpenSSL and
# CRYPTOGAMS licenses depending on where you obtain it. For further
# details see http://www.openssl.org/~appro/cryptogams/.
# =====
#
# SHA512 for C64x.
#
# November 2016
#
# Performance is ~19 cycles per processed byte. Compared to block
# transform function from sha512.c compiled with cl6x with -mv6400+
# -o2 -DOPENSSL_SMALL_FOOTPRINT it's almost 7x faster and 2x smaller.
# Loop unroll won't make it, this implementation, any faster, because
# it's effectively dominated by SHRU||SHL pairs and you can't schedule
# more of them.
#
# !!! Note that this module uses AMR, which means that all interrupt
# service routines are expected to preserve it and for own well-being
# zero it upon entry.

while (($output=shift) && ($output!~/\w[\w-]*\.\w+$/)) { }
open STDOUT,">$output";

($CTXA,$INP,$NUM) = ("A4","B4","A6");      # arguments
$K512="A3";

($Ahi,$Actxhi,$Bhi,$Bctxhi,$Chi,$Cctxhi,$Dhi,$Dctxhi,
$Ehi,$Ectxhi,$Fhi,$Fctxhi,$Ghi,$Gctxhi,$Hhi,$Hctxhi)=map("A$_",(16..31));
($Alo,$Actxlo,$Blo,$Bctxlo,$Clo,$Cctxlo,$Dlo,$Dctxlo,
$Elo,$Ectxlo,$Flo,$Fctxlo,$Glo,$Gctxlo,$Hlo,$Hctxlo)=map("B$_",(16..31));

($S1hi,$CHhi,$S0hi,$t0hi)=map("A$_",(10..13));
($S1lo,$CHlo,$S0lo,$t0lo)=map("B$_",(10..13));
($T1hi,    $T2hi)=    ("A6","A7");

```

```
($T1lo,$T1carry,$T2lo,$T2carry)=("B6","B7","B8","B9");
($Khi,$Klo)=("A9","A8");
($MAJhi,$MAJlo)=($T2hi,$T2lo);
($t1hi,$t1lo)=($Khi,"B2");
$CTXB=$t1lo;
```

```
($Xihi,$Xilo)=("A5","B5"); # circular/ring buffer
```

```
$code.=<<__;
```

```
.text
```

```
.if .ASSEMBLER_VERSION<7000000
```

```
.asg 0,__TI_EABI__
```

```
.endif
```

```
.if __TI_EABI__
```

```
.nocmp
```

```
.asg sha512_block_data_order,_sha512_block_data_order
```

```
.endif
```

```
.asg B3,RA
```

```
.asg A15,FP
```

```
.asg B15,SP
```

```
.if .BIG_ENDIAN
```

```
.asg $Khi,KHI
```

```
.asg $Klo,KLO
```

```
.else
```

```
.asg $Khi,KLO
```

```
.asg $Klo,KHI
```

```
.endif
```

```
.global _sha512_block_data_order
```

```
_sha512_block_data_order:
```

```
__sha512_block:
```

```
.asmfunc stack_usage(40+128)
```

```
MV $NUM,A0 ; reassign $NUM
```

```
|| MVK -128,B0
```

```
![A0] BNOP RA ; if ($NUM==0) return;
```

```
|| [A0] STW FP,*SP--(40) ; save frame pointer
```

```
|| [A0] MV SP,FP
```

```
[A0] STDW B13:B12,*SP[4]
```

```
|| [A0] MVK 0x00404,B1
```

```
[A0] STDW B11:B10,*SP[3]
```

```
|| [A0] STDW A13:A12,*FP[-3]
```

```
|| [A0] MVKH 0x60000,B1
```

```
[A0] STDW A11:A10,*SP[1]
```

```
|| [A0] MVC B1,AMR ; setup circular addressing
```

```
|| [A0] ADD B0,SP,SP ; alloca(128)
```

```

.if __TI_EABI__
    [A0] AND B0,SP,SP ; align stack at 128 bytes
    || [A0] ADDKPC __sha512_block,B1
    || [A0] MVKL \${PCR_OFFSET(K512,__sha512_block)},$K512
    [A0] MVKH \${PCR_OFFSET(K512,__sha512_block)},$K512
    || [A0] SUBAW SP,2,SP ; reserve two words above buffer
    .else
    [A0] AND B0,SP,SP ; align stack at 128 bytes
    || [A0] ADDKPC __sha512_block,B1
    || [A0] MVKL (K512-__sha512_block),$K512
    [A0] MVKH (K512-__sha512_block),$K512
    || [A0] SUBAW SP,2,SP ; reserve two words above buffer
    .endif
    ADDAW SP,3,$Xilo
    ADD SP,4*2,$Xihi ; ADDAW SP,2,$Xihi

    || MV $CTXA,$CTXB
    LDW *${CTXA}[0^.LITTLE_ENDIAN],$Ahi ; load ctx
    || LDW *${CTXB}[1^.LITTLE_ENDIAN],$Alo
    || ADD B1,$K512,$K512
    LDW *${CTXA}[2^.LITTLE_ENDIAN],$Bhi
    || LDW *${CTXB}[3^.LITTLE_ENDIAN],$Blo
    LDW *${CTXA}[4^.LITTLE_ENDIAN],$Chi
    || LDW *${CTXB}[5^.LITTLE_ENDIAN],$Clo
    LDW *${CTXA}[6^.LITTLE_ENDIAN],$Dhi
    || LDW *${CTXB}[7^.LITTLE_ENDIAN],$Dlo
    LDW *${CTXA}[8^.LITTLE_ENDIAN],$Ehi
    || LDW *${CTXB}[9^.LITTLE_ENDIAN],$Elo
    LDW *${CTXA}[10^.LITTLE_ENDIAN],$Fhi
    || LDW *${CTXB}[11^.LITTLE_ENDIAN],$Flo
    LDW *${CTXA}[12^.LITTLE_ENDIAN],$Ghi
    || LDW *${CTXB}[13^.LITTLE_ENDIAN],$Glo
    LDW *${CTXA}[14^.LITTLE_ENDIAN],$Hhi
    || LDW *${CTXB}[15^.LITTLE_ENDIAN],$Hlo

    LDNDW *$INP++,B11:B10 ; pre-fetch input
    LDDW *$K512+,$Khi:$Klo ; pre-fetch K512[0]
    outerloop?:
    MVK 15,B0 ; loop counters
    || MVK 64,B1
    || SUB A0,1,A0
    MV $Ahi,$Actxhi
    || MV $Alo,$Actxlo
    || MV $Bhi,$Bctxhi
    || MV $Blo,$Bctxlo
    || MV $Chi,$Cctxhi
    || MV $Clo,$Cctxlo
    || MVD $Dhi,$Dctxhi

```

```

|| MVD $Dlo,$Dctxlo
MV $Ehi,$Ectxhi
|| MV $Elo,$Ectxlo
|| MV $Fhi,$Fctxhi
|| MV $Flo,$Fctxlo
|| MV $Ghi,$Gctxhi
|| MV $Glo,$Gctxlo
|| MVD $Hhi,$Hctxhi
|| MVD $Hlo,$Hctxlo
loop0_15?:
.if .BIG_ENDIAN
MV B11,$T1hi
|| MV B10,$T1lo
.else
SWAP4 B10,$T1hi
|| SWAP4 B11,$T1lo
SWAP2 $T1hi,$T1hi
|| SWAP2 $T1lo,$T1lo
.endif
STW $T1hi,*$Xihi++[2] ; original loop16_79?
|| STW $T1lo,*$Xilo++[2] ; X[i] = T1
|| ADD $Hhi,$T1hi,$T1hi
|| ADDU $Hlo,$T1lo,$T1carry:$T1lo ; T1 += h
|| SHRU $Ehi,14,$S1hi
|| SHL $Ehi,32-14,$S1lo
loop16_79?:
XOR $Fhi,$Ghi,$CHhi
|| XOR $Flo,$Glo,$CHlo
|| ADD KHI,$T1hi,$T1hi
|| ADDU KLO,$T1carry:$T1lo,$T1carry:$T1lo ; T1 += K512[i]
|| SHRU $Elo,14,$t0lo
|| SHL $Elo,32-14,$t0hi
XOR $t0hi,$S1hi,$S1hi
|| XOR $t0lo,$S1lo,$S1lo
|| AND $Ehi,$CHhi,$CHhi
|| AND $Elo,$CHlo,$CHlo
|| ROTL $Ghi,0,$Hhi
|| ROTL $Glo,0,$Hlo ; h = g
|| SHRU $Ehi,18,$t0hi
|| SHL $Ehi,32-18,$t0lo
XOR $t0hi,$S1hi,$S1hi
|| XOR $t0lo,$S1lo,$S1lo
|| XOR $Ghi,$CHhi,$CHhi
|| XOR $Glo,$CHlo,$CHlo ; Ch(e,f,g) = ((f^g)&e)^g
|| ROTL $Fhi,0,$Ghi
|| ROTL $Flo,0,$Glo ; g = f
|| SHRU $Elo,18,$t0lo
|| SHL $Elo,32-18,$t0hi

```

```

XOR $t0hi,$S1hi,$S1hi
|| XOR $t0lo,$S1lo,$S1lo
|| OR $Ahi,$Bhi,$MAJhi
|| OR $Alo,$Blo,$MAJlo
|| ROTL $Ehi,0,$Fhi
|| ROTL $Elo,0,$Flo ; f = e
|| SHRU $Ehi,41-32,$t0lo
|| SHL $Ehi,64-41,$t0hi
XOR $t0hi,$S1hi,$S1hi
|| XOR $t0lo,$S1lo,$S1lo
|| AND $Chi,$MAJhi,$MAJhi
|| AND $Clo,$MAJlo,$MAJlo
|| ROTL $Dhi,0,$Ehi
|| ROTL $Dlo,0,$Elo ; e = d
|| SHRU $Elo,41-32,$t0hi
|| SHL $Elo,64-41,$t0lo
XOR $t0hi,$S1hi,$S1hi
|| XOR $t0lo,$S1lo,$S1lo ; Sigma1(e)
|| AND $Ahi,$Bhi,$t1hi
|| AND $Alo,$Blo,$t1lo
|| ROTL $Chi,0,$Dhi
|| ROTL $Clo,0,$Dlo ; d = c
|| SHRU $Ahi,28,$S0hi
|| SHL $Ahi,32-28,$S0lo
OR $t1hi,$MAJhi,$MAJhi
|| OR $t1lo,$MAJlo,$MAJlo ; Maj(a,b,c) = ((a|b)&c)|(a&b)
|| ADD $CHhi,$T1hi,$T1hi
|| ADDU $CHlo,$T1carry:$T1lo,$T1carry:$T1lo ; T1 += Ch(e,f,g)
|| ROTL $Bhi,0,$Chi
|| ROTL $Blo,0,$Clo ; c = b
|| SHRU $Alo,28,$t0lo
|| SHL $Alo,32-28,$t0hi
XOR $t0hi,$S0hi,$S0hi
|| XOR $t0lo,$S0lo,$S0lo
|| ADD $S1hi,$T1hi,$T1hi
|| ADDU $S1lo,$T1carry:$T1lo,$T1carry:$T1lo ; T1 += Sigma1(e)
|| ROTL $Ahi,0,$Bhi
|| ROTL $Alo,0,$Blo ; b = a
|| SHRU $Ahi,34-32,$t0lo
|| SHL $Ahi,64-34,$t0hi
XOR $t0hi,$S0hi,$S0hi
|| XOR $t0lo,$S0lo,$S0lo
|| ADD $MAJhi,$T1hi,$T2hi
|| ADDU $MAJlo,$T1carry:$T1lo,$T2carry:$T2lo ; T2 = T1+Maj(a,b,c)
|| SHRU $Alo,34-32,$t0hi
|| SHL $Alo,64-34,$t0lo
XOR $t0hi,$S0hi,$S0hi
|| XOR $t0lo,$S0lo,$S0lo

```

```

|| ADD $Ehi,$T1hi,$T1hi
|| ADDU $Elo,$T1carry:$T1lo,$T1carry:$T1lo ; T1 += e
|| SHRU $Ahi,39-32,$t0lo
|| SHL $Ahi,64-39,$t0hi
[B0] BNOP loop0_15?
|| [B0] LDNDW *$INP++,B11:B10 ; pre-fetch input
XOR $t0hi,$S0hi,$S0hi
|| XOR $t0lo,$S0lo,$S0lo
|| SHRU $Alo,39-32,$t0hi
|| SHL $Alo,64-39,$t0lo
||[!B0] LDW *${Xihi}[28],$T1hi
||[!B0] LDW *${Xilo}[28],$T1lo ; X[i+14]
XOR $t0hi,$S0hi,$S0hi
|| XOR $t0lo,$S0lo,$S0lo ; Sigma0(a)
|| ADD $T1carry,$T1hi,$Ehi
|| ROTL $T1lo,0,$Elo ; e = T1, "ghost" value
||[!B1] BNOP break?
ADD $S0hi,$T2hi,$T2hi
|| ADDU $S0lo,$T2carry:$T2lo,$T2carry:$T2lo ; T2 += Sigma0(a)
|| [B1] LDDW *$K512+,$Khi:$Klo ; pre-fetch K512[i]
NOP ; avoid cross-path stall
ADD $T2carry,$T2hi,$Ahi
|| MV $T2lo,$Alo ; a = T2
|| [B0] SUB B0,1,B0
;===== branch to loop00_15? is taken here
[B1] LDW *${Xihi}[2],$T2hi
|| [B1] LDW *${Xilo}[2],$T2lo ; X[i+1]
|| [B1] SHRU $T1hi,19,$S1hi
|| [B1] SHL $T1hi,32-19,$S1lo
[B1] SHRU $T1lo,19,$t0lo
|| [B1] SHL $T1lo,32-19,$t0hi
;===== branch to break? is taken here
XOR $t0hi,$S1hi,$S1hi
|| XOR $t0lo,$S1lo,$S1lo
|| SHRU $T1hi,61-32,$t0lo
|| SHL $T1hi,64-61,$t0hi
XOR $t0hi,$S1hi,$S1hi
|| XOR $t0lo,$S1lo,$S1lo
|| SHRU $T1lo,61-32,$t0hi
|| SHL $T1lo,64-61,$t0lo
XOR $t0hi,$S1hi,$S1hi
|| XOR $t0lo,$S1lo,$S1lo
|| SHRU $T1hi,6,$t0hi
|| SHL $T1hi,32-6,$t0lo
XOR $t0hi,$S1hi,$S1hi
|| XOR $t0lo,$S1lo,$S1lo
|| SHRU $T1lo,6,$t0lo
|| LDW *${Xihi}[18],$T1hi

```

```

|| LDW *${Xilo}[18],$T1lo ; X[i+9]
XOR $t0lo,$S1lo,$S1lo ; sigma1(Xi[i+14])

|| LDW *${Xihi}[0],$CHhi
|| LDW *${Xilo}[0],$CHlo ; X[i]
|| SHRU $T2hi,1,$S0hi
|| SHL $T2hi,32-1,$S0lo
SHRU $T2lo,1,$t0lo
|| SHL $T2lo,32-1,$t0hi
XOR $t0hi,$S0hi,$S0hi
|| XOR $t0lo,$S0lo,$S0lo
|| SHRU $T2hi,8,$t0hi
|| SHL $T2hi,32-8,$t0lo
XOR $t0hi,$S0hi,$S0hi
|| XOR $t0lo,$S0lo,$S0lo
|| SHRU $T2lo,8,$t0lo
|| SHL $T2lo,32-8,$t0hi
XOR $t0hi,$S0hi,$S0hi
|| XOR $t0lo,$S0lo,$S0lo
|| ADD $S1hi,$T1hi,$T1hi
|| ADDU $S1lo,$T1lo,$T1carry:$T1lo ; T1 = X[i+9]+sigma1()
|| SHRU $T2hi,7,$t0hi
|| SHL $T2hi,32-7,$t0lo
XOR $t0hi,$S0hi,$S0hi
|| XOR $t0lo,$S0lo,$S0lo
|| ADD $CHhi,$T1hi,$T1hi
|| ADDU $CHlo,$T1carry:$T1lo,$T1carry:$T1lo ; T1 += X[i]
|| SHRU $T2lo,7,$t0lo
|| [B1] BNOP loop16_79?
XOR $t0lo,$S0lo,$S0lo ; sigma0(Xi[i+1])

ADD $S0hi,$T1hi,$T1hi
|| ADDU $S0lo,$T1carry:$T1lo,$T1carry:$T1lo ; T1 += sigma0()
|| [B1] SUB B1,1,B1
NOP ; avoid cross-path stall
ADD $T1carry,$T1hi,$T1hi

STW $T1hi,*$Xihi++[2] ; copied "top" bundle
|| STW $T1lo,*$Xilo++[2] ; X[i] = T1
|| ADD $Hhi,$T1hi,$T1hi
|| ADDU $Hlo,$T1lo,$T1carry:$T1lo ; T1 += h
|| SHRU $Ehi,14,$S1hi
|| SHL $Ehi,32-14,$S1lo
;===== branch to loop16_79? is taken here

break?:
ADD $Ahi,$Actxhi,$Ahi ; accumulate ctx
|| ADDU $Alo,$Actxlo,$Actxlo:$Alo

```



```

|| [A0] LDNDW *$INP++,B11:B10 ; pre-fetch input
|| [A0] ADDK -640,$K512 ; rewind pointer to K512
ADD $Bhi,$Bctxhi,$Bhi
|| ADDU $Blo,$Bctxlo,$Bctxlo:$Blo
|| [A0] LDDW *$K512+,$Khi:$Klo ; pre-fetch K512[0]
ADD $Chi,$Cctxhi,$Chi
|| ADDU $Clo,$Cctxlo,$Cctxlo:$Clo
|| ADD $Actxlo,$Ahi,$Ahi
||[!A0] MV $CTXA,$CTXB
ADD $Dhi,$Dctxhi,$Dhi
|| ADDU $Dlo,$Dctxlo,$Dctxlo:$Dlo
|| ADD $Bctxlo,$Bhi,$Bhi
||[!A0] STW $Ahi,*${CTXA}[0^.LITTLE_ENDIAN] ; save ctx
||[!A0] STW $Alo,*${CTXB}[1^.LITTLE_ENDIAN]
ADD $Ehi,$Ectxhi,$Ehi
|| ADDU $Elo,$Ectxlo,$Ectxlo:$Elo
|| ADD $Cctxlo,$Chi,$Chi
|| [A0] BNOP outerloop?
||[!A0] STW $Bhi,*${CTXA}[2^.LITTLE_ENDIAN]
||[!A0] STW $Blo,*${CTXB}[3^.LITTLE_ENDIAN]
ADD $Fhi,$Fctxhi,$Fhi
|| ADDU $Flo,$Fctxlo,$Fctxlo:$Flo
|| ADD $Dctxlo,$Dhi,$Dhi
||[!A0] STW $Chi,*${CTXA}[4^.LITTLE_ENDIAN]
||[!A0] STW $Clo,*${CTXB}[5^.LITTLE_ENDIAN]
ADD $Ghi,$Gctxhi,$Ghi
|| ADDU $Glo,$Gctxlo,$Gctxlo:$Glo
|| ADD $Ectxlo,$Ehi,$Ehi
||[!A0] STW $Dhi,*${CTXA}[6^.LITTLE_ENDIAN]
||[!A0] STW $Dlo,*${CTXB}[7^.LITTLE_ENDIAN]
ADD $Hhi,$Hctxhi,$Hhi
|| ADDU $Hlo,$Hctxlo,$Hctxlo:$Hlo
|| ADD $Fctxlo,$Fhi,$Fhi
||[!A0] STW $Ehi,*${CTXA}[8^.LITTLE_ENDIAN]
||[!A0] STW $Elo,*${CTXB}[9^.LITTLE_ENDIAN]
ADD $Gctxlo,$Ghi,$Ghi
||[!A0] STW $Fhi,*${CTXA}[10^.LITTLE_ENDIAN]
||[!A0] STW $Flo,*${CTXB}[11^.LITTLE_ENDIAN]
ADD $Hctxlo,$Hhi,$Hhi
||[!A0] STW $Ghi,*${CTXA}[12^.LITTLE_ENDIAN]
||[!A0] STW $Glo,*${CTXB}[13^.LITTLE_ENDIAN]
;===== branch to outerloop? is taken here

STW $Hhi,*${CTXA}[14^.LITTLE_ENDIAN]
|| STW $Hlo,*${CTXB}[15^.LITTLE_ENDIAN]
|| MVK -40,B0
ADD FP,B0,SP ; destroy circular buffer
|| LDDW *FP[-4],A11:A10

```

```

LDDW *SP[2],A13:A12
|| LDDW *FP[-2],B11:B10
LDDW *SP[4],B13:B12
|| BNOP RA
LDW *++SP(40),FP ; restore frame pointer
MVK 0,B0
MVC B0,AMR ; clear AMR
NOP 2 ; wait till FP is committed
.endasmfunc

.if __TI_EABI__
.sect ".text:sha_asm.const"
.else
.sect ".const:sha_asm"
.endif
.align 128
K512:
.uword 0x428a2f98,0xd728ae22, 0x71374491,0x23ef65cd
.uword 0xb5c0fbcf,0xec4d3b2f, 0xe9b5dba5,0x8189dbbc
.uword 0x3956c25b,0xf348b538, 0x59f111f1,0xb605d019
.uword 0x923f82a4,0xaf194f9b, 0xab1c5ed5,0xda6d8118
.uword 0xd807aa98,0xa3030242, 0x12835b01,0x45706fbe
.uword 0x243185be,0x4ee4b28c, 0x550c7dc3,0xd5ffb4e2
.uword 0x72be5d74,0xf27b896f, 0x80deb1fe,0x3b1696b1
.uword 0x9bdc06a7,0x25c71235, 0xc19bf174,0xcf692694
.uword 0xe49b69c1,0x9ef14ad2, 0xefbe4786,0x384f25e3
.uword 0x0fc19dc6,0x8b8cd5b5, 0x240ca1cc,0x77ac9c65
.uword 0x2de92c6f,0x592b0275, 0x4a7484aa,0x6ea6e483
.uword 0x5cb0a9dc,0xbd41fbd4, 0x76f988da,0x831153b5
.uword 0x983e5152,0xee66dfab, 0xa831c66d,0x2db43210
.uword 0xb00327c8,0x98fb213f, 0xbf597fc7,0xbeef0ee4
.uword 0xc6e00bf3,0x3da88fc2, 0xd5a79147,0x930aa725
.uword 0x06ca6351,0xe003826f, 0x14292967,0x0a0e6e70
.uword 0x27b70a85,0x46d22ffc, 0x2e1b2138,0x5c26c926
.uword 0x4d2c6dfc,0x5ac42aed, 0x53380d13,0x9d95b3df
.uword 0x650a7354,0x8baf63de, 0x766a0abb,0x3c77b2a8
.uword 0x81c2c92e,0x47edae66, 0x92722c85,0x1482353b
.uword 0xa2bfe8a1,0x4cf10364, 0xa81a664b,0xbc423001
.uword 0xc24b8b70,0xd0f89791, 0xc76c51a3,0x0654be30
.uword 0xd192e819,0xd6ef5218, 0xd6990624,0x5565a910
.uword 0xf40e3585,0x5771202a, 0x106aa070,0x32bbd1b8
.uword 0x19a4c116,0xb8d2d0c8, 0x1e376c08,0x5141ab53
.uword 0x2748774c,0xdf8eeb99, 0x34b0bcb5,0xe19b48a8
.uword 0x391c0cb3,0xc5c95a63, 0x4ed8aa4a,0xe3418acb
.uword 0x5b9cca4f,0x7763e373, 0x682e6ff3,0xd6b2b8a3
.uword 0x748f82ee,0x5defb2fc, 0x78a5636f,0x43172f60
.uword 0x84c87814,0xa1f0ab72, 0x8cc70208,0x1a6439ec
.uword 0x90befffa,0x23631e28, 0xa4506ceb,0xde82bde9

```

```
.uword 0xbef9a3f7,0xb2c67915, 0xc67178f2,0xe372532b
.uword 0xca273ece,0xea26619c, 0xd186b8c7,0x21c0c207
.uword 0xeada7dd6,0xcde0eb1e, 0xf57d4f7f,0xee6ed178
.uword 0x06f067aa,0x72176fba, 0x0a637dc5,0xa2c898a6
.uword 0x113f9804,0xbef90dae, 0x1b710b35,0x131c471b
.uword 0x28db77f5,0x23047d84, 0x32caab7b,0x40c72493
.uword 0x3c9ebe0a,0x15c9bebc, 0x431d67c4,0x9c100d4c
.uword 0x4cc5d4be,0xcb3e42b6, 0x597f299c,0xfc657e2a
.uword 0x5fcb6fab,0x3ad6faec, 0x6c44198c,0x4a475817
.cstring "SHA512 block transform for C64x, CRYPTOGRAMS by <appro\@openssl.org>"
.align 4
```

—

```
print $code;
close STDOUT;
```

Found in path(s):

```
* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/sha/asm/sha512-c64x.pl
```

No license file was found, but licenses were detected in source scan.

```
/* =====
```

```
* Copyright (c) 2011 The OpenSSL Project. All rights reserved.
```

```
*
```

```
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
```

```
*
```

```
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
```

```
*
```

```
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.
```

```
*
```

```
* 3. All advertising materials mentioning features or use of this
* software must display the following acknowledgment:
* "This product includes software developed by the OpenSSL Project
* for use in the OpenSSL Toolkit. (http://www.openssl.org/)"
```

```
*
```

```
* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to
* endorse or promote products derived from this software without
* prior written permission. For written permission, please contact
* openssl-core@openssl.org.
```

```
*
```

```
* 5. Products derived from this software may not be called "OpenSSL"
* nor may "OpenSSL" appear in their names without prior written
```

```

* permission of the OpenSSL Project.
*
* 6. Redistributions of any form whatsoever must retain the following
* acknowledgment:
* "This product includes software developed by the OpenSSL Project
* for use in the OpenSSL Toolkit (http://www.openssl.org/)"
*
* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS" AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
* =====
*/

```

Found in path(s):

```

* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-
2.0.16/crypto/modes/ccm128.c
* /opt/cola/permits/1298757353_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-
2.0.16/crypto/modes/xts128.c

```

No license file was found, but licenses were detected in source scan.

```

/* =====
* Copyright 2002 Sun Microsystems, Inc. ALL RIGHTS RESERVED.
*
* The Elliptic Curve Public-Key Crypto Library (ECC Code) included
* herein is developed by SUN MICROSYSTEMS, INC., and is contributed
* to the OpenSSL project.
*
* The ECC Code is licensed pursuant to the OpenSSL open source
* license provided below.
*
* The software is originally written by Sheueling Chang Shantz and
* Douglas Stebila of Sun Microsystems Laboratories.
*
*/
/* =====
* Copyright (c) 1998-2003 The OpenSSL Project. All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions

```

\* are met:  
 \*  
 \* 1. Redistributions of source code must retain the above copyright  
 \* notice, this list of conditions and the following disclaimer.  
 \*  
 \* 2. Redistributions in binary form must reproduce the above copyright  
 \* notice, this list of conditions and the following disclaimer in  
 \* the documentation and/or other materials provided with the  
 \* distribution.  
 \*  
 \* 3. All advertising materials mentioning features or use of this  
 \* software must display the following acknowledgment:  
 \* "This product includes software developed by the OpenSSL Project  
 \* for use in the OpenSSL Toolkit. (<http://www.openssl.org/>)"  
 \*  
 \* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to  
 \* endorse or promote products derived from this software without  
 \* prior written permission. For written permission, please contact  
 \* openssl-core@openssl.org.  
 \*  
 \* 5. Products derived from this software may not be called "OpenSSL"  
 \* nor may "OpenSSL" appear in their names without prior written  
 \* permission of the OpenSSL Project.  
 \*  
 \* 6. Redistributions of any form whatsoever must retain the following  
 \* acknowledgment:  
 \* "This product includes software developed by the OpenSSL Project  
 \* for use in the OpenSSL Toolkit (<http://www.openssl.org/>)"  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS" AND ANY  
 \* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
 \* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR  
 \* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR  
 \* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
 \* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT  
 \* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;  
 \* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \* =====  
 \*  
 \* This product includes cryptographic software written by Eric Young  
 \* (eay@cryptsoft.com). This product includes software written by Tim  
 \* Hudson (tjh@cryptsoft.com).  
 \*  
 \*/

Found in path(s):

\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/crypto/ec/ec2\_mult.c

No license file was found, but licenses were detected in source scan.

/\* =====

\* Copyright (c) 2011 The OpenSSL Project. All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:

\*

\* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in  
\* the documentation and/or other materials provided with the  
\* distribution.

\*

\* 3. All advertising materials mentioning features or use of this  
\* software must display the following acknowledgment:  
\* "This product includes software developed by the OpenSSL Project  
\* for use in the OpenSSL Toolkit. (<http://www.OpenSSL.org/>)"

\*

\* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to  
\* endorse or promote products derived from this software without  
\* prior written permission. For written permission, please contact  
\* [licensing@OpenSSL.org](mailto:licensing@OpenSSL.org).

\*

\* 5. Products derived from this software may not be called "OpenSSL"  
\* nor may "OpenSSL" appear in their names without prior written  
\* permission of the OpenSSL Project.

\*

\* 6. Redistributions of any form whatsoever must retain the following  
\* acknowledgment:

\* "This product includes software developed by the OpenSSL Project  
\* for use in the OpenSSL Toolkit (<http://www.OpenSSL.org/>)"

\*

\* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS" AND ANY  
\* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR  
\* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR  
\* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
\* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT  
\* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;  
\* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.  
\* =====  
\*  
\*/

Found in path(s):

\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/fips/ecdsa/fips\_ecdsa\_selftest.c  
\* /opt/cola/permits/1298757353\_1648826790.95/0/openssl-fips-2-0-16-tar-gz/openssl-fips-2.0.16/fips/ecdh/fips\_ecdh\_selftest.c

## 1.2 python-setuptools 42.0.2

### 1.2.1 Available under license :

Copyright (C) 2016 Jason R Coombs <jaraco@jaraco.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.3 cffi 1.14.1

### 1.3.1 Available under license :

Except when otherwise stated (look for LICENSE files in directories or information at the beginning of each file) all software and documentation is licensed as follows:

The MIT License

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.4 twisted 22.4.0

### 1.4.1 Available under license :

Copyright (c) 2001-2022

Allen Short

Amber Hawkie Brown

Andrew Bennetts

Andy Gayton

Antoine Pitrou

Apple Computer, Inc.

Ashwini Oruganti

Benjamin Bruheim

Bob Ippolito

Canonical Limited

Christopher Armstrong

Ciena Corporation

David Reid

Divmod Inc.

Donovan Preston

Eric Mangold

Eyal Lotem

Google Inc.

Hybrid Logic Ltd.

Hynek Schlawack

Itamar Turner-Trauring

James Knight

Jason A. Mobarak



Jean-Paul Calderone  
Jessica McKellar  
Jonathan D. Simms  
Jonathan Jacobs  
Jonathan Lange  
Julian Berman  
Jrgen Hermann  
Kevin Horn  
Kevin Turner  
Laurens Van Houtven  
Mary Gardiner  
Massachusetts Institute of Technology  
Matthew Lefkowitz  
Moshe Zadka  
Paul Swartz  
Pavel Pergamenschik  
Rackspace, US Inc.  
Ralph Meijer  
Richard Wall  
Sean Riley  
Software Freedom Conservancy  
Tavendo GmbH  
Thijs Triemstra  
Thomas Grainger  
Thomas Herve  
Timothy Allen  
Tom Most  
Tom Prince  
Travis B. Hartwell

and others that have contributed code to the public domain.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION

OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.5 automat 20.2.0

### 1.5.1 Available under license :

Copyright (c) 2014

Rackspace

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.6 duo-client-python 4.0.0

### 1.6.1 Available under license :

Copyright (c) 2013, Duo Security, Inc.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Note: The open-source component `https_wrapper.py` included with this distribution is under the terms of the Apache License, Version 2.0, a copy of which has been included as 'apache-license-2.0.txt'.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation,

and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.  
Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.7 decorator 4.4.1

### 1.7.1 Available under license :

Copyright (c) 2005-2018, Michele Simionato  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.  
Redistributions in bytecode form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT

HOLDERS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.8 pytest 5.3.5

### 1.8.1 Available under license :

Copyright (c) 2010 by Armin Ronacher.

Some rights reserved.

Redistribution and use in source and binary forms of the theme, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* The names of the contributors may not be used to endorse or promote products derived from this software without specific prior written permission.

We kindly ask you to only use these themes in an unmodified manner just for Flask and Flask-related products, not for unrelated projects. If you like the visual style and want to use it for your own projects, please consider making some larger changes to the themes (such as changing font faces, sizes, colors or margins).

THIS THEME IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)



ARISING IN ANY WAY OUT OF THE USE OF THIS THEME, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The MIT License (MIT)

Copyright (c) 2004-2020 Holger Krekel and others

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.9 openssl 1.0.2zd

### 1.9.1 Notifications :

This product includes software written by Tim Hudson (tjh@cryptsoft.com).

This product includes cryptographic software written by Eric Young (eay@cryptsoft.com).

This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit (<http://www.openssl.org/>)

### 1.9.2 Available under license :

```
#!/usr/bin/env perl
```

```
# =====  
# Written by Andy Polyakov <appro@openssl.org> for the OpenSSL  
# project. The module is, however, dual licensed under OpenSSL and  
# CRYPTOGAMS licenses depending on where you obtain it. For further  
# details see http://www.openssl.org/~appro/cryptogams/.  
#  
# Specific modes and adaptation for Linux kernel by Ard Biesheuvel  
# <ard.biesheuvel@linaro.org>. Permission to use under GPL terms is  
# granted.  
# =====
```

```
# Bit-sliced AES for ARM NEON
```

```
#
```

```
# February 2012.
#
# This implementation is direct adaptation of bsaes-x86_64 module for
# ARM NEON. Except that this module is endian-neutral [in sense that
# it can be compiled for either endianness] by courtesy of vld1.8's
# neutrality. Initial version doesn't implement interface to OpenSSL,
# only low-level primitives and unsupported entry points, just enough
# to collect performance results, which for Cortex-A8 core are:
#
# encrypt 19.5 cycles per byte processed with 128-bit key
# decrypt 22.1 cycles per byte processed with 128-bit key
# key conv. 440 cycles per 128-bit key/0.18 of 8x block
#
# Snapdragon S4 encrypts byte in 17.6 cycles and decrypts in 19.7,
# which is [much] worse than anticipated (for further details see
# http://www.openssl.org/~appro/Snapdragon-S4.html).
#
# Cortex-A15 manages in 14.2/16.1 cycles [when integer-only code
# manages in 20.0 cycles].
#
# When comparing to x86_64 results keep in mind that NEON unit is
# [mostly] single-issue and thus can't [fully] benefit from
# instruction-level parallelism. And when comparing to aes-armv4
# results keep in mind key schedule conversion overhead (see
# bsaes-x86_64.pl for further details)...
#
# <appro@openssl.org>
```

```
# April-August 2013
#
# Add CBC, CTR and XTS subroutines, adapt for kernel use.
#
# <ard.biesheuvel@linaro.org>
Copyright (C) 1995-1997 Eric Young (eay@cryptsoft.com)
All rights reserved.
```

This package is an DES implementation written by Eric Young (eay@cryptsoft.com).  
The implementation was written so as to conform with MIT's libdes.

This library is free for commercial and non-commercial use as long as  
the following conditions are adhered to. The following conditions  
apply to all code found in this distribution.

Copyright remains Eric Young's, and as such any Copyright notices in  
the code are not to be removed.

If this package is used in a product, Eric Young should be given attribution  
as the author of that the SSL library. This can be in the form of a textual  
message at program startup or in documentation (online or textual) provided

with the package.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. All advertising materials mentioning features or use of this software must display the following acknowledgement:

This product includes software developed by Eric Young (eay@cryptsoft.com)

THIS SOFTWARE IS PROVIDED BY ERIC YOUNG ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The license and distribution terms for any publically available version or derivative of this code cannot be changed. i.e. this code cannot simply be copied and put under another distribution license [including the GNU Public License.]

The reason behind this being stated in this direct manner is past experience in code simply being copied and the attribution removed from it and then being distributed as part of other packages. This implementation was a non-trivial and unpaid effort.

#### LICENSE ISSUES

=====

The OpenSSL toolkit stays under a double license, i.e. both the conditions of the OpenSSL License and the original SSLeay license apply to the toolkit. See below for the actual license texts. Actually both licenses are BSD-style Open Source licenses. In case of any license issues related to OpenSSL please contact openssl-core@openssl.org.

OpenSSL License

-----

```
/* =====  
* Copyright (c) 1998-2018 The OpenSSL Project. All rights reserved.  
*  
* Redistribution and use in source and binary forms, with or without  
* modification, are permitted provided that the following conditions  
* are met:  
*  
* 1. Redistributions of source code must retain the above copyright  
* notice, this list of conditions and the following disclaimer.  
*  
* 2. Redistributions in binary form must reproduce the above copyright  
* notice, this list of conditions and the following disclaimer in  
* the documentation and/or other materials provided with the  
* distribution.  
*  
* 3. All advertising materials mentioning features or use of this  
* software must display the following acknowledgment:  
* "This product includes software developed by the OpenSSL Project  
* for use in the OpenSSL Toolkit. (http://www.openssl.org/)"  
*  
* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to  
* endorse or promote products derived from this software without  
* prior written permission. For written permission, please contact  
* openssl-core@openssl.org.  
*  
* 5. Products derived from this software may not be called "OpenSSL"  
* nor may "OpenSSL" appear in their names without prior written  
* permission of the OpenSSL Project.  
*  
* 6. Redistributions of any form whatsoever must retain the following  
* acknowledgment:  
* "This product includes software developed by the OpenSSL Project  
* for use in the OpenSSL Toolkit (http://www.openssl.org/)"  
*  
* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS'' AND ANY  
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR  
* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR  
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT  
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;  
* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
* OF THE POSSIBILITY OF SUCH DAMAGE.  
* =====  
*
```

\* This product includes cryptographic software written by Eric Young  
\* (eay@cryptsoft.com). This product includes software written by Tim  
\* Hudson (tjh@cryptsoft.com).  
\*  
\*/

#### Original SSLeay License

-----  
  
/\* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)  
\* All rights reserved.  
\*  
\* This package is an SSL implementation written  
\* by Eric Young (eay@cryptsoft.com).  
\* The implementation was written so as to conform with Netscapes SSL.  
\*  
\* This library is free for commercial and non-commercial use as long as  
\* the following conditions are aheared to. The following conditions  
\* apply to all code found in this distribution, be it the RC4, RSA,  
\* lhash, DES, etc., code; not just the SSL code. The SSL documentation  
\* included with this distribution is covered by the same copyright terms  
\* except that the holder is Tim Hudson (tjh@cryptsoft.com).  
\*  
\* Copyright remains Eric Young's, and as such any Copyright notices in  
\* the code are not to be removed.  
\* If this package is used in a product, Eric Young should be given attribution  
\* as the author of the parts of the library used.  
\* This can be in the form of a textual message at program startup or  
\* in documentation (online or textual) provided with the package.  
\*  
\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:  
\* 1. Redistributions of source code must retain the copyright  
\* notice, this list of conditions and the following disclaimer.  
\* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.  
\* 3. All advertising materials mentioning features or use of this software  
\* must display the following acknowledgement:  
\* "This product includes cryptographic software written by  
\* Eric Young (eay@cryptsoft.com)"  
\* The word 'cryptographic' can be left out if the rouines from the library  
\* being used are not cryptographic related :-).  
\* 4. If you include any Windows specific code (or a derivative thereof) from  
\* the apps directory (application code) you must include an acknowledgement:  
\* "This product includes software written by Tim Hudson (tjh@cryptsoft.com)"  
\*  
\*

\* THIS SOFTWARE IS PROVIDED BY ERIC YOUNG ``AS IS" AND  
\* ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE  
\* ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE  
\* FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL  
\* DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS  
\* OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT  
\* LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY  
\* OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF  
\* SUCH DAMAGE.

\*

\* The licence and distribution terms for any publically available version or  
\* derivative of this code cannot be changed. i.e. this code cannot simply be  
\* copied and put under another distribution licence  
\* [including the GNU Public Licence.]

\*/

Copyright (C) 1995-1997 Eric Young (eay@cryptsoft.com)

All rights reserved.

This package is an Blowfish implementation written  
by Eric Young (eay@cryptsoft.com).

This library is free for commercial and non-commercial use as long as  
the following conditions are aheared to. The following conditions  
apply to all code found in this distribution.

Copyright remains Eric Young's, and as such any Copyright notices in  
the code are not to be removed.

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions  
are met:

1. Redistributions of source code must retain the copyright  
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright  
notice, this list of conditions and the following disclaimer in the  
documentation and/or other materials provided with the distribution.
3. All advertising materials mentioning features or use of this software  
must display the following acknowledgement:

This product includes software developed by Eric Young (eay@cryptsoft.com)

THIS SOFTWARE IS PROVIDED BY ERIC YOUNG ``AS IS" AND  
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE  
ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE  
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL  
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS

OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The license and distribution terms for any publically available version or derivative of this code cannot be changed. i.e. this code cannot simply be copied and put under another distribution license [including the GNU Public License.]

The reason behind this being stated in this direct manner is past experience in code simply being copied and the attribution removed from it and then being distributed as part of other packages. This implementation was a non-trivial and unpaid effort.

## 1.10 pyrad 2.4

### 1.10.1 Available under license :

Copyright 2020 Istvan Ruzman. All rights reserved.

Copyright 2017-2020 Christian Giese. All rights reserved.

Copyright 2007-2008 Simplon. All rights reserved.

Copyright 2002-2008 Wichert Akkerman. All rights reserved.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the University nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY

OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.11 cryptography 2.7

### 1.11.1 Available under license :

This software is made available under the terms of \*either\* of the licenses found in LICENSE.APACHE or LICENSE.BSD. Contributions to cryptography are made under the terms of \*both\* these licenses.

Copyright (c) Individual contributors.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of PyCA Cryptography nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1. This LICENSE AGREEMENT is between the Python Software Foundation ("PSF"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 2.7.12 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, PSF hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 2.7.12 alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright, i.e., "Copyright 2001-2016 Python Software Foundation; All Rights Reserved" are retained in Python 2.7.12 alone or in any derivative version



prepared by Licensee.

3. In the event Licensee prepares a derivative work that is based on or incorporates Python 2.7.12 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python 2.7.12.
4. PSF is making Python 2.7.12 available to Licensee on an "AS IS" basis.  
PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 2.7.12 WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.
5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON 2.7.12 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 2.7.12, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.
6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.
7. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between PSF and Licensee. This License Agreement does not grant permission to use PSF trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.
8. By copying, installing or otherwise using Python 2.7.12, Licensee agrees to be bound by the terms and conditions of this License Agreement.

Apache License  
Version 2.0, January 2004  
<https://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
  
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
  
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or,

within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all

other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

This software is made available under the terms of \*either\* of the licenses found in LICENSE.APACHE or LICENSE.BSD. Contributions to cryptography are made under the terms of \*both\* these licenses.

The code used in the OpenSSL locking callback and OS random engine is derived from CPython, and is licensed under the terms of the PSF License Agreement.

# 1.12 twisted\_connect\_proxy 1.0.0

## 1.12.1 Available under license :

BSD License

For twisted-connect-proxy software

Copyright (c) 2014 Peter Ruibal. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

# 1.13 service-identity 18.1.0

## 1.13.1 Available under license :

Copyright (c) 2014 Hynek Schlawack

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.14 attrs 19.3.0

### 1.14.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015 Hynek Schlawack

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.15 Idaptor 21.2.0

### 1.15.1 Available under license :

Copyright (c) 2002-2020, Ldaptor Contributors (see ./docs/source/AUTHORS.rst)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is

furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.16 netaddr 0.7.10

### 1.16.1 Available under license :

Here are the licenses applicable to the use of the netaddr library.

```
-----  
netaddr  
-----
```

#### COPYRIGHT AND LICENSE

Copyright (c) 2008-2012, David P. D. Moss. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of David P. D. Moss nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT



LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

-----  
intset.py  
-----

#### COPYRIGHT AND LICENSE

Copyright (C) 2006, Heiko Wundram.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

\* The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Here are the copyright notices applicable to the netaddr library.

-----  
netaddr  
-----

Copyright (c) 2008-2012, David P. D. Moss. All rights reserved.

Released under the BSD license. See the LICENSE file for details.

-----  
intset.py  
-----

Copyright (C) 2006, Heiko Wundram.

Released under the MIT license. See the LICENSE file for details.

-----  
IANA (Internet Assigned Numbers Authority)  
-----

netaddr is not sponsored nor endorsed by IANA.

Use of data from IANA (Internet Assigned Numbers Authority) is subject to copyright and is provided with prior written permission.

IANA data files included with netaddr are not modified in any way but are parsed and made available to end users through an API.

See README file and source code for URLs to latest copies of the relevant files.

-----  
IEEE (Institution of Electrical Engineers)  
-----

netaddr is not sponsored nor endorsed by the IEEE.

Use of data from the IEEE (Institute of Electrical and Electronics Engineers) is subject to copyright. See the following URL for details :-

<http://www.ieee.org/web/publications/rights/legal.html>

IEEE data files included with netaddr are not modified in any way but are parsed and made available to end users through an API. There is no guarantee that referenced files are not out of date.

See README file and source code for URLs to latest copies of the relevant files.

## 1.17 pyparsing 3.0.0a2

### 1.17.1 Available under license :

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.18 idna 2.7

### 1.18.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
"""
```

```
A library to support the Internationalised Domain Names in Applications (IDNA) protocol as specified in RFC 5890 et.al. This new methodology, known as IDNA 2008, can generate materially different results to the previous standard. The library can act as a drop-in replacement for the "encodings.idna" module.
```

```
"""
```

```
import io, sys
```

```
from setuptools import setup
```

```
def main():
```

```
    python_version = sys.version_info[:2]
```

```
    if python_version < (2,6):
```

```
        raise SystemExit("Sorry, Python 2.6 or newer required")
```

```
    package_data = { }
```

```
    exec(open('idna/package_data.py').read(), package_data)
```

```
    arguments = {
```

```
        'name': 'idna',
```

```
        'packages': ['idna'],
```

```
        'version': package_data['__version__'],
```

```
        'description': 'Internationalized Domain Names in Applications (IDNA)',
```

```
        'long_description': io.open("README.rst", encoding="UTF-8").read(),
```

```
        'author': 'Kim Davies',
```

```
        'author_email': 'kim@cynosure.com.au',
```

```
        'license': 'BSD-like',
```

```

'url': 'https://github.com/kjd/idna',
'classifiers': [
    'Development Status :: 5 - Production/Stable',
    'Intended Audience :: Developers',
    'Intended Audience :: System Administrators',
    'License :: OSI Approved :: BSD License',
    'Operating System :: OS Independent',
    'Programming Language :: Python',
    'Programming Language :: Python :: 2.6',
    'Programming Language :: Python :: 2.7',
    'Programming Language :: Python :: 3',
    'Programming Language :: Python :: 3.3',
    'Programming Language :: Python :: 3.4',
    'Programming Language :: Python :: 3.5',
    'Programming Language :: Python :: 3.6',
    'Topic :: Internet :: Name Service (DNS)',
    'Topic :: Software Development :: Libraries :: Python Modules',
    'Topic :: Utilities',
],
'test_suite': 'tests',
}

```

```

setup(**arguments)

```

```

if __name__ == '__main__':
    main()

```

Found in path(s):

\* /opt/cola/permits/1110765725\_1606850597.72/0/kjd-idna-v2-7-0-g5d76cb6-1-tar-gz/kjd-idna-77c8bce/setup.py

No license file was found, but licenses were detected in source scan.

License

-----

Copyright (c) 2013-2018, Kim Davies. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

#. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

#. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

#. Neither the name of the copyright holder nor the names of the

contributors may be used to endorse or promote products derived from this software without specific prior written permission.

#. THIS SOFTWARE IS PROVIDED BY THE CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDERS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Portions of the codec implementation and unit tests are derived from the Python standard library, which carries the Python Software Foundation License <<https://docs.python.org/2/license.html>>`\_`:

Copyright (c) 2001-2014 Python Software Foundation; All Rights Reserved

Portions of the unit tests are derived from the Unicode standard, which is subject to the Unicode, Inc. License Agreement:

Copyright (c) 1991-2014 Unicode, Inc. All rights reserved.  
Distributed under the Terms of Use in  
<<http://www.unicode.org/copyright.html>>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that

(a) this copyright and permission notice appear with all copies of the Data Files or Software,

(b) this copyright and permission notice appear in associated documentation, and

(c) there is clear notice in each modified Data File or in the Software as well as in the documentation associated with the Data File(s) or Software that the data or software has been modified.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

Found in path(s):

```
* /opt/cola/permits/1110765725_1606850597.72/0/kjd-idna-v2-7-0-g5d76cb6-1-tar-gz/kjd-idna-77c8bce/LICENSE.rst
```

## 1.19 python3-asn1crypto 1.2.0

### 1.19.1 Available under license :

Copyright (c) 2015-2019 Will Bond <will@wbond.net>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.20 hyperlink 18.0.0

## 1.20.1 Available under license :

Copyright (c) 2017  
Glyph Lefkowitz  
Itamar Turner-Trauring  
Jean Paul Calderone  
Adi Roiban  
Amber Hawkie Brown  
Mahmoud Hashemi

and others that have contributed code to the public domain.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.21 setuptools-scm 2.1.0

### 1.21.1 Available under license :

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER

LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.22 py 1.11.0

### 1.22.1 Available under license :

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.



# 1.23 dpkt 1.9.2

## 1.23.1 Available under license :

Copyright (c) 2004 Dug Song <dugsong@monkey.org>

All rights reserved, all wrongs reversed.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The names of the authors and copyright holders may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

# 1.24 pyasn1 0.4.8

## 1.24.1 Available under license :

No license file was found, but licenses were detected in source scan.

Metadata-Version: 1.2

Name: pyasn1

Version: 0.4.8

Summary: ASN.1 types and codecs

Home-page: <https://github.com/etingof/pyasn1>

Author: Ilya Etingof

Author-email: [etingof@gmail.com](mailto:etingof@gmail.com)

Maintainer: Ilya Etingof <[etingof@gmail.com](mailto:etingof@gmail.com)>

License: BSD

Description: Pure-Python implementation of ASN.1 types and DER/BER/CER codecs (X.208)

Platform: any  
Classifier: Development Status :: 5 - Production/Stable  
Classifier: Environment :: Console  
Classifier: Intended Audience :: Developers  
Classifier: Intended Audience :: Education  
Classifier: Intended Audience :: Information Technology  
Classifier: Intended Audience :: System Administrators  
Classifier: Intended Audience :: Telecommunications Industry  
Classifier: License :: OSI Approved :: BSD License  
Classifier: Natural Language :: English  
Classifier: Operating System :: OS Independent  
Classifier: Programming Language :: Python :: 2  
Classifier: Programming Language :: Python :: 2.4  
Classifier: Programming Language :: Python :: 2.5  
Classifier: Programming Language :: Python :: 2.6  
Classifier: Programming Language :: Python :: 2.7  
Classifier: Programming Language :: Python :: 3  
Classifier: Programming Language :: Python :: 3.2  
Classifier: Programming Language :: Python :: 3.3  
Classifier: Programming Language :: Python :: 3.4  
Classifier: Programming Language :: Python :: 3.5  
Classifier: Programming Language :: Python :: 3.6  
Classifier: Programming Language :: Python :: 3.7  
Classifier: Topic :: Communications  
Classifier: Topic :: Software Development :: Libraries :: Python Modules

Found in path(s):

\* /opt/cola/permits/1110812511\_1607462013.57/0/pyasn1-0-4-8-tar-gz/pyasn1-0.4.8/PKG-INFO  
\* /opt/cola/permits/1110812511\_1607462013.57/0/pyasn1-0-4-8-tar-gz/pyasn1-0.4.8/pyasn1.egg-info/PKG-INFO  
No license file was found, but licenses were detected in source scan.

.. \_license:

License

=====

.. include:: ../../LICENSE.rst

Found in path(s):

\* /opt/cola/permits/1110812511\_1607462013.57/0/pyasn1-0-4-8-tar-gz/pyasn1-0.4.8/docs/source/license.rst  
No license file was found, but licenses were detected in source scan.

Copyright (c) 2005-2019, Ilya Etingof <etingof@gmail.com>

All rights reserved.

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice,  
this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice,  
this list of conditions and the following disclaimer in the documentation  
and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"  
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE  
ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE  
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS  
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN  
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE  
POSSIBILITY OF SUCH DAMAGE.

Found in path(s):

\* /opt/cola/permits/1110812511\_1607462013.57/0/pyasn1-0-4-8-tar-gz/pyasn1-0.4.8/LICENSE.rst

No license file was found, but licenses were detected in source scan.

ASN.1 library for Python

-----

[![PyPI](https://img.shields.io/pypi/v/pyasn1.svg?maxAge=2592000)](https://pypi.org/project/pyasn1)  
[![Python Versions](https://img.shields.io/pypi/pyversions/pyasn1.svg)](https://pypi.org/project/pyasn1/  
[![Build status](https://travis-ci.org/etingof/pyasn1.svg?branch=master)](https://secure.travis-ci.org/etingof/pyasn1)  
[![Coverage  
Status](https://img.shields.io/codecov/c/github/etingof/pyasn1.svg)](https://codecov.io/github/etingof/pyasn1)  
[![GitHub license](https://img.shields.io/badge/license-BSD-  
blue.svg)](https://raw.githubusercontent.com/etingof/pyasn1/master/LICENSE.txt)

This is a free and open source implementation of ASN.1 types and codecs  
as a Python package. It has been first written to support particular  
protocol (SNMP) but then generalized to be suitable for a wide range  
of protocols based on

[ASN.1 specification](https://www.itu.int/rec/dologin\_pub.asp?lang=e&id=T-REC-X.208-198811-W!!PDF-E&type=items).

Features

-----

- \* Generic implementation of ASN.1 types (X.208)
- \* Standards compliant BER/CER/DER codecs
- \* Dumps/loads ASN.1 structures from Python types
- \* 100% Python, works with Python 2.4 up to Python 3.7
- \* MT-safe

\* Contributed ASN.1 compiler [Asn1ate](<https://github.com/kimgr/asn1ate>)

## Why using pyasn1

-----

ASN.1 solves the data serialisation problem. This solution was designed long ago by the wise Ancients. Back then, they did not have the luxury of wasting bits. That is why ASN.1 is designed to serialise data structures of unbounded complexity into something compact and efficient when it comes to processing the data.

That probably explains why many network protocols and file formats still rely on the 30+ years old technology. Including a number of high-profile Internet protocols and file formats.

Quite a number of books cover the topic of ASN.1. [Communication between heterogeneous systems](<http://www.oss.com/asn1/dubuisson.html>) by Olivier Dubuisson is one of those high quality books freely available on the Internet.

The pyasn1 package is designed to help Python programmers tackling network protocols and file formats at the comfort of their Python prompt. The tool struggles to capture all aspects of a rather complicated ASN.1 system and to represent it on the Python terms.

## How to use pyasn1

-----

With pyasn1 you can build Python objects from ASN.1 data structures. For example, the following ASN.1 data structure:

```
```bash
Record ::= SEQUENCE {
  id    INTEGER,
  room  [0] INTEGER OPTIONAL,
  house [1] INTEGER DEFAULT 0
}
```
```

Could be expressed in pyasn1 like this:

```
```python
class Record(Sequence):
    componentType = NamedTypes(
        NamedType('id', Integer()),
        OptionalNamedType(
            'room', Integer().subtype(
```

```

        implicitTag=Tag(tagClassContext, tagFormatSimple, 0)
    )
),
DefaultedNamedType(
    'house', Integer(0).subtype(
        implicitTag=Tag(tagClassContext, tagFormatSimple, 1)
    )
)
)
)
)
...

```

It is in the spirit of ASN.1 to take abstract data description and turn it into a programming language specific form. Once you have your ASN.1 data structure expressed in Python, you can use it along the lines of similar Python type (e.g. ASN.1 `SET` is similar to Python `dict`, `SET OF` to `list`):

```

```python
>>> record = Record()
>>> record['id'] = 123
>>> record['room'] = 321
>>> str(record)
Record:
id=123
room=321
>>>
...

```

Part of the power of ASN.1 comes from its serialisation features. You can serialise your data structure and send it over the network.

```

```python
>>> from pyasn1.codec.der.encoder import encode
>>> substrate = encode(record)
>>> hexdump(substrate)
00000: 30 07 02 01 7B 80 02 01 41
...

```

Conversely, you can turn serialised ASN.1 content, as received from network or read from a file, into a Python object which you can introspect, modify, encode and send back.

```

```python
>>> from pyasn1.codec.der.decoder import decode
>>> received_record, rest_of_substrate = decode(substrate, asn1Spec=Record())
>>>
>>> for field in received_record:
>>>     print('{} is {}'.format(field, received_record[field]))

```

```

id is 123
room is 321
house is 0
>>>
>>> record == received_record
True
>>> received_record.update(room=123)
>>> substrate = encode(received_record)
>>> hexdump(substrate)
00000: 30 06 02 01 7B 80 01 7B
...

```

The pyasn1 classes struggle to emulate their Python prototypes (e.g. int, list, dict etc.). But ASN.1 types exhibit more complicated behaviour. To make life easier for a Pythonista, they can turn their pyasn1 classes into Python built-ins:

```

```python
>>> from pyasn1.codec.native.encoder import encode
>>> encode(record)
{'id': 123, 'room': 321, 'house': 0}
...

```

Or vice-versa -- you can initialize an ASN.1 structure from a tree of Python objects:

```

```python
>>> from pyasn1.codec.native.decoder import decode
>>> record = decode({'id': 123, 'room': 321, 'house': 0}, asn1Spec=Record())
>>> str(record)
Record:
id=123
room=321
>>>
...

```

With ASN.1 design, serialisation codecs are decoupled from data objects, so you could turn every single ASN.1 object into many different serialised forms. As of this moment, pyasn1 supports BER, DER, CER and Python built-ins codecs. The extremely compact PER encoding is expected to be introduced in the upcoming pyasn1 release.

More information on pyasn1 APIs can be found in the [documentation](<http://snmplabs.com/pyasn1/>), compiled ASN.1 modules for different protocols and file formats could be found in the pyasn1-modules [repo](<https://github.com/etingof/pyasn1-modules>).

## How to get pyasn1

-----

The pyasn1 package is distributed under terms and conditions of 2-clause BSD [license](<http://snmplabs.com/pyasn1/license.html>). Source code is freely available as a GitHub [repo](<https://github.com/etingof/pyasn1>).

You could `pip install pyasn1` or download it from [PyPI](<https://pypi.org/project/pyasn1>).

If something does not work as expected,  
[open an issue](<https://github.com/etingof/pyasn1/issues>) at GitHub or  
post your question [on Stack Overflow](<https://stackoverflow.com/questions/ask>)  
or try browsing pyasn1  
[mailing list archives](<https://sourceforge.net/p/pyasn1/mailman/pyasn1-users/>).

Copyright (c) 2005-2019, [Ilya Etingof](mailto:etingof@gmail.com).  
All rights reserved.

Found in path(s):

\* /opt/cola/permits/1110812511\_1607462013.57/0/pyasn1-0-4-8-tar-gz/pyasn1-0.4.8/README.md  
No license file was found, but licenses were detected in source scan.

# License: <http://snmplabs.com/pyasn1/license.html>

Found in path(s):

\* /opt/cola/permits/1110812511\_1607462013.57/0/pyasn1-0-4-8-tar-gz/pyasn1-0.4.8/tests/codec/ber/\_\_main\_\_.py  
\* /opt/cola/permits/1110812511\_1607462013.57/0/pyasn1-0-4-8-tar-gz/pyasn1-0.4.8/tests/test\_debug.py  
\* /opt/cola/permits/1110812511\_1607462013.57/0/pyasn1-0-4-8-tar-gz/pyasn1-0.4.8/pyasn1/compat/dateandtime.py  
\* /opt/cola/permits/1110812511\_1607462013.57/0/pyasn1-0-4-8-tar-gz/pyasn1-0.4.8/tests/codec/ber/test\_encoder.py  
\* /opt/cola/permits/1110812511\_1607462013.57/0/pyasn1-0-4-8-tar-gz/pyasn1-0.4.8/pyasn1/codec/native/encoder.py  
\* /opt/cola/permits/1110812511\_1607462013.57/0/pyasn1-0-4-8-tar-gz/pyasn1-0.4.8/tests/codec/native/\_\_main\_\_.py  
\* /opt/cola/permits/1110812511\_1607462013.57/0/pyasn1-0-4-8-tar-gz/pyasn1-0.4.8/tests/type/test\_constraint.py  
\* /opt/cola/permits/1110812511\_1607462013.57/0/pyasn1-0-4-8-tar-gz/pyasn1-0.4.8/pyasn1/compat/integer.py  
\* /opt/cola/permits/1110812511\_1607462013.57/0/pyasn1-0-4-8-tar-gz/pyasn1-0.4.8/pyasn1/codec/ber/encoder.py  
\* /opt/cola/permits/1110812511\_1607462013.57/0/pyasn1-0-4-8-tar-gz/pyasn1-0.4.8/tests/\_\_main\_\_.py  
\* /opt/cola/permits/1110812511\_1607462013.57/0/pyasn1-0-4-8-tar-gz/pyasn1-0.4.8/pyasn1/type/namedval.py  
\* /opt/cola/permits/1110812511\_1607462013.57/0/pyasn1-0-4-8-tar-gz/pyasn1-0.4.8/pyasn1/type/constraint.py  
\* /opt/cola/permits/1110812511\_1607462013.57/0/pyasn1-0-4-8-tar-gz/pyasn1-0.4.8/pyasn1/type/tagmap.py  
\* /opt/cola/permits/1110812511\_1607462013.57/0/pyasn1-0-4-8-tar-gz/pyasn1-0.4.8/tests/base.py  
\* /opt/cola/permits/1110812511\_1607462013.57/0/pyasn1-0-4-8-tar-gz/pyasn1-0.4.8/pyasn1/codec/ber/decoder.py  
\* /opt/cola/permits/1110812511\_1607462013.57/0/pyasn1-0-4-8-tar-gz/pyasn1-0.4.8/tests/type/test\_namedval.py  
\* /opt/cola/permits/1110812511\_1607462013.57/0/pyasn1-0-4-8-tar-gz/pyasn1-0.4.8/tests/type/test\_opentype.py  
\* /opt/cola/permits/1110812511\_1607462013.57/0/pyasn1-0-4-8-tar-gz/pyasn1-0.4.8/pyasn1/type/base.py  
\* /opt/cola/permits/1110812511\_1607462013.57/0/pyasn1-0-4-8-tar-gz/pyasn1-0.4.8/pyasn1/debug.py

- \* /opt/cola/permits/1110812511\_1607462013.57/0/pyasn1-0-4-8-tar-gz/pyasn1-0.4.8/tests/codec/\_\_main\_\_.py
- \* /opt/cola/permits/1110812511\_1607462013.57/0/pyasn1-0-4-8-tar-gz/pyasn1-0.4.8/tests/type/\_\_main\_\_.py
- \* /opt/cola/permits/1110812511\_1607462013.57/0/pyasn1-0-4-8-tar-gz/pyasn1-0.4.8/tests/compat/test\_integer.py
- \* /opt/cola/permits/1110812511\_1607462013.57/0/pyasn1-0-4-8-tar-gz/pyasn1-0.4.8/pyasn1/type/error.py
- \* /opt/cola/permits/1110812511\_1607462013.57/0/pyasn1-0-4-8-tar-gz/pyasn1-0.4.8/tests/codec/cer/\_\_main\_\_.py
- \* /opt/cola/permits/1110812511\_1607462013.57/0/pyasn1-0-4-8-tar-gz/pyasn1-0.4.8/tests/type/test\_char.py
- \* /opt/cola/permits/1110812511\_1607462013.57/0/pyasn1-0-4-8-tar-gz/pyasn1-0.4.8/setup.py
- \* /opt/cola/permits/1110812511\_1607462013.57/0/pyasn1-0-4-8-tar-gz/pyasn1-0.4.8/pyasn1/codec/der/decoder.py
- \* /opt/cola/permits/1110812511\_1607462013.57/0/pyasn1-0-4-8-tar-gz/pyasn1-0.4.8/tests/type/test\_tag.py
- \* /opt/cola/permits/1110812511\_1607462013.57/0/pyasn1-0-4-8-tar-gz/pyasn1-0.4.8/tests/codec/der/\_\_main\_\_.py
- \* /opt/cola/permits/1110812511\_1607462013.57/0/pyasn1-0-4-8-tar-gz/pyasn1-0.4.8/tests/compat/test\_binary.py
- \* /opt/cola/permits/1110812511\_1607462013.57/0/pyasn1-0-4-8-tar-gz/pyasn1-0.4.8/pyasn1/type/namedtype.py
- \* /opt/cola/permits/1110812511\_1607462013.57/0/pyasn1-0-4-8-tar-gz/pyasn1-0.4.8/pyasn1/type/useful.py
- \* /opt/cola/permits/1110812511\_1607462013.57/0/pyasn1-0-4-8-tar-gz/pyasn1-0.4.8/tests/type/test\_useful.py
- \* /opt/cola/permits/1110812511\_1607462013.57/0/pyasn1-0-4-8-tar-gz/pyasn1-0.4.8/tests/compat/\_\_main\_\_.py
- \* /opt/cola/permits/1110812511\_1607462013.57/0/pyasn1-0-4-8-tar-gz/pyasn1-0.4.8/pyasn1/compat/string.py
- \* /opt/cola/permits/1110812511\_1607462013.57/0/pyasn1-0-4-8-tar-gz/pyasn1-0.4.8/tests/codec/cer/test\_decoder.py
- \* /opt/cola/permits/1110812511\_1607462013.57/0/pyasn1-0-4-8-tar-gz/pyasn1-0.4.8/pyasn1/type/univ.py
- \* /opt/cola/permits/1110812511\_1607462013.57/0/pyasn1-0-4-8-tar-gz/pyasn1-0.4.8/pyasn1/codec/cer/decoder.py
- \* /opt/cola/permits/1110812511\_1607462013.57/0/pyasn1-0-4-8-tar-gz/pyasn1-0.4.8/tests/compat/test\_octets.py
- \* /opt/cola/permits/1110812511\_1607462013.57/0/pyasn1-0-4-8-tar-gz/pyasn1-0.4.8/pyasn1/codec/ber/eoo.py
- \* /opt/cola/permits/1110812511\_1607462013.57/0/pyasn1-0-4-8-tar-gz/pyasn1-0.4.8/tests/codec/der/test\_encoder.py
- \* /opt/cola/permits/1110812511\_1607462013.57/0/pyasn1-0-4-8-tar-gz/pyasn1-0.4.8/pyasn1/compat/calling.py
- \* /opt/cola/permits/1110812511\_1607462013.57/0/pyasn1-0-4-8-tar-gz/pyasn1-0.4.8/tests/codec/ber/test\_decoder.py
- \* /opt/cola/permits/1110812511\_1607462013.57/0/pyasn1-0-4-8-tar-gz/pyasn1-0.4.8/pyasn1/codec/native/decoder.py
- \* /opt/cola/permits/1110812511\_1607462013.57/0/pyasn1-0-4-8-tar-gz/pyasn1-0.4.8/pyasn1/codec/der/encoder.py
- \* /opt/cola/permits/1110812511\_1607462013.57/0/pyasn1-0-4-8-tar-gz/pyasn1-0.4.8/pyasn1/codec/cer/encoder.py
- \* /opt/cola/permits/1110812511\_1607462013.57/0/pyasn1-0-4-8-tar-gz/pyasn1-0.4.8/tests/type/test\_univ.py
- \* /opt/cola/permits/1110812511\_1607462013.57/0/pyasn1-0-4-8-tar-gz/pyasn1-0.4.8/tests/codec/cer/test\_encoder.py
- \* /opt/cola/permits/1110812511\_1607462013.57/0/pyasn1-0-4-8-tar-gz/pyasn1-0.4.8/tests/codec/der/test\_decoder.py
- \* /opt/cola/permits/1110812511\_1607462013.57/0/pyasn1-0-4-8-tar-gz/pyasn1-0.4.8/pyasn1/type/tag.py
- \* /opt/cola/permits/1110812511\_1607462013.57/0/pyasn1-0-4-8-tar-gz/pyasn1-0.4.8/pyasn1/error.py
- \* /opt/cola/permits/1110812511\_1607462013.57/0/pyasn1-0-4-8-tar-gz/pyasn1-0.4.8/pyasn1/type/char.py
- \* /opt/cola/permits/1110812511\_1607462013.57/0/pyasn1-0-4-8-tar-gz/pyasn1-0.4.8/tests/codec/native/test\_decoder.py
- \* /opt/cola/permits/1110812511\_1607462013.57/0/pyasn1-0-4-8-tar-gz/pyasn1-0.4.8/pyasn1/compat/binary.py
- \* /opt/cola/permits/1110812511\_1607462013.57/0/pyasn1-0-4-8-tar-gz/pyasn1-0.4.8/pyasn1/type/opentype.py
- \* /opt/cola/permits/1110812511\_1607462013.57/0/pyasn1-0-4-8-tar-gz/pyasn1-0.4.8/pyasn1/compat/octets.py
- \* /opt/cola/permits/1110812511\_1607462013.57/0/pyasn1-0-4-8-tar-gz/pyasn1-0.4.8/tests/type/test\_namedtype.py
- \* /opt/cola/permits/1110812511\_1607462013.57/0/pyasn1-0-4-8-tar-gz/pyasn1-0.4.8/tests/codec/native/test\_encoder.py

No license file was found, but licenses were detected in source scan.

ASN.1 library for Python



=====  
.. toctree::  
  :maxdepth: 1

Abstract Syntax Notation One (ASN.1  
<[http://en.wikipedia.org/wiki/Abstract\\_Syntax\\_Notation\\_1x](http://en.wikipedia.org/wiki/Abstract_Syntax_Notation_1x)>) is a technology for exchanging structured data in a universally understood, hardware agnostic way. Many industrial, security and telephony applications heavily rely on ASN.1.

The `pyasn1` <<https://pypi.org/project/pyasn1/>> library implements ASN.1 support in pure-Python.

What is ASN.1

-----  
ASN.1 is a large, arguably over-engineered and extremely old data modelling and serialisation tool. It is probably among the first serialisation protocols in the history of computer science and technology.

ASN.1 started its life over 30 years ago as a serialisation mechanism for the first electronic mail (known as X.400). Later on it was split off the e-mail application and become a stand-alone tech still being actively supported by its designers and widely used in industry and technology.

Since then ASN.1 is sort of haunted by its relations with the OSI model -- the first, unsuccessful, version of the Internet. You can read many interesting discussions <<https://news.ycombinator.com/item?id=8871453>> on that topic.

In the following years, generations of software engineers tackled the serialisation problem many times. We can see that in Google's `ProtoBuffers` <<https://developers.google.com/protocol-buffers/>> or `FlatBuffers` <<https://google.github.io/flatbuffers/>>, for example. Interestingly, many new takes on binary protocol design do not depart far from ASN.1 from technical perspective. It's more of a matter of striking a balance between processing overhead, wire format overhead and human readability.

Looking at what ASN.1 has to offer, it has three loosely coupled parts:

- \* Data types: the standard introduces a collection of basic data types (integers, bits, strings, arrays and records) that can be used for describing arbitrarily complex, nested data structures.
- \* Serialisation protocols: the above data structures could be converted into a series of octets for storage or transmission over the wire as well as recovered back into their structured form. The system is fully agnostic

to hardware architectures differences.

\* Schema language: ASN.1 data structures could be described in terms of a schema language for ASN.1 compiler to turn it into platform-specific implementation.

#### ASN.1 applications

-----

Being an old and generally successful standard, ASN.1 is widely adopted for many uses. To give you an example, these technologies use ASN.1 for their data exchange needs:

- \* Signaling standards for the public switched telephone network (SS7 family)
- \* Network management standards (SNMP, CMIP)
- \* Directory standards (X.500 family, LDAP)
- \* Public Key Infrastructure standards (X.509, etc.)
- \* PBX control (CSTA)
- \* IP-based Videoconferencing (H.323 family)
- \* Biometrics (BIP, CBEFF, ACBio)
- \* Intelligent transportation (SAE J2735)
- \* Cellular telephony (GSM, GPRS/EDGE, UMTS, LTE)

#### ASN.1 gotchas

-----

Apparently, ASN.1 is hard to implement properly. Quality open-source ASN.1 tools are rare, but ad-hoc implementations are numerous. Judging from the `statistics <http://cve.mitre.org/cgi-bin/cvekey.cgi?keyword=ASN.1>` on discovered security vulnerabilities, many people have implemented ASN.1 parsers and oftentimes fell victim to its edge cases.

On the bright side, ASN.1 has been around for a long time, it is well understood and security reviewed.

#### Documentation

-----

```
.. toctree::
   :maxdepth: 2

   /pyasn1/contents
```

#### Use case

-----

```
.. toctree::
   :maxdepth: 2
```

/example-use-case

## Download & Install

-----

```
.. toctree::  
    :maxdepth: 2
```

/download

## Changes

-----

All changes and release history is maintained in changelog. There you could also download the latest unreleased pyasn1 tarball containing the latest fixes and improvements.

```
.. toctree::  
    :maxdepth: 1
```

/changelog

## License

-----

The PyASN1 software is distributed under 2-clause BSD License.

```
.. toctree::  
    :maxdepth: 2
```

/license

## Getting help

-----

Please, file your `issues` <<https://github.com/etingof/pyasn1/issues>>` \_ and `PRs` <<https://github.com/etingof/pyasn1/pulls>>` \_ at GitHub. Alternatively, you could ask for help at `Stack Overflow` <<http://stackoverflow.com/questions/tagged/pyasn1>>` \_ or search `pyasn1-users` <<https://lists.sourceforge.net/lists/listinfo/pyasn1-users>>` \_ mailing list archive.

## Books on ASN.1

-----

The pyasn1 implementation is largely based on reading up the following awesome

books:

\* `ASN.1 - Communication between heterogeneous systems <<http://www.oss.com/asn1/dubuisson.html>>` \_ by Olivier Dubuisson

\* `ASN.1 Complete <<http://www.oss.com/asn1/resources/books-whitepapers-pubs/larmouth-asn1-book.pdf>>` \_ by Prof John Larmouth

Here you can get the official standards which is hard to read:

\* `ITU standards <<http://www.itu.int/ITU-T/studygroups/com17/languages/X.680-X.693-0207w.zip>>` \_

On the other end of the readability spectrum, here is a quick and sweet write up:

\* `A Layman's Guide to a Subset of ASN.1, BER, and DER <<ftp://ftp.rsasecurity.com/pub/pkcs/ascii/layman.asc>>` \_ by Burton S. Kaliski

If you are working with ASN.1, we'd highly recommend reading a proper book on the subject.

Found in path(s):

\* /opt/cola/permits/1110812511\_1607462013.57/0/pyasn1-0-4-8-tar-gz/pyasn1-0.4.8/docs/source/contents.rst

## 1.25 python 3.8.12

### 1.25.1 Available under license :

Copyright (c) 2002 Jorge Acereda <[jacereda@users.sourceforge.net](mailto:jacereda@users.sourceforge.net)> &  
Peter O'Gorman <[ogorman@users.sourceforge.net](mailto:ogorman@users.sourceforge.net)>

Portions may be copyright others, see the AUTHORS file included with this distribution.

Maintained by Peter O'Gorman <[ogorman@users.sourceforge.net](mailto:ogorman@users.sourceforge.net)>

Bug Reports and other queries should go to <[ogorman@users.sourceforge.net](mailto:ogorman@users.sourceforge.net)>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Additional Conditions for this Windows binary build  
-----

This program is linked with and uses Microsoft Distributable Code, copyrighted by Microsoft Corporation. The Microsoft Distributable Code is embedded in each .exe, .dll and .pyd file as a result of running the code through a linker.

If you further distribute programs that include the Microsoft Distributable Code, you must comply with the restrictions on distribution specified by Microsoft. In particular, you must require distributors and external end users to agree to terms that protect the Microsoft Distributable Code at least as much as Microsoft's own requirements for the Distributable Code. See Microsoft's documentation (included in its developer tools and on its website at [microsoft.com](http://microsoft.com)) for specific details.

Redistribution of the Windows binary build of the Python interpreter complies with this agreement, provided that you do not:

- alter any copyright, trademark or patent notice in Microsoft's Distributable Code;
- use Microsoft's trademarks in your programs' names or in a way that suggests your programs come from or are endorsed by Microsoft;
- distribute Microsoft's Distributable Code to run on a platform other than Microsoft operating systems, run-time technologies or application platforms; or
- include Microsoft Distributable Code in malicious, deceptive or unlawful programs.

These restrictions apply only to the Microsoft Distributable Code as defined above, not to Python itself or any programs running on the Python interpreter. The redistribution of the Python interpreter and libraries is governed by the Python Software License included with this file, or by other licenses as marked.

X Window System License - X11R6.4

Copyright (c) 1998 The Open Group

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE OPEN GROUP BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of The Open Group shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from The Open Group.

X Window System is a trademark of The Open Group  
libffi - Copyright (c) 1996-2003 Red Hat, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL CYGNUS SOLUTIONS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR

## OTHER DEALINGS IN THE SOFTWARE.

### A. HISTORY OF THE SOFTWARE

=====

Python was created in the early 1990s by Guido van Rossum at Stichting Mathematisch Centrum (CWI, see <http://www.cwi.nl>) in the Netherlands as a successor of a language called ABC. Guido remains Python's principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for National Research Initiatives (CNRI, see <http://www.cnri.reston.va.us>) in Reston, Virginia where he released several versions of the software.

In May 2000, Guido and the Python core development team moved to BeOpen.com to form the BeOpen PythonLabs team. In October of the same year, the PythonLabs team moved to Digital Creations, which became Zope Corporation. In 2001, the Python Software Foundation (PSF, see <https://www.python.org/psf/>) was formed, a non-profit organization created specifically to own Python-related Intellectual Property. Zope Corporation was a sponsoring member of the PSF.

All Python releases are Open Source (see <http://www.opensource.org> for the Open Source Definition). Historically, most, but not all, Python releases have also been GPL-compatible; the table below summarizes the various releases.

Release	Derived from	Year	Owner	GPL-compatible? (1)
0.9.0 thru 1.2		1991-1995	CWI	yes
1.3 thru 1.5.2	1.2	1995-1999	CNRI	yes
1.6	1.5.2	2000	CNRI	no
2.0	1.6	2000	BeOpen.com	no
1.6.1	1.6	2001	CNRI	yes (2)
2.1	2.0+1.6.1	2001	PSF	no
2.0.1	2.0+1.6.1	2001	PSF	yes
2.1.1	2.1+2.0.1	2001	PSF	yes
2.1.2	2.1.1	2002	PSF	yes
2.1.3	2.1.2	2002	PSF	yes
2.2 and above	2.1.1	2001-now	PSF	yes

Footnotes:

(1) GPL-compatible doesn't mean that we're distributing Python under the GPL. All Python licenses, unlike the GPL, let you distribute a modified version without making your changes open source. The GPL-compatible licenses make it possible to combine Python with

other software that is released under the GPL; the others don't.

(2) According to Richard Stallman, 1.6.1 is not GPL-compatible, because its license has a choice of law clause. According to CNRI, however, Stallman's lawyer has told CNRI's lawyer that 1.6.1 is "not incompatible" with the GPL.

Thanks to the many outside volunteers who have worked under Guido's direction to make these releases possible.

## B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON

=====

Python software and documentation are licensed under the Python Software Foundation License Version 2.

Starting with Python 3.8.6, examples, recipes, and other code in the documentation are dual licensed under the PSF License Version 2 and the Zero-Clause BSD license.

Some software incorporated into Python is under different licenses. The licenses are listed with code falling under that license.

### PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2

-----

1. This LICENSE AGREEMENT is between the Python Software Foundation ("PSF"), and the Individual or Organization ("Licensee") accessing and otherwise using this software ("Python") in source or binary form and its associated documentation.
2. Subject to the terms and conditions of this License Agreement, PSF hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright, i.e., "Copyright (c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021 Python Software Foundation; All Rights Reserved" are retained in Python alone or in any derivative version prepared by Licensee.
3. In the event Licensee prepares a derivative work that is based on or incorporates Python or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python.



4. PSF is making Python available to Licensee on an "AS IS" basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between PSF and Licensee. This License Agreement does not grant permission to use PSF trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee agrees to be bound by the terms and conditions of this License Agreement.

#### BEOPEN.COM LICENSE AGREEMENT FOR PYTHON 2.0

-----

#### BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an office at 160 Saratoga Avenue, Santa Clara, CA 95051, and the Individual or Organization ("Licensee") accessing and otherwise using this software in source or binary form and its associated documentation ("the Software").

2. Subject to the terms and conditions of this BeOpen Python License Agreement, BeOpen hereby grants Licensee a non-exclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use the Software alone or in any derivative version, provided, however, that the BeOpen Python License is retained in the Software, alone or in any derivative version prepared by Licensee.

3. BeOpen is making the Software available to Licensee on an "AS IS" basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR

IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

5. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

6. This License Agreement shall be governed by and interpreted in all respects by the law of the State of California, excluding conflict of law provisions. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between BeOpen and Licensee. This License Agreement does not grant permission to use BeOpen trademarks or trade names in a trademark sense to endorse or promote products or services of Licensee, or any third party. As an exception, the "BeOpen Python" logos available at <http://www.pythonlabs.com/logos.html> may be used according to the permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee agrees to be bound by the terms and conditions of this License Agreement.

#### CNRI LICENSE AGREEMENT FOR PYTHON 1.6.1

-----

1. This LICENSE AGREEMENT is between the Corporation for National Research Initiatives, having an office at 1895 Preston White Drive, Reston, VA 20191 ("CNRI"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 1.6.1 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 1.6.1 alone or in any derivative version, provided, however, that CNRI's License Agreement and CNRI's notice of copyright, i.e., "Copyright (c) 1995-2001 Corporation for National Research Initiatives; All Rights Reserved" are retained in Python 1.6.1 alone or in any derivative version prepared by Licensee. Alternately, in lieu of CNRI's License Agreement, Licensee may substitute the following text (omitting the

quotes): "Python 1.6.1 is made available subject to the terms and conditions in CNRI's License Agreement. This Agreement together with Python 1.6.1 may be located on the Internet using the following unique, persistent identifier (known as a handle): 1895.22/1013. This Agreement may also be obtained from a proxy server on the Internet using the following URL: <http://hdl.handle.net/1895.22/1013>".

3. In the event Licensee prepares a derivative work that is based on or incorporates Python 1.6.1 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python 1.6.1.

4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS" basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON 1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. This License Agreement shall be governed by the federal intellectual property law of the United States, including without limitation the federal copyright law, and, to the extent such U.S. federal law does not apply, by the law of the Commonwealth of Virginia, excluding Virginia's conflict of law provisions. Notwithstanding the foregoing, with regard to derivative works based on Python 1.6.1 that incorporate non-separable material that was previously distributed under the GNU General Public License (GPL), the law of the Commonwealth of Virginia shall govern this License Agreement only as to issues arising under or with respect to Paragraphs 4, 5, and 7 of this License Agreement. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between CNRI and Licensee. This License Agreement does not grant permission to use CNRI trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying, installing or otherwise using Python 1.6.1, Licensee agrees to be bound by the terms and conditions of this License Agreement.

ACCEPT

CWI LICENSE AGREEMENT FOR PYTHON 0.9.0 THROUGH 1.2

-----  
Copyright (c) 1991 - 1995, Stichting Mathematisch Centrum Amsterdam,  
The Netherlands. All rights reserved.

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Stichting Mathematisch Centrum or CWI not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ZERO-CLAUSE BSD LICENSE FOR CODE IN THE PYTHON DOCUMENTATION

-----  
Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Copyright (c) 1998-2000 Thai Open Source Software Center Ltd and Clark Cooper  
Copyright (c) 2001-2019 Expat maintainers

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to

permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

This license applies to the bootstrapper application that is embedded within the installer. It has no impact on the licensing for the rest of the installer or Python itself, as no code covered by this license exists in any other part of the product.

---

#### Microsoft Reciprocal License (MS-RL)

This license governs use of the accompanying software. If you use the software, you accept this license. If you do not accept the license, do not use the software.

#### 1. Definitions

The terms "reproduce," "reproduction," "derivative works," and "distribution" have the same meaning here as under U.S. copyright law.

A "contribution" is the original software, or any additions or changes to the software.

A "contributor" is any person that distributes its contribution under this license.

"Licensed patents" are a contributor's patent claims that read directly on its contribution.

#### 2. Grant of Rights

(A) Copyright Grant- Subject to the terms of this license, including the license conditions and limitations in section 3, each contributor grants you a non-exclusive, worldwide, royalty-free copyright license to reproduce its contribution, prepare derivative works of its contribution, and distribute its contribution or any derivative works that you create.

(B) Patent Grant- Subject to the terms of this license, including the license conditions and limitations in section 3, each contributor grants you a non-exclusive, worldwide, royalty-free license under its licensed patents to make, have made, use, sell, offer for sale, import, and/or otherwise dispose of its contribution in the software or derivative works of the contribution in the software.

#### 3. Conditions and Limitations

(A) Reciprocal Grants- For any file you distribute that contains code from the software (in source code or binary format), you must provide recipients the source code to that file along with a copy of this license, which license will govern that file. You may license other files that are entirely your own work and do not contain code from the software under any terms you choose.

(B) No Trademark License- This license does not grant you rights to use any contributors' name, logo, or trademarks.

- (C) If you bring a patent claim against any contributor over patents that you claim are infringed by the software, your patent license from such contributor to the software ends automatically.
- (D) If you distribute any portion of the software, you must retain all copyright, patent, trademark, and attribution notices that are present in the software.
- (E) If you distribute any portion of the software in source code form, you may do so only under this license by including a complete copy of this license with your distribution. If you distribute any portion of the software in compiled or object code form, you may only do so under a license that complies with this license.
- (F) The software is licensed "as-is." You bear the risk of using it. The contributors give no express warranties, guarantees or conditions. You may have additional consumer rights under your local laws which this license cannot change. To the extent permitted under your local laws, the contributors exclude the implied warranties of merchantability, fitness for a particular purpose and non-infringement.

## 1.26 atomicwrites 1.4.0

### 1.26.1 Available under license :

Copyright (c) 2015-2016 Markus Unterwaditzer

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.27 pyasn1-modules 0.2.8

### 1.27.1 Available under license :

Copyright (c) 2005-2019, Ilya Etingof <etingof@gmail.com>  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.28 zope-interface 5.4.0

### 1.28.1 Available under license :

Zope Public License (ZPL) Version 2.1

A copyright notice accompanies this license document that identifies the copyright holders.

This license has been certified as open source. It has also been designated as GPL compatible by the Free Software Foundation (FSF).

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions in source code must retain the accompanying copyright notice, this list of conditions, and the following disclaimer.
2. Redistributions in binary form must reproduce the accompanying copyright notice, this list of conditions, and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Names of the copyright holders must not be used to endorse or promote products derived from this software without prior written permission from the copyright holders.
4. The right to distribute this software or to use it for any purpose does not give you the right to use Servicemarks (sm) or Trademarks (tm) of the copyright holders. Use of them is covered by separate agreement with the copyright holders.

5. If any files are modified, you must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

Disclaimer

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDERS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Zope Foundation and Contributors

## 1.29 twisted\_iocpsupport 1.0.2

### 1.29.1 Available under license :

Copyright (c) 2001-2020

Allen Short

Amber Hawkie Brown

Andrew Bennetts

Andy Gayton

Antoine Pitrou

Apple Computer, Inc.

Ashwini Oruganti

Benjamin Bruheim

Bob Ippolito

Canonical Limited

Christopher Armstrong

Ciena Corporation

David Reid

Divmod Inc.

Donovan Preston

Eric Mangold

Eyal Lotem

Google Inc.

Hybrid Logic Ltd.

Hynek Schlawack

Itamar Turner-Trauring

James Knight

Jason A. Mobarak

Jean-Paul Calderone



Jessica McKellar  
Jonathan D. Simms  
Jonathan Jacobs  
Jonathan Lange  
Julian Berman  
Jrgen Hermann  
Kevin Horn  
Kevin Turner  
Laurens Van Houtven  
Mary Gardiner  
Massachusetts Institute of Technology  
Matthew Lefkowitz  
Moshe Zadka  
Paul Swartz  
Pavel Pergamenshchik  
Rackspace, US Inc.  
Ralph Meijer  
Richard Wall  
Sean Riley  
Software Freedom Conservancy  
Tavendo GmbH  
Thijs Triemstra  
Thomas Grainger  
Thomas Herve  
Timothy Allen  
Tom Most  
Tom Prince  
Travis B. Hartwell

and others that have contributed code to the public domain.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

# 1.30 pyopenssl 17.5.0

## 1.30.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the

editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the

same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.31 pycparser 2.10

### 1.31.1 Available under license :

Copyright (c) 2012, Eli Bendersky  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Eli Bendersky nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

# 1.32 colorama 0.3.9

## 1.32.1 Available under license :

Copyright (c) 2010 Jonathan Hartley  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the copyright holders, nor those of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

# 1.33 typing-extensions 4.2.0

## 1.33.1 Available under license :

A. HISTORY OF THE SOFTWARE

=====

Python was created in the early 1990s by Guido van Rossum at Stichting Mathematisch Centrum (CWI, see <http://www.cwi.nl>) in the Netherlands as a successor of a language called ABC. Guido remains Python's principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for National Research Initiatives (CNRI, see <http://www.cnri.reston.va.us>) in Reston, Virginia where he released several versions of the software.

In May 2000, Guido and the Python core development team moved to BeOpen.com to form the BeOpen PythonLabs team. In October of the same year, the PythonLabs team moved to Digital Creations (now Zope Corporation, see <http://www.zope.com>). In 2001, the Python Software Foundation (PSF, see <http://www.python.org/psf/>) was formed, a non-profit organization created specifically to own Python-related Intellectual Property. Zope Corporation is a sponsoring member of the PSF.

All Python releases are Open Source (see <http://www.opensource.org> for the Open Source Definition). Historically, most, but not all, Python releases have also been GPL-compatible; the table below summarizes the various releases.

Release	Derived from	Year	Owner	GPL-compatible? (1)
0.9.0 thru 1.2		1991-1995	CWI	yes
1.3 thru 1.5.2	1.2	1995-1999	CNRI	yes
1.6	1.5.2	2000	CNRI	no
2.0	1.6	2000	BeOpen.com	no
1.6.1	1.6	2001	CNRI	yes (2)
2.1	2.0+1.6.1	2001	PSF	no
2.0.1	2.0+1.6.1	2001	PSF	yes
2.1.1	2.1+2.0.1	2001	PSF	yes
2.1.2	2.1.1	2002	PSF	yes
2.1.3	2.1.2	2002	PSF	yes
2.2 and above	2.1.1	2001-now	PSF	yes

Footnotes:

(1) GPL-compatible doesn't mean that we're distributing Python under the GPL. All Python licenses, unlike the GPL, let you distribute a modified version without making your changes open source. The GPL-compatible licenses make it possible to combine Python with other software that is released under the GPL; the others don't.

(2) According to Richard Stallman, 1.6.1 is not GPL-compatible, because its license has a choice of law clause. According to CNRI, however, Stallman's lawyer has told CNRI's lawyer that 1.6.1 is "not incompatible" with the GPL.

Thanks to the many outside volunteers who have worked under Guido's direction to make these releases possible.

## B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON



---

---

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2

---

1. This LICENSE AGREEMENT is between the Python Software Foundation ("PSF"), and the Individual or Organization ("Licensee") accessing and otherwise using this software ("Python") in source or binary form and its associated documentation.
2. Subject to the terms and conditions of this License Agreement, PSF hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright, i.e., "Copyright (c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014 Python Software Foundation; All Rights Reserved" are retained in Python alone or in any derivative version prepared by Licensee.
3. In the event Licensee prepares a derivative work that is based on or incorporates Python or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python.
4. PSF is making Python available to Licensee on an "AS IS" basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.
5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.
6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.
7. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between PSF and Licensee. This License Agreement does not grant permission to use PSF trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.
8. By copying, installing or otherwise using Python, Licensee agrees to be bound by the terms and conditions of this License

Agreement.

BEOPEN.COM LICENSE AGREEMENT FOR PYTHON 2.0

-----  
BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an office at 160 Saratoga Avenue, Santa Clara, CA 95051, and the Individual or Organization ("Licensee") accessing and otherwise using this software in source or binary form and its associated documentation ("the Software").
2. Subject to the terms and conditions of this BeOpen Python License Agreement, BeOpen hereby grants Licensee a non-exclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use the Software alone or in any derivative version, provided, however, that the BeOpen Python License is retained in the Software, alone or in any derivative version prepared by Licensee.
3. BeOpen is making the Software available to Licensee on an "AS IS" basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.
4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.
5. This License Agreement will automatically terminate upon a material breach of its terms and conditions.
6. This License Agreement shall be governed by and interpreted in all respects by the law of the State of California, excluding conflict of law provisions. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between BeOpen and Licensee. This License Agreement does not grant permission to use BeOpen trademarks or trade names in a trademark sense to endorse or promote products or services of Licensee, or any third party. As an exception, the "BeOpen Python" logos available at <http://www.pythonlabs.com/logos.html> may be used according to the permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee agrees to be bound by the terms and conditions of this License Agreement.

#### CNRI LICENSE AGREEMENT FOR PYTHON 1.6.1

-----

1. This LICENSE AGREEMENT is between the Corporation for National Research Initiatives, having an office at 1895 Preston White Drive, Reston, VA 20191 ("CNRI"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 1.6.1 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 1.6.1 alone or in any derivative version, provided, however, that CNRI's License Agreement and CNRI's notice of copyright, i.e., "Copyright (c) 1995-2001 Corporation for National Research Initiatives; All Rights Reserved" are retained in Python 1.6.1 alone or in any derivative version prepared by Licensee. Alternately, in lieu of CNRI's License Agreement, Licensee may substitute the following text (omitting the quotes): "Python 1.6.1 is made available subject to the terms and conditions in CNRI's License Agreement. This Agreement together with Python 1.6.1 may be located on the Internet using the following unique, persistent identifier (known as a handle): 1895.22/1013. This Agreement may also be obtained from a proxy server on the Internet using the following URL: <http://hdl.handle.net/1895.22/1013>".

3. In the event Licensee prepares a derivative work that is based on or incorporates Python 1.6.1 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python 1.6.1.

4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS" basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON 1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. This License Agreement shall be governed by the federal intellectual property law of the United States, including without limitation the federal copyright law, and, to the extent such U.S. federal law does not apply, by the law of the Commonwealth of Virginia, excluding Virginia's conflict of law provisions. Notwithstanding the foregoing, with regard to derivative works based on Python 1.6.1 that incorporate non-separable material that was previously distributed under the GNU General Public License (GPL), the law of the Commonwealth of Virginia shall govern this License Agreement only as to issues arising under or with respect to Paragraphs 4, 5, and 7 of this License Agreement. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between CNRI and Licensee. This License Agreement does not grant permission to use CNRI trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying, installing or otherwise using Python 1.6.1, Licensee agrees to be bound by the terms and conditions of this License Agreement.

ACCEPT

CWI LICENSE AGREEMENT FOR PYTHON 0.9.0 THROUGH 1.2

-----

Copyright (c) 1991 - 1995, Stichting Mathematisch Centrum Amsterdam, The Netherlands. All rights reserved.

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Stichting Mathematisch Centrum or CWI not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN

# 1.34 packaging 20.1

## 1.34.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object

form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

This software is made available under the terms of \*either\* of the licenses found in LICENSE.APACHE or LICENSE.BSD. Contributions to this software is made under the terms of \*both\* these licenses.

Copyright (c) Donald Stufft and individual contributors.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:



1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.35 psutil 5.7.2

### 1.35.1 Available under license :

BSD 3-Clause License

Copyright (c) 2009, Jay Loden, Dave Daeschler, Giampaolo Rodola'  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the psutil authors nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;

LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.36 constantly 15.1.0

### 1.36.1 Available under license :

Copyright (c) 2011-2015 Twisted Matrix Laboratories & Individual Contributors (see CREDITS)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.37 six 1.15.0

### 1.37.1 Available under license :

Copyright (c) 2010-2020 Benjamin Peterson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The primary author and maintainer of six is Benjamin Peterson. He would like to acknowledge the following people who submitted bug reports, pull requests, and otherwise worked to improve six:

Marc Abramowitz  
immerrr again  
Alexander Artemenko  
Aymeric Augustin  
Lee Ball  
Ben Bariteau  
Ned Batchelder  
Wouter Bolsterlee  
Brett Cannon  
Jason R. Coombs  
Julien Danjou  
Ben Darnell  
Ben Davis  
Jon Dufresne  
Tim Graham  
Thomas Grainger  
Max Grender-Jones  
Joshua Harlow  
Toshiki Kataoka  
Hugo van Kemenade  
Anselm Kruis  
Ivan Levkivskyi  
Alexander Lukanin  
James Mills  
Jordan Moldow  
Berker Peksag  
Sridhar Ratnakumar  
Erik Rose  
Mirko Rossini  
Peter Ruibal  
Miroslav Shubernetskiy  
Eli Schwartz  
Anthony Sottile  
Jonathan Vanasco  
Lucas Wiman  
Jingxin Zhu

If you think you belong on this list, please let me know! --Benjamin

# 1.38 incremental 21.3.0

## 1.38.1 Available under license :

Incremental

-----

This project includes code from the Twisted Project, which is licensed as below.

Copyright (c) 2001-2015

Allen Short

Amber Hawkie Brown

Andrew Bennetts

Andy Gayton

Antoine Pitrou

Apple Computer, Inc.

Ashwini Oruganti

Benjamin Bruheim

Bob Ippolito

Canonical Limited

Christopher Armstrong

David Reid

Divmod Inc.

Donovan Preston

Eric Mangold

Eyal Lotem

Google Inc.

Hybrid Logic Ltd.

Hynek Schlawack

Itamar Turner-Trauring

James Knight

Jason A. Mobarak

Jean-Paul Calderone

Jessica McKellar

Jonathan D. Simms

Jonathan Jacobs

Jonathan Lange

Julian Berman

Jrgen Hermann

Kevin Horn

Kevin Turner

Laurens Van Houtven

Mary Gardiner

Massachusetts Institute of Technology

Matthew Lefkowitz

Moshe Zadka

Paul Swartz

Pavel Pergamenshchik  
Rackspace, US Inc.  
Ralph Meijer  
Richard Wall  
Sean Riley  
Software Freedom Conservancy  
Tavendo GmbH  
Thijs Triemstra  
Thomas Herve  
Timothy Allen  
Tom Prince  
Travis B. Hartwell

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.39 pywin32-win32 227

### 1.39.1 Available under license :

Unless stated in the specific source file, this work is  
Copyright (c) 1994-2008, Mark Hammond  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright

notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither name of Mark Hammond nor the name of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: [www.cisco.com/go/trademarks](http://www.cisco.com/go/trademarks). Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)

©2023 Cisco Systems, Inc. All rights reserved.