

# Cisco Nexus Dashboard Insights and Panduit Intelligent PDU Integration

---

# Contents


The challenge	3
Benefits	4
The solution: Making sustainability actionable and simple	4
Use case: Real-time and historical visibility and insights	5
Use case: IT equipment-level data for device optimization	6
Conclusion	7
Accelerate your sustainability journey today	7

## The challenge

Rising energy and material costs, escalating power requirements, and impending regulations have intensified the compelling customer needs surrounding sustainability for data centers. Data-center operators must support growing compute and network demands from applications such as AI/ML, while ensuring availability for successful business outcomes.

According to the International Energy Agency (IEA), data centers consume 1 percent to 1.3 percent of the total electricity used globally, and data-center energy consumption is growing at 10 percent to 30 percent per year. At the same time, countries are grappling with limited energy availability and, in turn, are limiting the power available to data centers. Data centers and data-transmission networks also account for nearly 1 percent of energy-related global Greenhouse Gas (GHG) emissions (source: IEA).

This makes it imperative for data-center operators, not only to optimize energy usage and cost to meet their business needs, but also to implement effective sustainability strategies to mitigate environmental impact.



**Figure 1.**  
International energy agency data

To build sustainable data centers, real-time visibility of energy consumption, workload, and resource optimization is paramount. Visibility of both IT (network, compute, storage, applications, etc.) and facilities (systems such as power, uninterruptible power supplies, etc.) technologies is critical to managing energy usage and ensuring availability for data centers. According to The Uptime Institute Global Survey of IT and Data Center Managers (2020–2022), power and the network outages account for 58 percent data center outages.


However, infrastructure management for IT and facilities assets are becoming more complex, diverse, and distributed, with multiple configuration points, monitoring tools, and vast amounts of data generated every second. Further, IT and facilities assets and management tools are often managed by different teams within an organization, leading to information siloes and suboptimal planning and coordination.

## Benefits

- Visibility into data-center IT equipment energy consumption and cost.
- Insights into carbon footprint Greenhouse Gas (GHG) emissions of managed devices.
- Key sustainability metrics that help identify key impacting devices.

## The solution: Making sustainability actionable and simple

The integration of Panduit Intelligent Power Distribution Units (iPDUs) with Cisco Nexus® Dashboard simplifies data-center operations by bringing real-time sustainability insights to operators and by unifying IT and facilities data points into a single pane of glass. As a result, data-center operators will gain visibility at a site, equipment, or PDU outlet level with actionable insights to reduce energy usage and costs and to optimize their sustainability strategies.



**Figure 2.**  
Solution architecture

Panduit iPDUs offer comprehensive power-monitoring information, from single-phase or three-phase systems down to individual device levels. It measures both input power for the entire iPDU and outlet-level power for granular insight.

This data is seamlessly accessed by Panduit's Data Collector, a lightweight software, deployable in a Virtual Machine (VM), Linux device, or Raspberry Pi. The Data Collector has two components:

- **Aggregator:** Pulls data from multiple Panduit iPDUs through a secure SNMPv3 protocol.
- **Normalizer:** Packages data for transmission and pushes it to Cisco Nexus Dashboard through a RESTful API.


Communication between the Data Collector and Nexus Dashboard is established after an authentication and token exchange takes place through a separate RESTful API.

**Table 1.** Hardware and software components

Product	Description
<b>Cisco Nexus Dashboard</b>	Cisco Nexus Dashboard is a unified operations platform that hosts best-in-class capabilities to empower operations teams. <a href="https://www.cisco.com/site/us/en/products/networking/cloud-networking/nexus-platform/index.html">https://www.cisco.com/site/us/en/products/networking/cloud-networking/nexus-platform/index.html</a> .
<b>Panduit intelligent PDU</b>	Panduit Intelligent PDUs (iPDUs) monitor data-center power usage and the environment by continuously scanning for electrical circuit overloads and physical environmental conditions that place critical IT equipment at risk. <a href="http://www.panduit.com/pdu">www.panduit.com/pdu</a> .
<b>Panduit Data Collector</b>	The Panduit Data Collector collects and relays power data from Panduit iPDUs to Cisco Nexus Dashboard. <a href="https://www.panduit.com/en/support/download-center/power-distribution-units.html">https://www.panduit.com/en/support/download-center/power-distribution-units.html</a> .

## Use case: Real-time and historical visibility and insights


By integrating Panduit iPDUs with Cisco Nexus Dashboard, customers gain visibility into real-time and historical energy consumption, energy costs, and GHG emissions across all the devices in a data center. They can quickly understand past performance, forecast future energy requirements, and monitor their progress on net-zero initiatives.




**Figure 3.** Monthly dashboard for data-center energy costs, usage, and emissions data

## Use case: IT equipment-level data for device optimization

Panduit Intelligent PDUs with outlet-level monitoring enable Nexus Dashboard customers to have granular visibility into IT equipment, such as switches, servers, storage, or any other device connected to an iPDU. Customers will now have greater insights into key sources of energy consumption, cost, and GHG emissions within their data centers, identify anomalous devices, and make necessary upgrades of equipment to optimize energy consumption.



**Figure 4.** Detailed data for onboarded Panduit iPDUs



**Figure 5.** IT equipment-level data covering energy cost, usage, and emissions

---

Through the integration of IT and facilities technologies, there is an opportunity, not only to enable sustainability objectives, but also to drive greater efficiencies in day-to-day operations for network and power, such as issue resolution and capacity planning.

## Conclusion

With a long history of collaborating on network infrastructure and our extension into power and sustainability, Cisco and Panduit are uniquely positioned to help customers not only deliver resilient and highly scalable data centers, but also the visibility and actionable insights needed to accelerate their sustainability journey

## Accelerate your sustainability journey today

Please connect with your Panduit, Cisco, or partner contact to learn more. Useful links:

- [www.cisco.com/go/nexusdashboard](http://www.cisco.com/go/nexusdashboard)
- [www.panduit.com/pdu](http://www.panduit.com/pdu)
- [www.panduit.com/panduitciscoalliance](http://www.panduit.com/panduitciscoalliance)

**Americas Headquarters**  
Cisco Systems, Inc.  
San Jose, CA

**Asia Pacific Headquarters**  
Cisco Systems (USA) Pte. Ltd.  
Singapore

**Europe Headquarters**  
Cisco Systems International BV Amsterdam,  
The Netherlands

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at <https://www.cisco.com/go/offices>.

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: <https://www.cisco.com/go/trademarks>. Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)