

## End-of-Sale and End-of-Life Announcement for the Cisco ONS 15600 Bundles

EOL5474

Cisco® announces the end-of-sale and end-of life dates for the Cisco ONS 15600 Bundles. The last day to order the affected product(s) is April 1, 2007. Customers with active service contracts will continue to receive support from the Cisco Technical Assistance Center (TAC) as shown in Table 1 of the EoL bulletin. Table 1 describes the end-of-life milestones, definitions, and dates for the affected product(s). Table 2 lists the product part numbers affected by this announcement. For customers with active and paid service and support contracts, support will be available until the termination date of the contract, even if this date exceeds the Last Date of Support shown in Table 1.

**Table 1.** End-of-Life Milestones and Dates for the Cisco ONS 15600 Bundles

Milestone	Definition	Date
<b>End-of-Life Announcement Date</b>	The date the document that announces the end of sale and end of life of a product is distributed to the general public.	December 31, 2006
<b>End-of-Sale Date</b>	The last date to order the product through Cisco point-of-sale mechanisms. The product is no longer for sale after this date.	April 1, 2007
<b>Last Ship Date: HW</b>	The last-possible ship date that can be requested of Cisco and/or its contract manufacturers. Actual ship date is dependent on lead time.	June 30, 2007
<b>End of Routine Failure Analysis Date: HW</b>	The last-possible date a routine failure analysis may be performed to determine the cause of product failure or defect.	March 31, 2008
<b>End of New Service Attachment Date: HW</b>	For equipment and software that is not covered by a service-and-support contract, this is the last date to order a new service-and-support contract or add the equipment and/or software to an existing service-and-support contract.	March 31, 2008
<b>End of Service Contract Renewal Date: HW</b>	The last date to extend or renew a service contract for the product.	June 28, 2011
<b>Last Date of Support: HW</b>	The last date to receive service and support for the product. After this date, all support services for the product are unavailable, and the product becomes obsolete.	March 30, 2012

HW = Hardware OS SW = Operating System Software App. SW = Application Software

**Table 2.** Product Part Numbers Affected by This Announcement

End-of-Sale Product Part Number	Product Description	Replacement Product Part Number	Replacement Product Description
<b>15600-192LR-KIT</b>	Includes 1ea Bay, SW, Doc, 2ea CXC, TSC, and 192L4LR1550	15600-ASAP-1PIO	Single AnySlot, Any Port, IO Borad w/ 1 Entry XFP/PPM
<b>15600-192LR-KIT</b>	Includes 1ea Bay, SW, Doc, 2ea CXC, TSC, and 192L4LR1550	15600-ASAP-CC	Any Slot Any Port Carrier Card, plugs into any IO slots
<b>15600-192LR-KIT</b>	Includes 1ea Bay, SW, Doc, 2ea CXC, TSC, and 192L4LR1550	15600-BAY-ASY-KIT	Assembly Kit for the BAY
<b>15600-192LR-KIT</b>	Includes 1ea Bay, SW, Doc, 2ea CXC, TSC, and 192L4LR1550	15600-CAP2	Customer Access Panel

<b>15600-192LR-KIT</b>	Includes 1ea Bay, SW, Doc, 2ea CXC, TSC, and 192L4LR1550	15600-DOC8.0.0CD	Sys. Doc. Rel 8.0.0 English, CD
<b>15600-192LR-KIT</b>	Includes 1ea Bay, SW, Doc, 2ea CXC, TSC, and 192L4LR1550	15600-FTA2	Fan Tray Assembly
<b>15600-192LR-KIT</b>	Includes 1ea Bay, SW, Doc, 2ea CXC, TSC, and 192L4LR1550	15600-KPLT600	600mm kickplate option
<b>15600-192LR-KIT</b>	Includes 1ea Bay, SW, Doc, 2ea CXC, TSC, and 192L4LR1550	15600-NCRM	Narrow Cable Routing Module
<b>15600-192LR-KIT</b>	Includes 1ea Bay, SW, Doc, 2ea CXC, TSC, and 192L4LR1550	15600-PDU	Power Distribution Unit includes, PS-A, PS-B and Alarm
<b>15600-192LR-KIT</b>	Includes 1ea Bay, SW, Doc, 2ea CXC, TSC, and 192L4LR1550	15600-R8.0.0SWK9	15600 Rel. 8.0.0 Feature Pkg., CD, Right To Use License
<b>15600-192LR-KIT</b>	Includes 1ea Bay, SW, Doc, 2ea CXC, TSC, and 192L4LR1550	15600-RACK	600/900mm NEBS 2000 rack
<b>15600-192LR-KIT</b>	Includes 1ea Bay, SW, Doc, 2ea CXC, TSC, and 192L4LR1550	15600-SA	Main Shelf Assembly
<b>15600-192LR-KIT</b>	Includes 1ea Bay, SW, Doc, 2ea CXC, TSC, and 192L4LR1550	15600-SHF-ASY-KIT	Assembly Kit for the IO-Shelf
<b>15600-192LR-KIT</b>	Includes 1ea Bay, SW, Doc, 2ea CXC, TSC, and 192L4LR1550	15600-SSXC	New SSXC Core Cross Connect, 6144 STS1
<b>15600-192LR-KIT</b>	Includes 1ea Bay, SW, Doc, 2ea CXC, TSC, and 192L4LR1550	15600-TSC	Timing Shelf Controller
<b>15600-192LR-KIT</b>	Includes 1ea Bay, SW, Doc, 2ea CXC, TSC, and 192L4LR1550	ONS-XC-10G-L2	XFP - OC192/STM64 - 1550 LR2 - SM LC
<b>15600-192LR-KIT</b>	Includes 1ea Bay, SW, Doc, 2ea CXC, TSC, and 192L4LR1550	SF15600-R8.0.0K9	Rel. 8.0.0 SW, Pre-loaded on TSC
<b>15600-192SR-KIT</b>	Includes 1ea Bay, SW, Doc, 2ea CXC, TSC, and 192S4SR1310	15600-ASAP-PIIO	Single AnySlot, Any Port, IO Borad w/ 1 Entry XFP/PPM
<b>15600-192SR-KIT</b>	Includes 1ea Bay, SW, Doc, 2ea CXC, TSC, and 192S4SR1310	15600-ASAP-CC	Any Slot Any Port Carrier Card, plugs into any IO slots
<b>15600-192SR-KIT</b>	Includes 1ea Bay, SW, Doc, 2ea CXC, TSC, and 192S4SR1310	15600-BAY-ASY-KIT	Assembly Kit for the BAY
<b>15600-192SR-KIT</b>	Includes 1ea Bay, SW, Doc, 2ea CXC, TSC, and 192S4SR1310	15600-CAP2	Customer Access Panel
<b>15600-192SR-KIT</b>	Includes 1ea Bay, SW, Doc, 2ea CXC, TSC, and 192S4SR1310	15600-DOC8.0.0CD	Sys. Doc. Rel 8.0.0 English, CD
<b>15600-192SR-KIT</b>	Includes 1ea Bay, SW, Doc, 2ea CXC, TSC, and 192S4SR1310	15600-FTA2	Fan Tray Assembly
<b>15600-192SR-KIT</b>	Includes 1ea Bay, SW, Doc, 2ea CXC, TSC, and 192S4SR1310	15600-KPLT600	600mm kickplate option
<b>15600-192SR-KIT</b>	Includes 1ea Bay, SW, Doc, 2ea CXC, TSC, and 192S4SR1310	15600-NCRM	Narrow Cable Routing Module
<b>15600-192SR-KIT</b>	Includes 1ea Bay, SW, Doc, 2ea CXC, TSC, and 192S4SR1310	15600-PDU	Power Distribution Unit includes, PS-A, PS-B and Alarm

<b>15600-192SR-KIT</b>	Includes 1ea Bay, SW, Doc, 2ea CXC, TSC, and 192S4SR1310	15600-R8.0.0SWK9	15600 Rel. 8.0.0 Feature Pkg., CD, Right To Use License
<b>15600-192SR-KIT</b>	Includes 1ea Bay, SW, Doc, 2ea CXC, TSC, and 192S4SR1310	15600-RACK	600/900mm NEBS 2000 rack
<b>15600-192SR-KIT</b>	Includes 1ea Bay, SW, Doc, 2ea CXC, TSC, and 192S4SR1310	15600-SA	Main Shelf Assembly
<b>15600-192SR-KIT</b>	Includes 1ea Bay, SW, Doc, 2ea CXC, TSC, and 192S4SR1310	15600-SHF-ASY-KIT	Assembly Kit for the IO-Shelf
<b>15600-192SR-KIT</b>	Includes 1ea Bay, SW, Doc, 2ea CXC, TSC, and 192S4SR1310	15600-SSXC	New SSXC Core Cross Connect, 6144 STS1
<b>15600-192SR-KIT</b>	Includes 1ea Bay, SW, Doc, 2ea CXC, TSC, and 192S4SR1310	15600-TSC	Timing Shelf Controller
<b>15600-192SR-KIT</b>	Includes 1ea Bay, SW, Doc, 2ea CXC, TSC, and 192S4SR1310	ONS-XC-10G-S1	XFP - OC192/STM64/10GE - 1310 SR - SM LC
<b>15600-192SR-KIT</b>	Includes 1ea Bay, SW, Doc, 2ea CXC, TSC, and 192S4SR1310	SF15600-R8.0.0K9	Rel. 8.0.0 SW, Pre-loaded on TSC
<b>15600-2X192LR2</b>	2ea 192LR	15600-ASAP-1PIO	Single AnySlot, Any Port, IO Borad w/ 1 Entry XFP/PPM
<b>15600-2X192LR2</b>	2ea 192LR	15600-ASAP-CC	Any Slot Any Port Carrier Card, plugs into any IO slots
<b>15600-2X192LR2</b>	2ea 192LR	ONS-XC-10G-L2	XFP - OC192/STM64 - 1550 LR2 - SM LC
<b>15600-2X192SR</b>	2ea 192SR	15600-ASAP-1PIO	Single AnySlot, Any Port, IO Borad w/ 1 Entry XFP/PPM
<b>15600-2X192SR</b>	2ea 192SR	15600-ASAP-CC	Any Slot Any Port Carrier Card, plugs into any IO slots
<b>15600-2X192SR</b>	2ea 192SR	ONS-XC-10G-S1	XFP - OC192/STM64/10GE - 1310 SR - SM LC
<b>15600-2X48LR2</b>	2ea 48LR	15600-ASAP-4PIO	Single Any Slot Any Port IO board with 4 empty SFP/PPM slots
<b>15600-2X48LR2</b>	2ea 48LR	15600-ASAP-CC	Any Slot Any Port Carrier Card, plugs into any IO slots
<b>15600-2X48LR2</b>	2ea 48LR	ONS-SE-2G-L2	SFP - OC48/STM16, LR2, L-16.2, 1550nm, SM, LC, EXT-TEMP
<b>15600-48LR-KIT</b>	Includes 1ea Bay, SW, Doc, 2ea CXC, TSC, and 48L16LR1550	15600-ASAP-4PIO	Single Any Slot Any Port IO board with 4 empty SFP/PPM slots
<b>15600-48LR-KIT</b>	Includes 1ea Bay, SW, Doc, 2ea CXC, TSC, and 48L16LR1550	15600-ASAP-CC	Any Slot Any Port Carrier Card, plugs into any IO slots
<b>15600-48LR-KIT</b>	Includes 1ea Bay, SW, Doc, 2ea CXC, TSC, and 48L16LR1550	15600-BAY-ASY-KIT	Assembly Kit for the BAY
<b>15600-48LR-KIT</b>	Includes 1ea Bay, SW, Doc, 2ea CXC, TSC, and 48L16LR1550	15600-CAP2	Customer Access Panel
<b>15600-48LR-KIT</b>	Includes 1ea Bay, SW, Doc, 2ea CXC, TSC, and 48L16LR1550	15600-DOC8.0.0CD	Sys. Doc. Rel 8.0.0 English, CD
<b>15600-48LR-KIT</b>	Includes 1ea Bay, SW, Doc, 2ea CXC, TSC, and 48L16LR1550	15600-FTA2	Fan Tray Assembly

<b>15600-48LR-KIT</b>	Includes 1ea Bay, SW, Doc, 2ea CXC, TSC, and 48L16LR1550	15600-KPLT600	600mm kickplate option
<b>15600-48LR-KIT</b>	Includes 1ea Bay, SW, Doc, 2ea CXC, TSC, and 48L16LR1550	15600-NCRM	Narrow Cable Routing Module
<b>15600-48LR-KIT</b>	Includes 1ea Bay, SW, Doc, 2ea CXC, TSC, and 48L16LR1550	15600-PDU	Power Distribution Unit includes, PS-A, PS-B and Alarm
<b>15600-48LR-KIT</b>	Includes 1ea Bay, SW, Doc, 2ea CXC, TSC, and 48L16LR1550	15600-R8.0.0SWK9	15600 Rel. 8.0.0 Feature Pkg., CD, Right To Use License
<b>15600-48LR-KIT</b>	Includes 1ea Bay, SW, Doc, 2ea CXC, TSC, and 48L16LR1550	15600-RACK	600/900mm NEBS 2000 rack
<b>15600-48LR-KIT</b>	Includes 1ea Bay, SW, Doc, 2ea CXC, TSC, and 48L16LR1550	15600-SA	Main Shelf Assembly
<b>15600-48LR-KIT</b>	Includes 1ea Bay, SW, Doc, 2ea CXC, TSC, and 48L16LR1550	15600-SHF-ASY-KIT	Assembly Kit for the IO-Shelf
<b>15600-48LR-KIT</b>	Includes 1ea Bay, SW, Doc, 2ea CXC, TSC, and 48L16LR1550	15600-SSXC	New SSXC Core Cross Connect, 6144 STS1
<b>15600-48LR-KIT</b>	Includes 1ea Bay, SW, Doc, 2ea CXC, TSC, and 48L16LR1550	15600-TSC	Timing Shelf Controller
<b>15600-48LR-KIT</b>	Includes 1ea Bay, SW, Doc, 2ea CXC, TSC, and 48L16LR1550	ONS-SE-2G-L2	SFP - OC48/STM16, LR2, L-16.2, 1550nm, SM, LC, EXT-TEMP
<b>15600-48LR-KIT</b>	Includes 1ea Bay, SW, Doc, 2ea CXC, TSC, and 48L16LR1550	SF15600-R8.0.0K9	Rel. 8.0.0 SW, Pre-loaded on TSC
<b>15600-BAYCOM</b>	15600 Bay with SW RTU, 2 ea CXC,TSC, 8ea IO-FILLER	15600-BAY-ASY-KIT	Assembly Kit for the BAY
<b>15600-BAYCOM</b>	15600 Bay with SW RTU, 2 ea CXC,TSC, 8ea IO-FILLER	15600-CAP2	Customer Access Panel
<b>15600-BAYCOM</b>	15600 Bay with SW RTU, 2 ea CXC,TSC, 8ea IO-FILLER	15600-DOC8.0.0CD	Sys. Doc. Rel 8.0.0 English, CD
<b>15600-BAYCOM</b>	15600 Bay with SW RTU, 2 ea CXC,TSC, 8ea IO-FILLER	15600-FTA2	Fan Tray Assembly
<b>15600-BAYCOM</b>	15600 Bay with SW RTU, 2 ea CXC,TSC, 8ea IO-FILLER	15600-IO-FILLER	Input-Output filler card
<b>15600-BAYCOM</b>	15600 Bay with SW RTU, 2 ea CXC,TSC, 8ea IO-FILLER	15600-KPLT600	600mm kickplate option
<b>15600-BAYCOM</b>	15600 Bay with SW RTU, 2 ea CXC,TSC, 8ea IO-FILLER	15600-NCRM	Narrow Cable Routing Module
<b>15600-BAYCOM</b>	15600 Bay with SW RTU, 2 ea CXC,TSC, 8ea IO-FILLER	15600-PDU	Power Distribution Unit includes, PS-A, PS-B and Alarm
<b>15600-BAYCOM</b>	15600 Bay with SW RTU, 2 ea CXC,TSC, 8ea IO-FILLER	15600-R8.0.0SWK9	15600 Rel. 8.0.0 Feature Pkg., CD, Right To Use License
<b>15600-BAYCOM</b>	15600 Bay with SW RTU, 2 ea CXC,TSC, 8ea IO-FILLER	15600-RACK	600/900mm NEBS 2000 rack
<b>15600-BAYCOM</b>	15600 Bay with SW RTU, 2 ea CXC,TSC, 8ea IO-FILLER	15600-SA	Main Shelf Assembly
<b>15600-BAYCOM</b>	15600 Bay with SW RTU, 2 ea CXC,TSC, 8ea IO-FILLER	15600-SHF-ASY-KIT	Assembly Kit for the IO-Shelf
<b>15600-BAYCOM</b>	15600 Bay with SW RTU, 2 ea CXC,TSC, 8ea IO-FILLER	15600-SSXC	New SSXC Core Cross Connect, 6144 STS1
<b>15600-BAYCOM</b>	15600 Bay with SW RTU, 2 ea CXC,TSC, 8ea IO-FILLER	15600-TSC	Timing Shelf Controller

<b>15600-BAYCOM</b>	15600 Bay with SW RTU, 2 ea CXC, TSC, 8ea IO-FILLER	SF15600-R8.0.0K9	Rel. 8.0.0 SW, Pre-loaded on TSC
<b>15600-IOSHLFCOM</b>	15600 Shelf with SW RTU, 2 ea CXC, TSC, 8 ea IO-FILLER	15600-CAP2	Customer Access Panel
<b>15600-IOSHLFCOM</b>	15600 Shelf with SW RTU, 2 ea CXC, TSC, 8 ea IO-FILLER	15600-FTA2	Fan Tray Assembly
<b>15600-IOSHLFCOM</b>	15600 Shelf with SW RTU, 2 ea CXC, TSC, 8 ea IO-FILLER	15600-IO-FILLER	Input-Output filler card
<b>15600-IOSHLFCOM</b>	15600 Shelf with SW RTU, 2 ea CXC, TSC, 8 ea IO-FILLER	15600-R8.0.0SWK9	15600 Rel. 8.0.0 Feature Pkg., CD, Right To Use License
<b>15600-IOSHLFCOM</b>	15600 Shelf with SW RTU, 2 ea CXC, TSC, 8 ea IO-FILLER	15600-SA	Main Shelf Assembly
<b>15600-IOSHLFCOM</b>	15600 Shelf with SW RTU, 2 ea CXC, TSC, 8 ea IO-FILLER	15600-SHF-ASY-KIT	Assembly Kit for the IO-Shelf
<b>15600-IOSHLFCOM</b>	15600 Shelf with SW RTU, 2 ea CXC, TSC, 8 ea IO-FILLER	15600-SSXC	New SSXC Core Cross Connect, 6144 STS1
<b>15600-IOSHLFCOM</b>	15600 Shelf with SW RTU, 2 ea CXC, TSC, 8 ea IO-FILLER	15600-TSC	Timing Shelf Controller
<b>15600-IOSHLFCOM</b>	15600 Shelf with SW RTU, 2 ea CXC, TSC, 8 ea IO-FILLER	SF15600-R8.0.0K9	Rel. 8.0.0 SW, Pre-loaded on TSC

## Product Migration Options

Customers are encouraged to migrate to the products referenced in Table 2

Customers can use the Cisco Technology Migration Plan (TMP) to trade in products and receive credit toward the purchase of new Cisco equipment. For more information about Cisco TMP, go to: <http://www.cisco.com/go/tradein/>. The Cisco TMP application requires all users to have a Cisco.com user ID.

Customers may be able to continue to purchase the end-of-sale product through the Cisco Certified Refurbished Equipment program. Refurbished units of the end-of-sale product are available in limited supply for sale in certain countries on a first-come, first-served basis. For information about the refurbished equipment program, go to: <http://cisco.com/go/remarketing>.

## For More Information

For more information about the Cisco End-of-Life Policy, go to: [http://www.cisco.com/en/US/products/prod\\_end\\_of\\_life.html](http://www.cisco.com/en/US/products/prod_end_of_life.html).

To subscribe to receive end-of-life/end-of-sale information, go to: <http://www.cisco.com/cgi-bin/Support/FieldNoticeTool/field-notice>.



**Americas Headquarters**  
Cisco Systems, Inc.  
170 West Tasman Drive  
San Jose, CA 95134-1706  
USA  
[www.cisco.com](http://www.cisco.com)  
Tel: 408 526-4000  
800 553-NETS (6387)  
Fax: 408 527-0883

**Asia Pacific Headquarters**  
Cisco Systems (USA) Pte. Ltd.  
168 Robinson Road  
#28-01 Capital Tower  
Singapore 068912  
[www.cisco.com](http://www.cisco.com)  
Tel: +65 6317 7777  
Fax: +65 6317 7799

**Europe Headquarters**  
Cisco Systems International BV  
Haarlerbergpark  
Haarlerbergweg 13-19  
1101 CH Amsterdam  
The Netherlands  
[www-europe.cisco.com](http://www-europe.cisco.com)  
Tel: +31 0 800 020 0791  
Fax: +31 0 20 357 1100

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at [www.cisco.com/go/offices](http://www.cisco.com/go/offices).

©2007 Cisco Systems, Inc. All rights reserved. CCVP, the Cisco logo, and Welcome to the Human Network are trademarks of Cisco Systems, Inc.; Changing the Way We Work, Live, Play, and Learn is a service mark of Cisco Systems, Inc.; and Access Registrar, Aironet, BPX, Catalyst, CCDA, CCDP, CCIE, CCIP, CCNA, CCNP, CCSP, Cisco, the Cisco Certified Internetwork Expert logo, Cisco IOS, Cisco Press, Cisco Systems, Cisco Systems Capital, the Cisco Systems logo, Cisco Unity, Enterprise/Solver, EtherChannel, EtherFast, EtherSwitch, Fast Step, Follow Me Browsing, FormShare, GigaDrive, HomeLink, Internet Quotient, IOS, iPhone, IP/TV, IQ Expertise, the iQ logo, iQ Net Readiness Scorecard, iQuick Study, LightStream, Linksys, MeetingPlace, MGX, Networkers, Networking Academy, Network Registrar, PIX, ProConnect, ScriptShare, SMARTnet, StackWise, The Fastest Way to Increase Your Internet Quotient, and TransPath are registered trademarks of Cisco Systems, Inc. and/or its affiliates in the United States and certain other countries.

All other trademarks mentioned in this document or Website are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (0710R)